



Memorable Taste

A Taste-Intelligence Platform for Finding Food Worth Remembering

Author: Ashrafullah Khan

1 Memorable Taste

1.1 A Taste-Intelligence Platform for Finding Food Worth Remembering

1.1.1 1. The Concept

Most restaurant-discovery and “trending food” products optimise for **popularity**.

They measure things such as:

- Review volume
- Star ratings
- TikTok views
- Instagram mentions
- Google search volume
- TripAdvisor rankings
- Number of recent bookings

These signals are useful, but they do not necessarily identify **memorable food**.

A restaurant can have thousands of reviews because it is convenient, fashionable or heavily promoted, while a small independent pub, bakery, chef’s counter or coastal restaurant may receive comparatively little online attention despite producing dishes that diners remember for years.

Memorable Taste takes a different approach.

Instead of asking:

“What restaurant is trending?”

It asks:

“What food are people actually remembering?”

The platform analyses language, dishes, sensory descriptions, emotional reactions, repeat-visit intentions and emerging discussion patterns to identify restaurants and dishes with a high **Taste Memory Score**.

The result is a discovery engine designed around **sensory impact, distinctiveness and emotional memory rather than popularity alone**.

2 2. Core Product Hook

2.0.1 From “What is popular?” to “What will I remember?”

Memorable Taste combines:

Reviews + food language + sensory NLP + dish-level analysis + local culture + trend velocity
to produce a new category of restaurant intelligence:

2.0.2 The Taste Memory Radar™

Rather than simply ranking restaurants, the system identifies:

- Dishes people describe vividly
- Flavours people struggle to forget

- Restaurants generating unusually strong food reactions
 - Emerging dishes before they become mainstream
 - Regional specialties worth travelling for
 - Places where reviewers repeatedly mention the same dish
 - Restaurants with unusually high “return intent”
 - Hidden independent venues outperforming their online visibility
-

3 3. Why Conventional Trending Systems Miss This

Consider two restaurants.

3.0.1 Restaurant A

“Great location. Lovely atmosphere. Service was excellent. Nice place for a night out.”

This restaurant may receive hundreds of positive reviews.

3.0.2 Restaurant B

“The turbot was butter-basted until the edges were almost caramelised. The sauce was ridiculously deep and I kept thinking about it the next morning.”

Restaurant B may have fewer reviews.

However, the second review contains considerably more information about **taste memory**.

The platform therefore separates:

3.0.3 Generic satisfaction

- Good service
- Nice atmosphere
- Lovely restaurant
- Great experience
- Friendly staff
- Good value

from:

3.0.4 Sensory memory

- Charred
- Smoky
- Fermented
- Silky
- Crisp
- Buttery
- Deep
- Punchy
- Tangy
- Gamey

- Rich
- Bitter
- Sweet-sour
- Umami
- Caramelised
- Slow-cooked
- Wood-fired
- Melt-in-the-mouth

The system then asks a more important question:

Does the language indicate that the diner actually experienced something distinctive?

4 4. The Taste Memory Radar™

The Taste Memory Radar is the platform's central intelligence layer.

It analyses restaurant and dish-level conversations and produces a multidimensional **Memorability Profile**.

Rather than one simplistic rating, each venue can have several signals.

4.0.1 A. Sensory Intensity

How strongly diners describe taste, texture, aroma and cooking technique.

Examples:

- Smoky
- Charred
- Creamy
- Crispy
- Fermented
- Spiced
- Rich
- Tart
- Bitter
- Sweet
- Savoury

4.0.2 B. Distinctiveness

Does the food appear genuinely different from what diners normally encounter?

Signals include:

- Unusual combinations
- Rare ingredients
- Regional techniques
- Heritage recipes
- Unexpected flavour pairings
- Highly specific preparation methods

4.0.3 C. Dish Concentration

Do multiple independent diners repeatedly mention the **same dish**?

For example:

14 different reviewers independently mention the lamb pie.

That is substantially more interesting than 14 generic five-star reviews.

4.0.4 D. Emotional Recall

Does the reviewer describe thinking about the food after leaving?

Examples:

- “Still thinking about it”
- “I would go back just for...”
- “Best thing I ate this year”
- “I’ve been craving it”
- “I can’t stop thinking about...”
- “Worth the journey”
- “We came back the following week”

4.0.5 E. Return Intent

Does the review contain evidence of a desire to return?

4.0.6 F. Conversation Velocity

Is the number of meaningful food mentions increasing?

This allows the system to detect an emerging restaurant before conventional rankings catch up.

5 5. The Memorable Taste Index™

Instead of relying on a single star rating, the platform generates a composite **Memorable Taste Index (MTI)**.

A more sophisticated initial model could be:

MTI = Sensory Impact + Dish Specificity + Emotional Recall + Repeat Intent + Independent Agreement + Momentum – Generic Praise – Complaint Noise

The exact weighting should be learned through testing rather than permanently hard-coded.

5.0.1 Example dimensions

Signal	What it measures
Sensory Density	Number and strength of meaningful sensory references
Dish Specificity	Whether reviewers identify particular dishes
Taste Distinctiveness	Unusual or differentiated flavour profiles
Emotional Recall	Evidence that the food stayed in memory
Repeat Intent	Signals of wanting to return

Signal	What it measures
Cross-Reviewer Agreement	Independent people mentioning similar experiences
Momentum	Growth in meaningful mentions
Generic Praise	Non-food compliments
Complaint Noise	Price/service/logistics complaints that obscure food quality

This makes the score much more useful than simply counting five-star reviews.

6 6. Dish-Level Intelligence

A major differentiator should be the ability to move from:

Restaurant → Dish → Flavour → Memory

Most restaurant platforms stop at the restaurant level.

Memorable Taste should identify specific dishes.

For example:

6.0.1 Restaurant

Independent Yorkshire pub

6.0.2 Emerging signature dish

Herdwick hogget pie

6.0.3 Associated sensory profile

- Rich
- Gamey
- Deep gravy
- Crisp pastry
- Slow-cooked
- Peppery

6.0.4 Memory signals

- Frequently mentioned independently
- High repeat intent
- Increasing mentions over eight weeks

This allows the user to discover:

“Go here and order this.”

rather than:

“This restaurant has 4.7 stars.”

That is a much more useful food-discovery experience.

7 7. The Sunday Roast / British Classics Index™

One particularly strong UK-specific opportunity is a dedicated **British Classics Intelligence Layer**.

British diners have highly specific opinions about traditional dishes.

The system could build separate indices for:

7.0.1 Sunday Roast

Analyse:

- Roast potatoes
- Yorkshire puddings
- Gravy
- Beef
- Lamb
- Chicken
- Pork
- Cauliflower cheese
- Stuffing
- Seasonal vegetables

But go further.

Instead of simply identifying “best Sunday roast”, extract characteristics such as:

Roast potatoes

crunchy exterior / fluffy centre / goose-fat / crispy edges

Yorkshire pudding

tall / crisp / airy / enormous / doughy

Gravy

glossy / thick / meaty / reduced / salty / rich

The result becomes a **Roast Personality Profile**.

8 8. Other British Taste Indices

The same methodology can be applied to highly specific categories.

8.0.1 Pie Index

- Pastry quality
- Filling-to-pastry ratio
- Gravy
- Meat tenderness
- Traditional vs experimental

8.0.2 Fish & Chips Index

- Batter crispness
- Fish freshness
- Greasiness
- Salt/vinegar balance
- Chip texture

8.0.3 Full English Index

- Sausage quality
- Bacon
- Eggs
- Hash browns
- Beans
- Bread
- Mushrooms
- Regional variations

8.0.4 Pub Food Index

- Scotch eggs
- Pork pies
- Steak & ale pie
- Ploughman's
- Welsh rarebit
- Sausage & mash

8.0.5 Curry Index

- Spice complexity
- Heat
- Aromatics
- Char
- Sauce depth
- Regional authenticity
- Tandoor performance

This creates a product with a distinctly **British cultural identity**, rather than another generic restaurant recommendation engine.

9 9. Hidden Regional Gem Scout™

The platform should actively search for restaurants that are **under-discovered relative to their taste signal**.

This creates another valuable metric:

9.1 Taste Signal vs Visibility

A venue may have:

- 4,000 online mentions but mediocre sensory language

while another may have:

- 180 mentions
- extremely high sensory density
- strong dish consensus
- high return intent
- rapidly accelerating discussion

The second venue becomes a potential **Hidden Gem**.

The system could identify:

9.1.1 “High Taste / Low Visibility”

Restaurants with unusually strong taste-memory signals relative to their online footprint.

This is particularly interesting for:

- Village pubs
 - Railway arches
 - Coastal cafés
 - Market stalls
 - Family-run restaurants
 - Independent bakeries
 - Farm shops
 - Roadside food
 - Country inns
 - Chef-led micro-restaurants
-

10 10. Destination Eating Score

Another useful feature would be a **Worth the Journey** signal.

The NLP system can identify phrases such as:

- “Worth driving for”
- “Worth the train journey”
- “We travelled from...”
- “Destination restaurant”
- “Made a special trip”
- “Would travel again”

This produces a different category from ordinary local recommendations:

10.0.1 Worth Travelling For

Restaurants where diners demonstrate unusually strong geographic commitment.

11 11. Regional Food Memory Map

The product can eventually become a map of Britain’s **taste memories**.

Users could explore:

11.0.1 London

- Modern British
- Indian
- Middle Eastern
- Japanese
- Bakery
- Pub food

11.0.2 Bristol

- Independent restaurants
- Natural wine + food
- Bakeries
- Seafood
- Experimental cooking

11.0.3 Leeds

- Yorkshire classics
- South Asian food
- Modern British
- Independent pubs

11.0.4 Manchester

- Northern comfort food
- Chinese
- Pakistani
- Indian
- Modern dining

11.0.5 Cornwall

- Seafood
- Pasties
- Coastal cafés
- Farm-to-table

Instead of simply showing restaurant density, the map displays **taste clusters**.

12 12. Data Ingestion Architecture

The data layer should combine several types of signals.

12.0.1 Review Platforms

Potential sources include:

- Google Places data where permitted
- TripAdvisor data where permitted
- OpenTable / Resy data where permitted
- Restaurant websites
- Public menus

- Food publications
- Public Reddit discussions
- Public food blogs
- RSS feeds
- Public social content where permitted

The commercial implementation should use official APIs, licensed datasets or sources whose terms permit the intended use rather than relying on indiscriminate scraping.

13 13. Food-Writing Intelligence Layer

The system should create a dedicated food-language taxonomy.

13.0.1 Sensory vocabulary

Texture

- Crispy
- Crunchy
- Silky
- Creamy
- Chewy
- Flaky
- Tender
- Melting
- Juicy

Aroma

- Smoky
- Floral
- Earthy
- Toasted
- Fermented
- Aromatic

Taste

- Umami
- Bitter
- Tart
- Sweet
- Salty
- Sour
- Spicy
- Rich
- Sharp

Cooking

- Charred
- Wood-fired

- Butter-basted
- Slow-cooked
- Fermented
- Pickled
- Smoked
- Grilled
- Roasted

Emotional memory

- Craving
- Addictive
- Unforgettable
- Memorable
- Dreaming about
- Coming back
- Worth the trip
- Still thinking about

The vocabulary should continuously evolve from actual UK food writing.

14 14. NLP Pipeline

A practical architecture could look like:

Raw Data



Cleaning & Deduplication



Language Detection



Restaurant Entity Resolution



Dish Extraction



Sensory Entity Extraction



Sentiment & Emotion Classification



Taste-Memory Classification



Dish Clustering



Restaurant-Level Aggregation



Memorable Taste Index



Trend / Momentum Engine



Recommendation API

15 15. Dish Extraction

The system needs to understand:

“The lamb was incredible.”

versus:

“The slow-roasted hogget shoulder with anchovy gravy was the reason I’d return.”

The second contains significantly more useful information.

An LLM extraction layer could convert reviews into structured objects such as:

```
Restaurant: Example Arms
Dish: Slow-roasted hogget shoulder
Protein: Hogget
Cooking method: Slow roasted
Flavour: Rich, savoury, deep
Texture: Tender
Sauce: Anchovy gravy
Emotion: Strong positive
Return intent: High
Memory signal: High
```

These structured records become the foundation of the product.

16 16. Cross-Reviewer Validation

One review should not make a restaurant “memorable”.

The platform should look for **independent agreement**.

For example:

Reviewer 1:

“The lamb pie was phenomenal.”

Reviewer 2:

“Don’t leave without ordering the lamb pie.”

Reviewer 3:

“Best thing we ate was the lamb pie.”

Reviewer 4:

“The pastry and lamb filling were exceptional.”

The system detects a recurring dish-level pattern.

This produces a much stronger signal:

16.0.1 Signature Dish Confidence

High

17 17. Momentum Engine

Traditional trend engines measure:

Number of mentions this week.

Memorable Taste measures:

Growth in meaningful taste mentions.

For example:

Week	Taste Mentions
Week 1	8
Week 2	10
Week 3	13
Week 4	21
Week 5	34

The system detects acceleration.

A restaurant doesn't need to be famous yet.

It only needs to demonstrate **increasing taste-memory activity**.

18 18. Query Experience

The user shouldn't have to understand the underlying scoring system.

They simply ask naturally:

“Where should I eat in Manchester tonight if I want something punchy, non-pretentious and unforgettable under £40?”

The engine translates this into:

Location: Manchester **Time:** Tonight **Budget:** £40 **Taste:** Punchy **Style:** Non-pretentious **Objective:** High memorability
The response could be:

18.0.1 Three recommendations

1. Restaurant A

Why: Strong independent mentions of its smoked mackerel and fermented chilli sauce.

Taste profile: Smoky · salty · fermented · spicy

Memory signal: High

Order: Smoked mackerel dish

19 19. Conversational Food Discovery

The bot should feel more like a knowledgeable food-obsessed friend than a search engine.

Examples:

“I want somewhere romantic but not formal.”

“Where can I get the best pie within 45 minutes of Leeds?”

“Find me something spicy and smoky tonight.”

“I want somewhere worth driving for.”

“What’s the dish everyone is secretly obsessed with in Bristol?”

“Show me places under £30 that locals keep returning to.”

“I don’t care about Instagram-famous places.”

“Find me an old-school British pub with exceptional food.”

This natural-language interface becomes a major part of the product experience.

20 20. The Bot

20.0.1 Initial MVP

Telegram is a good first interface because it is fast to build and supports conversational commands.

Example:

/trend Manchester

or:

/find Manchester £40 punchy

But the long-term product should support:

- WhatsApp
- Web
- Mobile app
- Email digest
- API

21 21. Weekly “Taste Memory” Digest

A highly shareable feature could be a weekly digest:

21.1 This Week’s Taste Memories

21.1.1 🔥 Emerging Dish

A dish whose sensory mentions increased sharply.

21.1.2 🥧 British Classic

A standout pie, roast, fish & chips or pub dish.

21.1.3 🗺️ Hidden Gem

High taste signal, low visibility.

21.1.4 🚗 Worth the Journey

A destination restaurant attracting diners from outside its immediate area.

21.1.5 🍴 Signature Dish

The dish most consistently mentioned by independent reviewers.

21.1.6 📈 Rising Taste

The restaurant showing the fastest growth in meaningful food conversation.

This creates a recurring habit rather than a one-off search product.

22 22. MVP Development Roadmap

22.1 Week 1 — Data Prototype

Choose **one city**.

Good candidates include:

- Bristol
- Leeds
- Manchester

Collect a legally usable dataset of approximately **1,000–5,000 reviews or food-content records**, depending on source availability.

Build:

- Data ingestion
 - Cleaning
 - Restaurant entity matching
 - Basic sensory vocabulary
-

22.2 Week 2 — Taste Intelligence

Build the first extraction pipeline.

For every review extract:

- Restaurant
- Dish
- Ingredients
- Cooking technique
- Sensory descriptors
- Emotion
- Return intent
- Memorability signal
- Generic praise
- Price/service complaints

Store structured results in PostgreSQL.

22.3 Week 3 — Taste Memory Scoring

Create the first scoring model.

Test:

- Sensory density
- Dish repetition
- Emotional recall
- Return intent
- Cross-review agreement
- Momentum

Then manually evaluate approximately 100 restaurants/reviews.

The objective is not to prove that the score is “correct” immediately.

It is to determine:

Does the algorithm surface restaurants that experienced food people also consider interesting?

22.4 Week 4 — Bot

Build the first Telegram experience.

Example:

User:

Where should I eat in Leeds tonight?

Bot:

What's your budget?

User:

Under £35.

Bot:

What are you craving?

User:

Something smoky and comforting.

Bot:

I found three places with unusually strong taste-memory signals...

23 23. Human Evaluation Loop

This is critical.

Do not rely entirely on LLM scoring.

Create a small evaluation panel of UK food enthusiasts.

Give them:

- Restaurant A
- Restaurant B
- Restaurant C

Ask:

“Which one sounds most memorable?”

Then compare human assessments against algorithmic scores.

Use this to improve the model.

Eventually, the scoring system becomes trained against **human taste-memory judgements**, not simply sentiment.

24 24. Technology Stack

24.0.1 Backend

Python + FastAPI

24.0.2 Database

PostgreSQL

24.0.3 Search

OpenSearch / Elasticsearch

24.0.4 Vector Search

pgvector

24.0.5 NLP

Potential combination of:

- OpenAI models
- Open-source transformer models
- Embeddings
- Lightweight classifiers

24.0.6 Data Processing

- Python
- Pandas
- Polars
- Pydantic

24.0.7 Jobs

- Celery
- Redis
- Scheduled workers

24.0.8 Interface

Phase 1: Telegram

Phase 2: Web application

Phase 3: WhatsApp / mobile

25 25. Recommended Data Model

25.0.1 Restaurant

```
restaurant_id
name
location
latitude
longitude
cuisine
price_band
website
visibility_score
taste_memory_score
momentum_score
```

25.0.2 Dish

```
dish_id
restaurant_id
dish_name
ingredients
cooking_method
flavour_profile
texture_profile
mention_count
sensory_score
memory_score
confidence
```

25.0.3 Review Signal

```
review_id
restaurant_id
dish_id
sensory_score
emotion_score
return_intent
specificity_score
generic_noise_score
price_complaint
memory_signal
timestamp
```

This makes the system extensible.

26 26. Important Product Differentiator

The strongest strategic positioning is **not**:

“AI restaurant recommendations.”

That market is crowded.

The positioning should be:

27 “A search engine for food worth remembering.”

Or:

27.0.1 “Find the food you’ll still be thinking about tomorrow.”

The underlying technology is AI/NLP, but the consumer doesn’t need to care about the technology.

They care about:

What should I eat?

And more importantly:

What will be worth eating?

28 27. Potential Commercial Model

28.0.1 Free

- Limited searches
- City discovery
- Weekly Taste Memory digest

28.0.2 Premium

Approximately £4–£8/month

- Unlimited discovery
- Advanced taste filters
- Hidden gems
- Destination restaurants
- Personal taste profile
- Saved taste memories
- Travel food planning

28.0.3 B2B

Potential customers:

- Tourism boards
- Food festivals
- Restaurant groups
- Hotels
- Travel companies
- Food publishers
- Concierge services
- Hospitality analytics companies

A B2B API could eventually provide:

Taste Intelligence as a Service

29 28. Long-Term Personal Taste Graph

The most valuable evolution may be personalisation.

Instead of learning only:

“People like this restaurant.”

the system learns:

“You repeatedly choose smoky, fermented, spicy, slow-cooked food and prefer independent venues.”

The user’s taste profile could contain dimensions such as:

Flavour

- Smoky
- Spicy
- Umami
- Sour
- Bitter

Texture

- Crispy
- Creamy
- Tender
- Chewy

Experience

- Informal
- Traditional
- Experimental
- Romantic
- Destination

The recommendation engine then searches for:

29.0.1 High Taste Match × High Memory Potential

rather than generic popularity.

30 29. The Ultimate Product Vision

The long-term ambition is bigger than a restaurant bot.

Memorable Taste could become a **global food-memory graph**.

It could understand:

People → Restaurants → Dishes → Ingredients → Flavours → Memories → Places

A user could eventually say:

“I’m going to Cornwall for three days. I want seafood, traditional food and one unforgettable dinner.
I don’t care about Michelin stars or Instagram popularity.”

The system could construct an itinerary around:

- Taste memory
- Personal preferences
- Regional identity
- Budget
- Travel distance
- Emerging dishes
- Seasonal availability

That turns the platform from a restaurant finder into a **personal food-discovery intelligence system**.

31 30. The Core Thesis

The central insight behind Memorable Taste is simple:

Popularity tells you what people are talking about. Taste memory tells you what they experienced.

Review counts measure attention.

Star ratings measure broad satisfaction.

Social media measures visibility.

But **sensory language, dish specificity, emotional recall, repeat intent and independent agreement can reveal something much closer to culinary memorability.**

That is the opportunity.

31.1 Memorable Taste

31.1.1 Don't follow the crowd.

31.1.2 Find the taste people remember.