

Ranked VCI with typology bands
Between-city variance and ranges
a
Sites
Frederiksgerg (FRB)
The Heights (HGT)
Cambridge (CAM)
Amager Vest (AMV)
Back Bay (BBY)
Jamaica Plain (JPL)
Norrebro (NOR)
Vitruvian Park (VIT)
UC Torrey Pines (TPN)
Culver City (CUL)
Montrose (MON)
Lakeview Hospital (LKV)
Midtown (MID)
Buford Highway (BHV)
GA World Cogress Ctr (GWCC)
Gulfton (GLF)
Dorchester (DOR)
Third Ward (TRW)
Roxbury (ROX)
VCI scores
−0.8 −0.4 0 +0.4 +0.8
+0.68 V
+0.65 V
+0.60 V
+0.42 V
+0.40 V
+0.35 V
+0.34 V
+0.34 V
+0.27 V
+0.12 S
+0.05 S
+0.03 S
−0.10 F
−0.13 F
−0.50 C
−0.55 C
−0.60 C
−0.72 C
−0.82 C
adverse ← 0 → supportive
V = Vital S = Stressed F = Fragile C = Critical
Variance among sampled-city means
b
share of variance (%)
Nighttime Environment (NTE)
Nature Exposure (NEX)
Cardiometabolic Exposure (CMX)
Social Environment (SEV)
Stressor–Restorative Balance (SRB)
Cognitive Environment (CEV)
0 10 20 30
NTE sensitivity 22-28°C
Within-city Heterogeneity
c
−0.8 −0.4 0 +0.4 +0.8
Boston
ROX DOR JPL BBY CAM
(range 1.42)
Houston
TRW GLF MID MON HGT
(range 1.37)
Copenhagen
NOR AMV FRB
(range 0.34)
US archetypes
GWCC BHV LKV CUL TPN VIT
(reference only — heterogeneous typologies)