

Dedi: Configuration Reference

Complete Guide to All Settings and Options

Table of Contents

1. [Configuration Overview](#)
 2. [Dedi Configuration](#)
 3. [Steam Configuration](#)
 4. [SteamCmd Configuration](#)
 5. [Aska Configuration](#)
 6. [Server Configuration](#)
 7. [World Generation Settings](#)
 8. [Options Configuration](#)
 9. [Configuration File Management](#)
 10. [Advanced Configuration](#)
-

Configuration Overview

Configuration Files

Dedi uses several configuration files:

- **Config.ini**: Main application and server settings
- **Options.ini**: User interface and behavior options
- **server properties.txt**: Generated file for Aska server

Configuration Sections

The main configuration is organized into logical sections:

- **Dedi**: Application behavior and folder locations
- **Steam**: Steam client integration settings
- **SteamCmd**: Server download and update tools
- **Aska**: Game-specific file locations and identifiers
- **Server**: Dedicated server properties and game settings

Configuration Access

- **GUI Interface**: Config tab provides visual editing

- **File Editing:** Direct INI file modification (advanced users)
 - **Save/Load:** Export and import configuration sets
 - **Reset Function:** Restore default values
-

Dedi Configuration

Install Path

- **Setting:** `InstallPath`
- **Default:** `.` (current directory)
- **Purpose:** Root folder where Dedi is installed
- **Requirements:** Must have write access, at least 5GB free space
- **Example:** `C:\Dedi` or `D:\GameServers\Dedi`

⚠ **Critical:** Never install Dedi inside your Aska game folder or Aska Dedicated Server folder.

Styles Folder

- **Setting:** `StylesFolder`
- **Default:** `styles`
- **Purpose:** Contains visual themes for Dedi interface
- **Modification:** Not recommended unless you know what you're doing
- **Custom Styles:** Add .rgs files to this folder for new themes

Saves Folder

- **Setting:** `SavesFolder`
- **Default:** `saves`
- **Purpose:** Contains automatic backup saves
- **Structure:**

```
saves/
├── server/    # Server state backups
│   └── [SaveId]_[DateTime]/
└── user/     # Player join backups
    └── [SaveId]_[DateTime]/
```

Backup Folder

- **Setting:** `BackupFolder`
- **Default:** `backup`

- **Purpose:** Stores original files before modification
- **Contents:** Original server.bat, server properties.txt, worldgen files
- **Importance:** Essential for recovery if files become corrupted

Initial Style

- **Setting:**
- **Default:**
- **Purpose:** Visual theme loaded at startup
- **Options:** Any .rgs filename from styles folder (without extension)
- **Popular Styles:** , , , ,

Server Saves Limit

- **Setting:**
- **Default:**
- **Range:** 1-20
- **Purpose:** Maximum number of server backup saves to keep
- **Disk Impact:** Higher values use more disk space
- **Recommendation:** 5-10 for most servers

User Saves Limit

- **Setting:**
- **Default:**
- **Range:** 1-50
- **Purpose:** Maximum number of player connection backups
- **Disk Impact:** Multiplied by number of unique players
- **Recommendation:** 10-20 depending on player count

Steam Configuration

 **Warning:** These settings should rarely be modified. Only change if you have Steam installation issues.

HKLM Registry Subkey

- **Setting:**
- **Default:**
- **Purpose:** Windows registry path to find Steam installation
- **Modification:** Only if Steam is installed in non-standard location

HKLM Registry Value

- **Setting:** `HKLMRegValue`
- **Default:** `InstallPath`
- **Purpose:** Registry value name containing Steam path
- **Modification:** Never change unless Steam registry structure changes

Steam Apps Folder

- **Setting:** `SteamApps`
- **Default:** `steamapps`
- **Purpose:** Subfolder in Steam installation containing games
- **Modification:** Only if Steam folder structure changes

App Manifest Prefix

- **Setting:** `AppManifest`
- **Default:** `appmanifest`
- **Purpose:** Filename prefix for Steam app information files
- **Usage:** Used to locate installed games

Library Folders File

- **Setting:** `LibraryFolders`
- **Default:** `libraryfolders.vdf`
- **Purpose:** Steam file containing list of game library locations
- **Format:** Valve Data Format (VDF) file

HTTP Steam Server

- **Setting:** `HTTPSteamSvr`
- **Default:** `https://steamcommunity.com/dev/managegameservers`
- **Purpose:** URL for Steam server authentication token management
- **Usage:** Opened when "Get Token" button is clicked

SteamCmd Configuration

 **Advanced Settings:** These control how Dedi downloads and updates the Aska server.

SteamCmd Path

- **Setting:** `PathSteamCmd`

- **Default:** `steam`
- **Purpose:** Folder name for SteamCmd installation within Dedi
- **Full Path:** `[InstallPath]/steam/`
- **Modification:** Only change if you have conflicts with existing folders

SteamCmd Ready Prompt

- **Setting:** `DoneSteamCmd`
- **Default:** `Steam>`
- **Purpose:** Text indicating SteamCmd is ready for commands
- **Usage:** Dedi waits for this text during installation

SteamCmd Success Message

- **Setting:** `CoupSteamCmd`
- **Default:** `Success!`
- **Purpose:** Text indicating successful download/update
- **Usage:** Dedi waits for this text to confirm completion

SteamCmd Exit Command

- **Setting:** `QuitSteamCmd`
- **Default:** `quit`
- **Purpose:** Command to exit SteamCmd
- **Usage:** Sent automatically after operations

SteamCmd Update Command

- **Setting:** `AppUSteamCmd`
- **Default:** `app_update`
- **Purpose:** Command prefix for downloading/updating apps
- **Usage:** Combined with App ID for server updates

SteamCmd Executable

- **Setting:** `ExecSteamCmd`
- **Default:** `steamcmd.exe`
- **Purpose:** Filename of SteamCmd executable
- **Location:** `[InstallPath]/steam/steamcmd.exe`

SteamCmd Login Command

- **Setting:** `OpenSteamCmd`
- **Default:** `login anonymous`
- **Purpose:** Command to login to Steam anonymously
- **Usage:** Required for downloading dedicated server files

SteamCmd Download URL

- **Setting:** `HTTPSteamCmd`
 - **Default:** `https://steamcdn-a.akamaihd.net/client/installer/steamcmd.zip`
 - **Purpose:** URL to download SteamCmd
 - **Usage:** Used during initial installation
-

Aska Configuration

Server Batch File

- **Setting:** `AskaSvrBat`
- **Default:** `AskaServer.bat`
- **Purpose:** Name of the batch file to launch Aska server
- **Generation:** Automatically created by Dedi
- **Modification:** Only change if Aska changes their server launch file name

Server Properties File

- **Setting:** `AskaSvrProps`
- **Default:** `server properties.txt`
- **Purpose:** Configuration file that Aska server reads
- **Generation:** Created by Dedi's "Generate" button
- **Content:** Contains all server settings in Aska's required format

Server Installation Path

- **Setting:** `AskaSvrPath`
- **Default:** `common/ASKA Dedicated Server`
- **Purpose:** Relative path within Steam library to server files
- **Full Path:** `[SteamLibrary]/steamapps/common/ASKA Dedicated Server/`
- **Modification:** Only if Aska changes their installation structure

Game Installation Path

- **Setting:** `AskaExePath`

- **Default:** `common/ASKA`
- **Purpose:** Relative path within Steam library to game files
- **Usage:** Used for reference, not required for server operation

Server App ID

- **Setting:** `AskaSvrAppId`
- **Default:** `3246670`
- **Purpose:** Steam App ID for Aska Dedicated Server
- **Usage:** Used by SteamCmd to download server files
- **Modification:** Never change unless Aska releases new server version

Game App ID

- **Setting:** `AskaExeAppId`
- **Default:** `1898300`
- **Purpose:** Steam App ID for Aska game
- **Usage:** Used for Steam authentication and bat file generation

Save File Path

- **Setting:** `AskaSavePath`
 - **Default:** `LocalLow/Sand Sailor Studio/Aska/data`
 - **Purpose:** Relative path from AppData to save files
 - **Full Path:** `%APPDATA%/../LocalLow/Sand Sailor Studio/Aska/data/server/`
 - **Usage:** Where Aska stores world save files
-

Server Configuration

Identity Settings

Profile Name

- **Setting:** `ProfileName`
- **Default:** `Default`
- **Purpose:** Internal identifier for this server configuration
- **Usage:** Helps distinguish between multiple server configs
- **Best Practice:** Use descriptive names like "PvP_Server" or "Creative_Mode"

Display Name

- **Setting:** `DisplayName`
- **Default:** `Default Session`
- **Purpose:** Name shown in Aska's session browser
- **Visibility:** Public - players see this when browsing servers
- **Recommendation:** Make it descriptive and inviting

Server Name

- **Setting:** `ServerName`
- **Default:** `My Aska Server`
- **Purpose:** Primary server identifier in session lists
- **Visibility:** Public - main name players see
- **Best Practice:** Include play style, region, or unique features

Password

- **Setting:** `Password`
- **Default:** (empty)
- **Purpose:** Restricts access to server
- **Usage:**
 - Empty = Public server (anyone can join)
 - Set value = Private server (password required)
- **Security:** Use strong passwords for private servers

World and Save Settings

Save ID

- **Setting:** `SaveId`
- **Default:** (empty, auto-detected)
- **Purpose:** Identifies which world save to load
- **Format:** Numeric ID from `savegame_[ID]` folder name
- **Configuration:** Use "SaveId" button to browse and select
- **Example:** If save folder is `savegame_12345`, SaveId is `12345`

World Seed

- **Setting:** `Seed`
- **Default:** (auto-detected from save)

- **Purpose:** World generation seed for terrain layout
- **Display:** Shown in Server tab for reference
- **Usage:** Copy with Ctrl+C to share with friends
- **Modification:** Only changes when loading different save

Network Settings

Steam Game Port

- **Setting:**
- **Default:**
- **Purpose:** Port for game traffic between server and clients
- **Range:** 1024-65535 (avoid system ports below 1024)
- **Conflicts:** Change if port already in use
- **Firewall:** Must be allowed through Windows Firewall

Steam Query Port

- **Setting:**
- **Default:**
- **Purpose:** Port for server browser queries
- **Range:** 1024-65535
- **Relationship:** Usually GamePort + 1
- **Firewall:** Must be allowed through Windows Firewall

Authentication Token

- **Setting:**
- **Default:** (empty)
- **Purpose:** Steam server authentication token
- **Source:** Generated at <https://steamcommunity.com/dev/managegameservers>
- **Format:** 32-character hexadecimal string
- **Security:** Keep private, regenerate if compromised
- **Requirements:** Mandatory for server operation

Region

- **Setting:**
- **Default:**

- **Options:**

- `default` - Steam auto-selects
- `asia` - Asia Pacific
- `australia` - Australia
- `canada east` - Eastern Canada
- `europa` - Europe
- `hong kong` - Hong Kong
- `india` - India
- `japan` - Japan
- `south america` - South America
- `south korea` - South Korea
- `turkey` - Turkey
- `united arab emirates` - UAE
- `usa east` - Eastern USA
- `usa south central` - South Central USA
- `usa west` - Western USA

- **Purpose:** Determines server's geographic location for matchmaking
- **Performance:** Choose region closest to your player base

Server Behavior Settings

Keep Server World Alive

- **Setting:** `KeepServerWorldAlive`
- **Default:** `false`
- **Options:**
 - `false` - Server shuts down world when last player leaves
 - `true` - World continues running even with no players
- **Resource Impact:** `true` uses more server resources
- **Use Cases:**
 - `false` - Most private servers
 - `true` - Public servers, servers with automation/mods

Autosave Style

- **Setting:** `AutosaveStyle`
- **Default:** `every morning`

- **Options:**
 - - Once per in-game day (recommended)
 - - No automatic saves (not recommended)
 - - Very frequent saves
 - - Frequent saves
 - - Moderate frequency
 - - Conservative frequency
- **Performance Impact:** More frequent = higher server load
- **Data Safety:** More frequent = less potential data loss

Game Mode

- **Setting:**
- **Default:**
- **Options:**
 - - Standard Aska gameplay with default world generation
 - - Allows world generation customization
- **World Settings:** Custom mode enables World tab settings
- **Compatibility:** Players can join regardless of mode

Custom Game Settings

These settings only apply when is set to .

Terrain Settings

Terrain Aspect

- **Setting:**
- **Default:**
- **Options:** , ,
- **Effect:** Controls overall terrain roughness and rockiness

Terrain Height

- **Setting:**
- **Default:**
- **Options:** , ,
- **Effect:** Controls elevation changes and mountain height

Time and Season Settings

Starting Season

- **Setting:** StartingSeason
- **Default:** spring
- **Options:** spring, summer, autumn, winter
- **Effect:** Which season the world begins in

Year Length

- **Setting:** YearLength
- **Default:** default
- **Options:** minimum, reduced, default, extended, maximum
- **Effect:** How long each in-game year lasts
- **Gameplay Impact:** Affects seasonal resource availability

Day Length

- **Setting:** DayLength
- **Default:** default
- **Options:** minimum, reduced, default, extended, maximum
- **Effect:** Duration of day/night cycles
- **Gameplay Impact:** Affects work time and monster activity

Weather Settings

Precipitation

- **Setting:** Precipitation
- **Default:** 3
- **Options:** 0 (sunny) through 6 (soggy)
- **Effect:** Frequency and intensity of rain/snow
- **Gameplay Impact:** Affects crop growth, mood, and weather-dependent activities

Decay Settings

Structure Decay

- **Setting:** StructureDecay
- **Default:** medium
- **Options:** low, medium, high

- **Effect:** How quickly buildings deteriorate without maintenance

Clothing Decay

- **Setting:**
- **Default:**
- **Options:** , ,
- **Effect:** How quickly clothing and equipment degrades

Combat and Difficulty Settings

Invasion Difficulty

- **Setting:** (note: typo in original code)
- **Default:**
- **Options:** , , ,
- **Effect:** Frequency and difficulty of hostile raids

Monster Density

- **Setting:**
- **Default:**
- **Options:** , , ,
- **Effect:** How many monsters spawn in the world

Population Settings

Monster Population

- **Setting:**
- **Default:**
- **Options:** , ,
- **Effect:** Overall number of hostile creatures

Wulfar Population

- **Setting:**
- **Default:**
- **Options:** , ,
- **Effect:** Number of Wulfar (wolf-like creatures) in the world

Herbivore Population

- **Setting:**
- **Default:**
- **Options:** , ,
- **Effect:** Number of peaceful animals (deer, rabbits, etc.)

Bear Population

- **Setting:**
 - **Default:**
 - **Options:** , ,
 - **Effect:** Number of bears in the world
-

World Generation Settings

Accessing World Settings

- **Prerequisites:**
 - Server mode must be set to
 - "Enable Worldgen" must be enabled in Options
 - Valid save file must exist
- **Location:** World tab in Dedi interface
- **File Format:** Binary worldgen file in save directory

World Setting Categories

Terrain Customization

These settings modify the physical landscape:

- **Terrain Aspect:** Surface texture and rockiness
- **Terrain Height:** Elevation variation and mountain size

Environmental Settings

These affect the game world's natural systems:

- **Starting Season:** Initial world season
- **Year Length:** Duration of seasonal cycles
- **Day Length:** Day/night cycle timing
- **Precipitation:** Weather patterns and rainfall

Difficulty and Challenge

These settings control game difficulty:

- **Invasion Difficulty:** Raid frequency and intensity
- **Structure Decay:** Building maintenance requirements
- **Clothing Decay:** Equipment durability

Wildlife and Population

These control creature spawning:

- **Monster Density:** Hostile creature spawn rates
- **Monster Population:** Total hostile creature count
- **Wulfar Population:** Specific wolf-like creature count
- **Herbivore Population:** Peaceful animal count
- **Bear Population:** Bear creature count

World Generation Workflow

Loading World Settings

1. **Enable Worldgen:** Options tab → Enable Worldgen
2. **Configure Save:** Ensure correct Saveld in Config
3. **Load Settings:** World tab → Load button
4. **Verify Data:** Settings populate from existing save file

Modifying Settings

1. **Adjust Values:** Use dropdown boxes to change settings
2. **Preview Changes:** Settings show immediately in interface
3. **Test Combinations:** Experiment with different setting combinations

Saving Changes

1. **Backup Creation:** Dedi automatically backs up original worldgen file
2. **Apply Changes:** World tab → Save button
3. **Server Restart:** Restart server to apply new settings
4. **Verification:** Test in-game to confirm changes took effect

World Generation Best Practices

Balanced Configurations

- **Beginner Friendly:**

- Terrain: smooth/normal
- Populations: low/medium
- Decay: low
- Invasions: easy/off
- **Standard Challenge:**
 - All settings at medium/normal/default
 - Provides intended game experience
- **Expert Challenge:**
 - Terrain: rocky/varied
 - Populations: high
 - Decay: high
 - Invasions: viking

Testing New Configurations

1. **Backup Save:** Create save backup before major changes
 2. **Test Incrementally:** Change one category at a time
 3. **Player Feedback:** Get input from regular players
 4. **Document Settings:** Keep notes on successful configurations
-

Options Configuration

User Interface Options

Enable Tool Tips

- **Setting:**
- **Default:**
- **Purpose:** Shows helpful tooltips when hovering over controls
- **Recommendation:** Keep enabled for ease of use

Enable Menus Timeout

- **Setting:**
- **Default:**
- **Purpose:** Automatically closes dropdown menus after inactivity
- **Timeout:** 2 seconds of no interaction
- **Usage:** Prevents menus from staying open accidentally

Enable Styles Timeout

- **Setting:** `EnableStylesTimeout`
- **Default:** `true`
- **Purpose:** Automatically closes styles list after inactivity
- **Timeout:** 2 seconds of no interaction
- **Usage:** Keeps interface clean

Enable Status Autoscroll

- **Setting:** `EnableStatusAutoScroll`
- **Default:** `false`
- **Purpose:** Automatically scrolls status panel to show newest messages
- **Usage:**
 - `true` - Always shows latest activity
 - `false` - Manual scrolling control

Enable Worldgen

- **Setting:** `EnableWorldGen`
 - **Default:** `false`
 - **Purpose:** Enables world generation modification features
 - **Requirements:** Must be enabled to use World tab
 - **Warning:** Advanced feature - can corrupt saves if used incorrectly
-

Configuration File Management

File Locations

- **Config.ini:** `[Dedi Install Path]/config.ini`
- **Options.ini:** `[Dedi Install Path]/options.ini`
- **server properties.txt:** `[Dedi Install Path]/server properties.txt`

Backup and Restore

Creating Configuration Backups

1. Method 1 - Dedi Interface:

- Config tab → Save button
- Choose location and filename

- Saves complete configuration

2. Method 2 - Manual Copy:

- Copy `config.ini` and `options.ini`
- Store in safe location with date/description

Restoring Configuration

1. Method 1 - Dedi Interface:

- Config tab → Load button
- Select saved configuration file
- All settings restore automatically

2. Method 2 - Manual Copy:

- Replace `config.ini` with backup
- Restart Dedi to load settings

Configuration Versioning

- **Naming Convention:** `ServerName_Config_YYYY-MM-DD.ini`
- **Multiple Versions:** Keep several backups for different configurations
- **Documentation:** Include notes about what each configuration is for

Default Configuration Reset

Complete Reset

1. **Config Tab → Reset Button:** Restores all Config tab settings to defaults
2. **Options Tab → Reset Button:** Restores all Options tab settings to defaults
3. **Manual Method:** Delete .ini files and restart Dedi

Partial Reset

- **Individual Sections:** Manually edit .ini file to reset specific sections
- **Selective Restore:** Load backup and modify only needed settings

Configuration Sharing

Sharing Server Configurations

1. **Export Config:** Save configuration to file
2. **Share File:** Send .ini file to other server administrators
3. **Documentation:** Include setup notes and requirements

Community Configurations

- **Popular Setups:** Share successful configurations with community
 - **Testing:** Always test shared configurations before production use
 - **Customization:** Modify shared configs for your specific needs
-

Advanced Configuration

Manual INI File Editing

File Format

Configuration files use standard INI format:

```
ini

[SectionName]
SettingName = Value
AnotherSetting = AnotherValue

[AnotherSection]
Setting1 = Value1
Setting2 = Value2
```

Editing Guidelines

- **Text Editor:** Use Notepad, Notepad++, or similar
- **Encoding:** Ensure file remains in ANSI/UTF-8 encoding
- **Syntax:** Maintain exact formatting
- **Backup:** Always backup before manual editing

Common Manual Edits

- **Bulk Changes:** Easier to modify multiple similar settings
- **Advanced Values:** Some settings might have undocumented options
- **Scripting:** Automated configuration deployment

Environment Variables

Steam App ID

Dedi automatically sets:

```
SteamAppId=1898300
```

This ensures Aska recognizes the server process.

System Integration

- **PATH Variables:** Dedi doesn't modify system PATH
- **Registry:** Only reads Steam installation location
- **Services:** No Windows services are installed

Network Configuration

Firewall Settings

Required firewall rules:

- **Inbound:** Allow `AskaServer.exe` and `Dedi_x64.exe`
- **Ports:** TCP and UDP for configured game/query ports
- **Profiles:** Enable for Private and Public networks

Router Configuration

For external access:

- **Port Forwarding:** Forward game and query ports to server machine
- **UPnP:** May automatically configure if enabled
- **External IP:** Provide external IP to remote players

Multiple Servers

Running multiple servers on same machine:

- **Different Ports:** Each server needs unique port pairs
- **Separate Installs:** Recommend separate Dedi installations
- **Resource Management:** Monitor CPU and RAM usage

Performance Tuning

System Resource Optimization

- **CPU Priority:** Set server process to high priority
- **Memory:** Ensure adequate RAM (4GB+ recommended)
- **Disk:** Use SSD for better performance
- **Network:** Stable broadband connection

Configuration Optimization

- **Autosave Frequency:** Balance safety vs performance
- **Backup Limits:** Manage disk space usage
- **World Settings:** Some combinations more CPU intensive

Troubleshooting Configuration Issues

Common Problems

1. **Invalid Values:** Check setting ranges and options
2. **File Corruption:** Restore from backup
3. **Permission Issues:** Run as administrator
4. **Encoding Problems:** Re-save file in correct encoding

Diagnostic Steps

1. **Check Status Panel:** Look for specific error messages
2. **Verify File Integrity:** Ensure INI files are valid
3. **Test Incremental:** Load default config and add settings gradually
4. **Compare Working:** Use backup of known working configuration

Recovery Procedures

1. **Configuration Backup:** Restore last known good config
2. **Default Reset:** Reset all settings to defaults
3. **Selective Restore:** Restore only specific sections
4. **Clean Install:** Last resort - reinstall Dedi

Configuration Best Practices

Planning Your Server

1. **Define Purpose:** PvP, PvE, Creative, etc.
2. **Player Base:** Expected number and type of players
3. **Resources:** Available system resources
4. **Maintenance:** How much time you can dedicate

Setting Up Configurations

1. **Start Simple:** Begin with default settings
2. **Change Gradually:** Modify one thing at a time
3. **Test Thoroughly:** Verify changes work as expected

4. **Document Changes:** Keep notes on what you changed and why

Maintaining Configurations

1. **Regular Backups:** Save configurations before major changes
2. **Version Control:** Keep multiple dated backups
3. **Change Log:** Document all modifications
4. **Performance Monitoring:** Watch for impact of setting changes

Security Considerations

1. **Authentication Tokens:** Keep private, regenerate periodically
2. **Passwords:** Use strong passwords for private servers
3. **Network Access:** Configure firewall appropriately
4. **Backup Security:** Store configuration backups securely

This comprehensive configuration reference covers all aspects of Dedi settings. Use it as a reference when setting up or troubleshooting your Aska dedicated server.