

# Web Application Report

This report includes important security information about your web application.

### **Security Report**

This report was created by HCL AppScan Standard 10.0.5 Scan started: 9/30/2021 11:23:21 PM

## Table of Contents

### Introduction

- General Information
- Login Settings

### **Application Data**

- Cookies
- JavaScripts
- Parameters
- Comments
- Visited URLs
- Failed Requests
- Filtered URLs

9/30/2021

## Introduction

This report contains the results of a web application security scan performed by HCL AppScan Standard.

Total security issues discovered in the scan: 0

#### **General Information**

Scan file name: 2021-09-30\_02Daniel Sep Test

Scan started: 9/30/2021 11:23:21 PM

Test policy: Default
Test optimization level: Fast

Host aiahk-nb-ua1.xgfe.aiaazure.biz

Port 443

Operating system: Unknown
Web server: Unknown
Application server: Any

### **Login Settings**

Login method: Recorded login

Concurrent logins: Enabled
In-session detection: Enabled

In-session pattern: userDesk":|userId":"happscn4

Tracked or session ID cookies: buid

fpc esctx

Tracked or session ID parameters: ->"originalRequest"

->"flowToken" client-request-id

wctx

client-request-id

wctx

Login sequence: https://aiahk-nb-ual.xgfe.aiaazure.biz/web/nb/

https://aiahk-nb-

ual.xgfe.aiaazure.biz/web/assets/common/conf/env/env-conf.json
https://aiahk-nb-ual.xgfe.aiaazure.biz/web/assets/common/conf/app-

conf.json

```
https://aiahk-nb-
ual.xqfe.aiaazure.biz/web/assets/common/conf/validation-conf.json
https://aiahk-nb-ual.xgfe.aiaazure.biz/web/nb/assets/conf/env/env-
conf.json
https://aiahk-nb-ual.xgfe.aiaazure.biz/web/nb/assets/conf/app-
conf.json
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/assets/common/i18n/message/message.json
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/assets/common/i18n/label/label.json
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/nb/assets/i18n/message/message.json
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/nb/assets/i18n/label/label.json
https://login.microsoftonline.com/7f2c1900-9fd4-4b89-91d3-
79a649996f0a/oauth2/v2.0/authorize?client id=e7db0d02-90f7-4c8d-
a08b-5311ee68750e&response type=token&scope=openid email
api://e7db0d02-90f7-4c8d-a08b-5311ee68750e/xgfe-nb-web-
scope&response mode=fragment&state=12345&redirect uri=https://aiahk-
nb-ual.xqfe.aiaazure.biz/web/nb/
https://login.live.com/Me.htm?v=3
https://login.microsoftonline.com/common/GetCredentialType?mkt=en-US
https://wap.aia.com/adfs/ls/?client-request-id=31477c41-9c79-4441-
87eb-
805a6fb98415&wa=wsignin1.0&wtrealm=urn:federation:MicrosoftOnline&wc
tx=LoginOptions=3&estsredirect=2&estsrequest=rQIIAdNiNtIzsFJJNU9JMkg
xMNK1NEgz1zVJtkjRTTSwSNI1NTY0TE01szA3NUgtEuIScKxxN6yc4-jS rohKn9ni-
gqRr2MkpKCYit9 cTMxIxs3bwk3dJEQ72K9LRUPaBIY1VpUapeUmaVfnlqkn5ekv4ORs
YLjIwvGBlvMfH7O5aWZBiBiPyizKrUT0wcaUWJ6bmpeSWzmFkNjYxNTFcxayUWZAINJ8
{\tt Z9m5hVzNOMkg0tDQx0LdNSTHRNkiwsdS0NU4x1zS0TzUwsLS3N0gwSTzF75hek5mWmKK}
TmJmbmKBBvqT7IVyAfAv2i...
https://wap.aia.com/adfs/ls/wia?client-request-id=31477c41-9c79-
4441-87eb-
805a6fb98415&wa=wsignin1.0&wtrealm=urn:federation:MicrosoftOnline&wc
tx=LoqinOptions=3&estsredirect=2&estsrequest=rQIIAdNiNtIzsFJJNU9JMkq
xMNK1NEgz1zVJtkjRTTSwSNI1NTY0TE01szA3NUgtEuIScKxxN6yc4-jS rohKn9ni-
gqRr2MkpKCYit9 cTMxIxs3bwk3dJEQ72K9LRUPaBIY1VpUapeUmaVfnlqkn5ekv4ORs
YLjIwvGBlvMfH7O5aWZBiBiPyizKrUT0wcaUWJ6bmpeSWzmFkNjYxNTFcxayUWZAINJ8
{\tt Z9m5hVzNOMkg0tDQx0LdNSTHRNkiwsdS0NU4x1zS0TzUwsLS3N0gwSTzF75hek5mWmKK} \\
TmJmbmKBBvgT7IVyAfA...
https://login.microsoftonline.com/login.srf
https://aiahk-nb-ual.xgfe.aiaazure.biz/web/nb/
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/assets/common/conf/env/env-conf.json
https://aiahk-nb-ual.xgfe.aiaazure.biz/web/assets/common/conf/app-
conf.json
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/assets/common/conf/validation-conf.json
https://aiahk-nb-ual.xgfe.aiaazure.biz/web/nb/assets/conf/env/env-
conf.json
https://aiahk-nb-ual.xgfe.aiaazure.biz/web/nb/assets/conf/app-
conf.json
https://aiahk-nb-
ual.xqfe.aiaazure.biz/web/assets/common/i18n/messaqe/messaqe.json
https://aiahk-nb-
ual.xqfe.aiaazure.biz/web/assets/common/i18n/label/label.json
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/nb/assets/i18n/message/message.json
https://aiahk-nb-
ual.xgfe.aiaazure.biz/web/nb/assets/i18n/label/label.json
https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-
cloud/v3/user/profile
https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-
cloud/v3/user/authority/query/web-nb
https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-
cloud/v3/user/profile
```

https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/user/authority/query/web-nb

https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/dropdown/query

https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/dropdown/query

https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/menu/queryList/XGFE

https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/menu/queryList/XGFE

https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/dropdown/query

https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/dropdown/query

https://aiahk-apigw2-uat.aia.biz:8556/gateway/new-businesssubmission-ec/v1/cycle-date

https://aiahk-apigw2-uat.aia.biz:8556/gateway/new-business-submission-ec/v1/cycle-date

# Application Data

Visited URLs 25

TOC

| URL CONTRACTOR OF THE CONTRACT |
|--|
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/runtime-es2015.175770030311477d7e9c.js   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/runtime-es5.175770030311477d7e9c.js  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/polyfills-es5.e386363faf9147d14351.js  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/polyfills-es2015.46bbcaaae09477bb012e.js   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/main-es2015.f2abdf2e61f1df0673ac.js  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/main-es5.f2abdf2e61f1df0673ac.js   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/i18n/label/label.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/conf/env/env-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/conf/app-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/conf/validation-conf.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/conf/env/env-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/conf/app-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/i18n/message/message.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/i18n/message/message.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/i18n/label/label.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/conf/env/env-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/conf/app-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/conf/validation-conf.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/conf/env/env-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/conf/app-conf.json  |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/i18n/message/message.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/assets/common/i18n/label/label.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/i18n/message/message.json   |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/assets/i18n/label/label.json   |

### Parameters 0

TOC

| Name | Value | URL | Type   |
|------|-------|-----|--------|
|      |       |     | . 16.4 |

### 

| URL   | Reason                                      |
|---|---|
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/x           | Response Status '404' - Not Found           |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/nglnjectableDef.js | Response Status '503' - Service Unavailable |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/ngModuleDef.js     | Response Status '503' - Service Unavailable |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/nglnjectorDef.js   | Response Status '503' - Service Unavailable |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/template.html      | Response Status '503' - Service Unavailable |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/ngDirectiveDef.js  | Response Status '503' - Service Unavailable |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/ngBaseDef.js       | Response Status '503' - Service Unavailable |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/ngPipeDef.js       | Response Status '503' - Service Unavailable |

### Filtered URLs 15

TOC

| URL   | Reason              |
|---|---------------------|
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/favicon.ico   | File Extension      |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/styles.3ce55c90782b0a30a559.css   | File Extension      |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/  | Similar DOM         |
| https://login.microsoftonline.com/  | Untested Web Server |
| https://login.microsoftonline.com/7f2c1900-9fd4-4b89-91d3-79a649996f0a/oauth2/v2.0/authorize?client_id=e7db0 d02-90f7-4c8d-a08b-5311ee68750e&response_type=token&scope=openid email api://e7db0d02-90f7-4c8d-a08b-5311ee68750e/xgfe-nb-web-scope&response_mode=fragment&state=12345&redirect_uri=https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/   | Untested Web Server |
| https://login.live.com/Me.htm?v=3   | Untested Web Server |
| https://login.microsoftonline.com/common/GetCredentialType?mkt=en-US  | Untested Web Server |
| https://wap.aia.com/adfs/ls/?client-request-id=31477c41-9c79-4441-87eb-805a6fb98415&wa=wsignin1.0&wtrealm=urn:federation:MicrosoftOnline&wctx=LoginOptions=3&estsredirect=2&estsrequest=rQIIAdNiNtlzsFJJNU9JMkgxMNK1NEgz1zVJtkjRTTSwSNI1NTY0TE01szA3NUgtEulScKxxN6yc4-jS_rohKn9ni-gqRr2MkpKCYit9_cTMxlxs3bwk3dJEQ72K9LRUPaBIYIVpUapeUmaVfnlqkn5ekv4ORsYLjlwvGBlvMfH7O5aWZBiBiPyizKrUT0wcaUWJ6bmpeSWzmFkNjYxNTFcxayUWZAINJ8Z9m5hVzNOMkg0tDQx0LdNSTHRNkiwsdS0NU4x1zS0TzUwsLS3N0gwSTzF75hek5mWmKKTmJmbmKBBvgT7IVyAfAv2iW5wMNOUGM-MjZs5EB6BP9ZLzcy-wML5i4TFgtuLgYBNgkmBQYPjBwriIFRhuJdwH-af8y3TcezZJmOX_ToZTrPpmBhb-YR5OJUIZbh5FHoEeXp7IIYkmwT5Z-QallmHhvlnlxo6uJmlpKcWOtsZWhhPYZD6wMXawM-ziJDHlb3GJGBkYGeoaWOoaGygYmloZWlgZWUQd4GV4wMf4gI_pAR_zAz6WB3ysD_jYHvCxP-DjeMDH-YCP6wEfNwA1&cbcxt=&username=a@aia.com&mkt=&lc=         | Untested Web Server |
| https://wap.aia.com/adfs/ls/wia?client-request-id=31477c41-9c79-4441-87eb-805a6fb98415&wa=wsignin1.0&wtre alm=urn:federation:MicrosoftOnline&wctx=LoginOptions=3&estsredirect=2&estsrequest=rQIIAdNiNtlzsFJJNU9JM kgxMNK1NEgz1zVJtkjRTTSwSNI1NTY0TE01szA3NUgtEulScKxxN6yc4-jS_rohKn9ni-gqRr2MkpKCYit9_cTMxlxs 3bwk3dJEQ72K9LRUPaBIYIVpUapeUmaVfnlqkn5ekv4ORsYLjlwvGBlvMfH7O5aWZBiBiPyizKrUT0wcaUWJ6bmp eSWzmFkNjYxNTFcxayUWZAINJ8Z9m5hVzNOMkg0tDQx0LdNSTHRNkiwsdS0NU4x1zS0TzUwsLS3N0gwSTzF75hek5mWmKKTmJmbmKBBvgT7IVyAfAv2iW5wMNOUGM-MjZs5EB6BP9ZLzcy-wML5i4TFgtuLgYBNgkmBQYPjBwriIFRhuJdwH-af8y3TcezZJmOX_ToZTrPpmBhb-YR5OJUIZbh5FHoEeXp7IIYkmwT5Z-QallmHhvlnlxo6uJmlp KcWOtsZWhhPYZD6wMXawM-ziJDHlb3GJGBkYGeoaWOoaGygYmloZWlgZWUQd4GV4wMf4gl_pAR_zAz6WB3ysD_jYHvCxP-DjeMDH-YCP6wEfNwA1&cbcxt=&username=a@aia.com&mkt=&lc= | Untested Web Server |
| https://login.microsoftonline.com/login.srf   | Untested Web Server |
| https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/user/profile   | Untested Web Server |
| https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/user/authority/query/web-nb  | Untested Web Server |
| https://aiahk-apigw2-uat.aia.biz:8556/gateway/xgfe-base-cloud/v3/user/profile   | Untested Web Server |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/  | Similar Body        |
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/  | Likely Similar DOM  |

Comments 1

| URL  | Comment |
|--|---------|
| https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/ | html    |

JavaScripts 6

#### **URL / Code**

https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/runtime-es2015.175770030311477d7e9c.js

```
! function (e) {function r(r) {for(var n,u,c=r[0],i=r[1],f=r[2],d=0,p=
  []; d < c.length; d + +) u = c[d], Object.prototype.hasOwnProperty.call(o,u) \& \&o[u] \& \&p.push(o[u][0]), o[u] = 0; for(n in a continuous cont
 i) Object.prototype.hasOwnProperty.call(i,n) \&\&(e[n]=i[n]); for(l\&\&l(r);p.length;)p.shift()(); return a.push.apply(a,f||[]),t()) function
t() \{ for(var \ e, r=0; r< a.length; r++) \{ for(var \ t=a[r], n=!0, c=1; c< t.length; c++) 0! ==o[t[c]] \& (n=!1); n \& (a.splice(r--,1), e=u(u.s=t[0])) \} \} \} \} = t(s, r) + t(s
e}var n={}, o={}1:0}, a={}1;function u(r){}if(n[r])return n[r].exports;var t=n[r]={}i:r,l:!1,exports:{}};return n[r].exports;var t=n[r]={}i:r,l:!1,exports:{}i]
 \texttt{e[r].call(t.exports,t,t.exports,u),t.l=!0,t.exports} \\ \texttt{u.e=function(e)} \\ \{\texttt{var} \ \texttt{r=[],t=o[e];if(0!==t)if(t)r.push(t[2]);else} \\ \{\texttt{var} \ \texttt{n=new} \ \texttt{n=new} \ \texttt{n=new} \ \texttt{n=new} \ \texttt{n=new} \ \texttt{n=new} \\ \texttt{n=new} \ \texttt{n=new} \ \texttt{n=new} \\ \texttt{n=new} \ \texttt{n=new} \ \texttt{n=new} \\ \texttt{n=
 \textit{Promise} \left( \left( \textit{function}(\texttt{r}, \texttt{n}) \left\{ \texttt{t=o}[\texttt{e}] = [\texttt{r}, \texttt{n}] \right\} \right) \right); \texttt{r.push} \left( \texttt{t}[\texttt{2}] = \texttt{n} \right); \texttt{var} \ \ \texttt{a,c=document.createElement}("\texttt{script"}); \texttt{c.charset="utf-normalized-property of the property of the pro
  8", \texttt{c.timeout} = 120, \texttt{u.nc} \\ \& \texttt{c.setAttribute}("nonce", \texttt{u.nc}), \texttt{c.src} \\ \texttt{function}(e) \\ \{\texttt{return u.p} \\ + "" \\ + (\{0:"common"\}[e] \\ | | | e) \\ + "-es2015." \\ + [e] \\
  {0:"4ba42cdbb5dd346a41b5",2:"14e0f8406dae0f5cc229",3:"55f8f97e8676fcb8943e",8:"4aa064e69c94adffd344",9:"5fce6b5ad2a57a3d0113",10:"4ba32
 c8199878ce880db",11:"108d48318023335d23dc",12:"b6b8b63e250341823115"}[e]+".js"}(e);var i=new Error;a=function(r)
 {c.onerror=c.onload=null,clearTimeout(f);var t=o[e];if(0!==t){if(t){var n=r&&
  ("load"===r.type?"missing":r.type),a=r&&r.target&&r.target.src;i.message="Loading chunk "+e+" failed.\n("+n+":
 "+a+")",i.name="ChunkLoadError",i.type=n,i.request=a,t[1](i)}o[e]=void 0}};var f=setTimeout((function()
 {a({type:"timeout",target:c})}),12e4);c.onerror=c.onload=a,document.head.appendChild(c)}return
  Promise.all(r) \}, u.m = e, u.c = n, u.d = function(e, r, t) \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \} \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t]) \}
  {"undefined"!=typeof Symbol&&Symbol.toStringTag&&Object.defineProperty(e,Symbol.toStringTag,
   \{value: "Module"\}), Object. define Property (e, "esModule", \{value: !0\})\}, u.t = function (e, r) \{if (1\&r\&\& (e=u (e)), 8\&r) return (e, r), esmodule", (e, r), esmodule", (e, r), esmodule (e, 
 e;if(4&r&&"object"==typeof e&&e&&e.__esModule)return e;var t=Object.create(null);if(u.r(t),Object.defineProperty(t,"default",
 {enumerable:!0,value:e}),2&r&&"string"!=typeof e)for(var n in e)u.d(t,n,(function(r){return e[r]}).bind(null,n));return
 t},u.n=function(e){var r=e&&e. esModule?function(){return e.default}:function(){return e};return u.d(r,"a",r),r},u.o=function(e,r)
 {return Object.prototype.hasOwnProperty.call(e,r)},u.p="",u.oe=function(e){throw console.error(e),e};var
\texttt{c=window.webpackJsonp=window.webpackJsonp||[],i=c.push.bind(c);c.push=r,c=c.slice();for(var\ f=0;f<c.length;f++)r(c[f]);var\ l=i;t()}
```

#### https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/polyfills-es2015.46bbcaaae09477bb012e.js

```
(\verb|window.webpackJsonp=window.webpackJsonp||[]).push([[5], \{2: function(e,t,n) \{e.exports=n("hN/g")\}, "hN/g": function(e,t,n) \{"usether and the property of 
strict"; n.r(t), n("pDpN") \}, pDpN: function(e,t) \\ \{! function(e) \{ const t = e.performance; function(e) \{ t&&t.mark&t.mark(e) \} function(e,n) \} \\ \{ (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e, n) \in (e, n) \} \\ \{ (e, n) \in (e,
 \{t\&\&t.measure\&\&t.measure(e,n)\}n("Zone"); const \ r=!0===e.\_zone\_symbol\_forceDuplicateZoneCheck; if (e.Zone) \{if (r||"function"!=typeoflection | forceDuplicateZoneCheck; if (e.Zone) | forceDuplicateZoneCheck; if 
                                                   symbol )throw new Error("Zone already loaded."; return e.Zone)class s{constructor(e,t){this. parent=e,this. name=t?
a(this,this._parent&&this._parent._zoneDelegate,t)}static assertZonePatched(){if(e.Promise!==D.ZoneAwarePromise)throw new
Error("Zone.js has detected that ZoneAwarePromise `(window|global).Promise` has been overwritten.\nMost likely cause is that a Promise
polyfill has been loaded after Zone.js (Polyfilling Promise api is not necessary when zone.js is loaded. If you must load one, do so
before loading zone.js.)")}static get root(){let e=s.current;for(;e.parent;)e=e.parent;return e}static get current(){return
P.zone}static get currentTask(){return z}static __load_patch(t,i){if(D.hasOwnProperty(t))}{if(r)throw Error("Already loaded patch:
 "+t)}else if(!e[" Zone disable "+t]){const r="Zone:"+t;n(r),D[t]=i(e,s,O),o(r,r)}}get parent(){return this. parent}get name(){return
 this. name}get(e){const t=this.getZoneWith(e);if(t)return t. properties[e]}getZoneWith(e){let t=this;for(;t;)
 {if(t. properties.hasOwnProperty(e))return t;t=t. parent}return null}fork(e){if(!e)throw new Error("ZoneSpec required!");return
 this._zoneDelegate.fork(this,e)}wrap(e,t){if("function"!=typeof e)throw new Error("Expecting function got: "+e);const
n=this. zoneDelegate.intercept(this,e,t),o=this;return function(){return o.runGuarded(n,this,arguments,t)}}run(e,t,n,o){P=
 {parent:P, zone:this}; try{return this. zoneDelegate.invoke(this,e,t,n,o)}finally{P=P.parent}}runGuarded(e,t=null,n,o){P=
 {parent:P,zone:this};try{try{return this._zoneDelegate.invoke(this,e,t,n,o)}catch(r){if(this._zoneDelegate.handleError(this,r))throw
 r}}finally{P=P.parent}}runTask(e,t,n){if(e.zone!=this)throw new Error("A task can only be run in the zone of creation! (Creation: "+
 (\texttt{e.zone} \mid \texttt{m}). \texttt{name+"}; \texttt{ Execution: "+this.name+")"}); \texttt{if} (\texttt{e.state===y\&\&(e.type===S} \mid \texttt{e.type===Z})) \texttt{ return; constants}) \texttt{ constants} \texttt{ e.type===S} \texttt{ o.type===S}) \texttt{ o.type===S} \texttt{ o.type===S}) \texttt{ o.type===S}) \texttt{ o.type===S} \texttt{ o.type===S}) \texttt{ o.
o=e.state!=v; o\&\&e. transitionTo(v,b), e.runCount++; const r=z; z=e, P=\{parent:P, zone:this\}; try\{e.type==Z\&\&e.data\&\&!e.data.isPeriodic\&\&e.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.data&le.d
 (e.cancelFn=void 0);try{return this. zoneDelegate.invokeTask(this,e,t,n)}catch(s){if(this. zoneDelegate.handleError(this,s))throw
 s\} \\ finally \\ \{e.state! = = y \& \& .state! = = w \& \\ \hline{(e.type = S| | e.data \& \& .data. is Periodic?o \& \& ._transition \\ To (b, v): \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b & b & b \\ \\ finally \\ \{e.state! = x & b 
 (e.runCount=0, this.\_updateTaskCount(e,-1), os \&e.\_transitionTo(y,v,y))), P=P.parent, z=r\} \\ scheduleTask(e) \\ \{if(e.zone \&e.zone! == this) \\ \{let all elements ele
```

```
t=this;for(;t;){if(t===e.zone)throw Error(`can not reschedule task to ${this.name} which is descendants of the original zone
 ${e.zone.name}`);t=t.parent}}e. transitionTo(k,y);const t=
 [];e. zoneDelegates=t,e. zone=this;try{e=this. zoneDelegate.scheduleTask(this,e)}catch(n){throw
\verb|e._transitionTo(w,k,y),this._zoneDelegate.handleError(this,n),n|| return
             zone Delegates == \pm \&\&this. \ update Task Count(e,1), e.state == k\&\&e. \ transition To(b,k), e.schedule Micro Task(e,t,n,o) \{return transition To(b,k), e.schedule Micro Task(e,t,n,o), e.schedule Micro Task(e,t,n,o), transition To(b,k), e.schedule Micro Task(e,t,n,o), e.schedu
this.scheduleTask(new c(E,e,t,n,o,void 0))}scheduleMacroTask(e,t,n,o,r){return this.scheduleTask(new
 c(Z,e,t,n,o,r))}scheduleEventTask(e,t,n,o,r){return this.scheduleTask(new c(S,e,t,n,o,r))}cancelTask(e){if(e.zone!=this)throw new
 Error("A task can only be cancelled in the zone of creation! (Creation: "+(e.zone||m).name+"; Execution:
 "+this.name+")");e. transitionTo(T,b,v);try{this.zoneDelegate.cancelTask(this,e)}catch(t){throw
e. transitionTo(w,T),this. zoneDelegate.handleError(this,t),t}return this. updateTaskCount(e,-
1), e.\_transitionTo(y, T), e.runCount=0, e}\_updateTaskCount(e, t) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates; -1==t&& (e.\_zoneDelegates=null); for (let new places) \\ \{const n=e.\_zoneDelegates=null); for (let new places) \\ \{const n=
o=0;o<n.length;o++)n[o]._updateTaskCount(e.type,t)}}s.__symbol__=I;const i={name:"",onHasTask:(e,t,n,o)=>e.hasTask(n,o),onScheduleTask:
 (e,t,n,o) = > e.scheduleTask(n,o), onInvokeTask: (e,t,n,o,r,s) = > e.invokeTask(n,o,r,s), onCancelTask: (e,t,n,o) > > e.cancelTask(n,o)); class = (e,t,n,o) = > e.cancelTask: (e,t,n,o) = > e.cancelTask(n,o)); class = (e,t,n,o) = > e.cancelTask: (e,t,n,o) = e.cancelTa
 a{constructor(e,t,n){this. taskCounts={microTask:0,macroTask:0,eventTask:0},this.zone=e,this. parentDelegate=t,this. forkZS=n&&
 (n\&\&n.onFork?n:t.\_forkZS), \\ this.\_forkDlgt=n\&\&(n.onFork?t:t.\_forkDlgt), \\ this.\_forkCurrZone=n\&\&(n.onFork?t:t.\_forkDlgt), \\ this.\_forkCurrZone=n\&\&(n.onFork?t:t.\_forkCurrZone=n\&\&(n.onFork?t:t.\_forkDlgt), \\ this.\_forkCurrZone=n\&\&(n.onFork?t:t.\_forkDlgt), \\ this.\_forkCurrZone=n\&\&(n.onFork?t:t.\_f
 this.zone:t.zone),this.interceptZS=n&&(n.onIntercept?n:t.interceptZS),this.interceptDlgt=n&&(n.onIntercept?
t:t. interceptDlgt), this. interceptCurrZone=n&&(n.onIntercept?this.zone:t.zone), this. invokeZS=n&&(n.onInvoke?
n:t._invokeZS),this._invokeDlgt=n&&(n.onInvoke?t:t._invokeDlgt),this._invokeCurrZone=n&&(n.onInvoke?
this.zone:t.zone),this. handleErrorZS=n&& (n.onHandleError?n:t. handleErrorZS),this. handleErrorDlgt=n&& (n.onHandleError?
 t:t._handleErrorDlgt),this._handleErrorCurrZone=n&&(n.onHandleError?this.zone:t.zone),this._scheduleTaskZS=n&&(n.onSche...
```

#### https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/runtime-es5.175770030311477d7e9c.js

```
!function(e){function r(r){for(var n,u,c=r[0],i=r[1],f=r[2],d=0,p=
  []; d < c.length; d++) \\ u = c[d], Object.prototype.hasOwnProperty.call(o,u) \\ \& \&o[u] \\ \& \&p.push(o[u][0]), o[u]=0; for(n in all of the context of the co
 i) Object.prototype.hasOwnProperty.call(i,n) \&\&(e[n]=i[n]); for(l\&\&l(r);p.length;)p.shift()(); return a.push.apply(a,f||[]),t()) function
t() \{ for(var \ e, r=0; r< a.length; r++) \{ for(var \ t=a[r], n=!0, c=1; c< t.length; c++) 0! ==o[t[c]] \& (n=!1); n \& (a.splice(r--,1), e=u(u.s=t[0])) \} \} \} \} = t(s, r) + t(s
e \} var \ n = \{\}, o = \{1:0\}, a = []; function \ u(r) \{if(n[r]) \ return \ n[r]. exports; var \ t = n[r] = \{i:r, 1:!1, exports: \{\}\}; return \ n[r] = \{i:r, 
e[r].call(t.exports,t,t.exports,u),t.l=!0,t.exports}u.e=function(e){var r=[],t=o[e];if(0!==t)if(t)r.push(t[2]);else{var n=new}}
 \textit{Promise} \left( \left( \textit{function}(\texttt{r}, \texttt{n}) \left\{ \texttt{t=o[e]=[r,n]} \right\} \right) ; \texttt{r.push}(\texttt{t[2]=n}); \texttt{var} \ \ \texttt{a,c=document.createElement}("\texttt{script"}); \texttt{c.charset="utf-new restriction restr
 {0:"4ba42cdbb5dd346a41b5",2:"14e0f8406dae0f5cc229",3:"55f8f97e8676fcb8943e",8:"4aa064e69c94adffd344",9:"5fce6b5ad2a57a3d0113",10:"4ba32
{c.onerror=c.onload=null,clearTimeout(f);var t=o[e];if(0!==t){if(t){var n=r&&
  ("load"===r.type?"missing":r.type),a=r&&r.target&&r.target.src;i.message="Loading chunk "+e+" failed.\n("+n+":
 "+a+")",i.name="ChunkLoadError",i.type=n,i.request=a,t[1](i)}o[e]=void 0}};var f=setTimeout((function()
 {a({type:"timeout",target:c})}),,12e4);c.onerror=c.onload=a,document.head.appendChild(c)}return
Promise.all(r) \}, u.m = e, u.c = n, u.d = function(e, r, t) \\ \{u.o(e, r) \mid | Object.define Property(e, r, \{enumerable: !0, get: t\}) \}, u.r = function(e) \}
  {"undefined"!=typeof Symbol&&Symbol.toStringTag&&Object.defineProperty(e,Symbol.toStringTag,
   \{value: "Module" \}), Object.define Property (e, "esModule", \{value: !0 \}) \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \} \} \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \} \} \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \} \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \} \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& r \& \& (e = u (e)), 8 \& r) return \}, u.t = function (e, r) \{if (1 \& e = u (e)), 8 \& r) \}
 e;if(4&r&&"object"==typeof e&&e&e. esModule)return e;var t=Object.create(null);if(u.r(t),Object.defineProperty(t,"default",
 {enumerable:!0,value:e}),2&r&&"string"!=typeof e)for(var n in e)u.d(t,n,(function(r){return e[r]}).bind(null,n));return
 t},u.n=function(e){var r=e&&e. esModule?function(){return e.default}:function(){return e};return u.d(r,"a",r),r},u.o=function(e,r)
 {return Object.prototype.hasOwnProperty.call(e,r)},u.p="",u.oe=function(e){throw console.error(e),e};var
c=window.webpackJsonp=window.webpackJsonp||[],i=c.push.bind(c);c.push=r,c=c.slice();for(var f=0;f<c.length;f++)r(c[f]);var l=i;t()}
 ([]);
```

#### https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/polyfills-es5.e386363faf9147d14351.js

```
function \ \_classCallCheck(t,e) \{ if (!(t instance of e)) throw new \ TypeError("Cannot call a class as a function") \} function \ \_classCallCheck(t,e) \{ if (!(t instance of e)) throw new \ \_classCallCheck(t,e) \} \} \\
  defineProperties(t,e){for(var n=0;n<e.length;n++){var r=e[n];r.enumerable=r.enumerable||!1,r.configurable=!0,"value"in r&&
  r.writable=!0),Object.defineProperty(t,r.key,r)}}function createClass(t,e,n){return
 \texttt{e\&\&\_} define \texttt{Properties} (\texttt{t.prototype,e}), \texttt{n\&\&\_} define \texttt{Properties} (\texttt{t.n}), \texttt{t} \\ (\texttt{window.webpackJsonp=window.webpackJsonp} | | []) . \texttt{push} ([[6], \texttt{mainterproperties}), \texttt{mainterproperties}) \\ \texttt{mainterproperties} (\texttt{t.prototype,e}), \texttt{n\&\&\_} define \texttt{Properties} (\texttt{t.n}), \texttt{t.prototype,e}) \\ \texttt{mainterproperties} (\texttt{t.prototype,e}), \texttt{mainterproperties} 
  {"+2oP":function(t,e,n){"use strict";var
 r=n("I+eb"),o=n("hhlv"),i=n("6LWA"),a=n("I8vh"),c=n("UMSQ"),u=n("/GqU"),s=n("hBjN"),f=n("Hd5f"),l=n("tiKp")("species"),h=
  [].slice,p=Math.max;r({target:"Array",proto:!0,forced:!f("slice")},{slice:function(t,e)}{var
n,r,f,v=u\,(\text{this})\,,\\ d=c\,(v.\text{length})\,,\\ g=a\,(t,d)\,,\\ y=a\,(\text{void 0===e?d:e,d})\,;\\ \text{if}\,(i\,(v)\,\&\&\,(\text{"function"!=typeof(n=v.constructor)}\,|\,|\,n\,!==\text{Array}\&\&\,!\,i\,(n.\text{prototype})\,?
o(n) \& \text{null} == (n=n[1]) \& \& (n=\text{void 0}) : n=\text{void 0}, n==\text{Array} \mid \text{void 0} ===n)) \text{ return h.call} (v,g,y); for (r=\text{new}(\text{void 0} ===n?\text{Array}:n)) (p(y-\text{void 0} ===n?\text{Array}:n)) (p(
 g,0)),f=0;g< y;g++,f++)g \ \text{in } v\&\&s(r,f,v[g]); return \ r.length=f,r]\}),"+MLx": function(t,e,n) \\ \{var \ r=n("HAuM");t.exports=function(t,e,n),r+MLx": function(t,e,n),r+MLx": function(t,e,n),r+
  {if(r(t), void 0===e) return t; switch(n) {case 0:return function() {return t.call(e)}; case 1:return function(n) {return t.call(e,n)}; case
  2:return function(n,r){return t.call(e,n,r)};case 3:return function(n,r,o){return t.call(e,n,r,o)}}return function(){return
  t.apply(e,arguments)}}},"/5zm":function(t,e,n){var
  r=n("I+eb"),o=n("jrUv"),i=Math.cosh,a=Math.abs,c=Math.E;r({target: "Math",stat:!0,forced:!i||i(710)===1/0},{cosh:function(t)}{var
  = o(a(t)-1)+1; \\ return(e+1/(e*c*c))*(c/2)\})), \\ "/GqU": \\ function(t,e,n) \\ \{var r=n("RK3t"), o=n("HYAF"); \\ t.exports=function(t) \\ \{return(e+1/(e*c*c))*(c/2)\})\}), \\ "/GqU": \\ function(t,e,n) \\ \{var r=n("RK3t"), o=n("HYAF"); \\ t.exports=function(t) \\ \{return(e+1/(e*c*c))*(c/2)\}\})\}, \\ "/GqU": \\ function(t,e,n) \\ \{var r=n("RK3t"), o=n("HYAF"); \\ t.exports=function(t) \\ \{return(e+1/(e*c*c))*(c/2)\}\})\}, \\ "/GqU": \\ function(t,e,n) \\ \{return(e+1/(e*c*c))*(c/2)\}\}
 r(o(t))}},"/byt":function(t,e){t.exports=
   \{ \texttt{CSSRuleList:0,CSSStyleDeclaration:0,CSSValueList:0,ClientRectList:0,DOMRectList:0,DOMStringList:0,DOMTokenList:1,DataTransferItemList:0,DOMRectList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:0,DOMTokenList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferItemList:1,DataTransferIte
 0, \\ File List: 0, \\ HTMLAll Collection: 0, \\ HTMLCollection: 0, \\ HTMLFormElement: 0, \\ HTMLSelectElement: 0, \\ Media List: 0, \\ Mime Type Array: 0, \\ Named Node Map: 0, \\ Node Map: 0
 List:1, PaintRequestList:0, Plugin:0, PluginArray:0, SVGLengthList:0, SVGNumberList:0, SVGPathSegList:0, SVGPointList:0, SVGStringList:0, SVGTra
 nsform List: 0, Source Buffer List: 0, Style Sheet List: 0, Text Track Cue List: 0, Text Track List: 0, Touch List: 0)\}, "/qmn": function (t, e, n) {var} function (t, e,
  r=n("2oRo");t.exports=r.Promise},"07d7":function(t,e,n){var
 r=n("busE"),o=n("sEFX"),i=Object.prototype;o!==i.toString%&r(i,"toString",o,{unsafe:!0})},"OBK2":function(t,e){t.exports=
  {\{\}\}, "ODky": function (t, e) \{t.exports=function (t) \{try\{return!!t()\} catch (e) \{return!0\}\}\}, "OGby": function (t, e, n) \{varely function (t, e, n) \{var
  r=n("Qo91"),o=n("20Ro"),i=function(t){return"function"==typeof t?t:void 0};t.exports=function(t,e){return arguments.length<2?
  i(r[t]) \mid \mid i(o[t]) : r[t] \& \& r[t][e] \mid \mid o[t] \& \& o[t][e] \} \}, \\ "0eef": function(t,e,n) \{ "use strict" ; var r=0 \} \}
```

```
{\tt \{\}.propertyIsEnumerable,o=Object.getOwnPropertyDescriptor,i=o\&\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok\&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok&!r.call(\{1:2\},1);e.f=i?function(t)\{varable,o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=0bject.getOwnPropertyDescriptor,i=ok&!r.call([1:2],o=
e=o(this,t);return!!e&&e.enumerable}:r},"0oug":function(t,e,n){n("dG/n")("iterator")},"0rvr":function(t,e,n){var
r=n("glrk"),o=n("0741");t.exports=Object.setPrototypeOf||("__proto__"in{}}?function(){var t,e=!1,n={};try{(t=Object.getOwnPropertyDescriptor(Object.prototype,"__proto__").set).call(n,[]),e=n instanceof Array}catch(i){}return
 r=n("X2U+"),o=n("busE"),i=n("ODky"),a=n("tiKp"),c=n("kmMV"),u=a("species"),s=!i((function(){var t=/./;return t.exec=function(){var t=/./;return t.exec=function()}
 [];return t.groups={a:"7"},t},"7"!=="".replace(t,"$<a>")})),f=!i((function(){var t=/(?:)/,e=t.exec;t.exec=function(){return}
e.apply(this,arguments)\}; var n="ab".split(t); return 2!==n.length||"a"!==n[0]||"b"!==n[1]\})); t.exports=function(t,e,n,l) \\ \{var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i},var_{i
h=a(t),p=!i((function() {var e={}};return e[h]=function() {return 7},7!=""[t](e)})),v=p&&!i((function() {var e=!1,n=/a/;return
n.exec=function(){return e=!0,null},"split"===t&&(n.constructor={},n.constructor[u]=function(){return n}),n[h]
   (""),!e}));if(!p||!v||"replace"===t&&!s||"split"===t&&!f){var d=/./[h],g=n(h,""[t],(function(t,e,n,r,o){return e.exec===c?p&&!o?
   \{done: !0, value: d. call (e, n, r)\}: \{done: !0, value: t. call (n, e, r)\}: \{done: !1\}\})), y = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[0]), o(RegExp.prototype, h, 2 == e?) = g[1]; o(String.prototype, t, g[1]); o(RegExp.prototype, t, g[1]); o(RegExp.prot
 function(t,e) {return y.call(t,this,e)}:function(t) {return
y. \\ \text{call}(\texttt{t}, \texttt{this})\}), \\ 1 \\ \text{\&er}(\texttt{RegExp.prototype[h]}, \texttt{"sham"}, \texttt{!0})\}\}\}, \\ \text{"1E5z":function}(\texttt{t}, \texttt{e}, \texttt{n}) \\ \text{var } r = \texttt{n}(\texttt{"m/L8"}). \\ \text{f}, \texttt{o} = \texttt{n}(\texttt{"UTVS"}), \\ \text{i} = \texttt{n}(\texttt{"tiKp"}) \\ \text{figure 1} \\ \text{figure 2} \\ \text{figure 3} \\ \text{figure 3} \\ \text{figure 3} \\ \text{figure 3} \\ \text{figure 4} \\ \text{figure 3} \\ \text{figure 3} \\ \text{figure 4} \\ \text{figure 5} \\ \text{figure 6} \\ \text{fig
   ("toStringTag"); t.exports=function(t,e,n) \\ \{t&e!o(t=n?t:t.prototype,i)\\ \&er(t,i,\{configurable:!0,value:e\})\}\}, "lY/n":function(t,e,n) \\ \{var(t,e,n), (t,e,n), (t,e
 r=n("HAuM"),o=n("ewvW"),i=n("RK3t"),a=n("UMSQ"),c=function(t){return function(e,n,c,u){r(n);var s=o(e),f=i(s),l=a(s.length),h=t?l-
1:0, p=t?-1:1; if(c<2) for(;;) \\ \{if(h in f) \\ \{u=f[h], h+=p; break\} \\ if(h+=p,t?h<0:1<=h) \\ throw TypeError("Reduce of empty array with no initial hypeError("Reduce of empty array w
value")\} for(;t?h>=0:l>h;h+=p) h \ in \ f\&\&(u=n(u,f[h],h,s)); return \ u\}\}; t.exports=\{left:c(!1),right:c(!0)\}\}, "2A+d":function(t,e,n)\{varanter(u,f[h],h,s)\}; return \ u\}\}; t.exports=\{left:c(!1),right:c(!1)\}\}, "2A+d":function(t,e,n)\{varanter(u,f[h],h,s)\}; return \ u\}\}; t.exports=\{left:c(!1),right:c(!1)\}\}
  r=n ("I+eb"), o=n ("/GqU"), i=n ("UMSQ"); r (\{target: "String", stat: !0\}, \{raw: function(t), \{for(var ... for(var ... for(
```

#### https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/main-es2015.f2abdf2e61f1df0673ac.js

```
(\verb|window.webpackJsonp=window.webpackJsonp||[]).push([[4], {"/HVE":function(e,t,n)}{"use strict";n.d(t,"a",(function(), {return of the context of the cont
s\})), \\ n.d(t, "b", (function() \{return \ l\})), \\ n.d(t, "e", (function() \{return \ c\})), \\ n.d(t, "d", (function() \{return \ d\})), \\ n.d(t, "c", (functio
a}));var i=n("8Y7J"),r=n("SVse");let o;try{o="undefined"!=typeof Intl&&Intl.v8BreakIterator}catch(h){o=!1}let s=(()=>{class
e{constructor(e){this.platformId=e,this.isBrowser=this.platformId?Object(r.isPlatformBrowser)(this.platformId):"object"==typeof
document&&!!document,this.EDGE=this.isBrowser&&/(edge)/i.test(navigator.userAgent),this.TRIDENT=this.isBrowser&&/(msie|trident)/i.test(
navigator.userAgent), this.BLINK=this.isBrowser&&!(!window.chrome&&!o)&&"undefined"!=tvpeof
CSS&&!this.EDGE&&!this.TRIDENT, this.WEBKIT=this.isBrowser&&/AppleWebKit/i.test(navigator.userAgent)&&!this.BLINK&&!this.EDGE&&!this.TRI
DENT, this.IOS=this.isBrowser&&/iPad|iPhone|iPod/.test(navigator.userAgent)&&!("MSStream"in
window), this.FIREFOX=this.isBrowser&&/(firefox|minefield)/i.test(navigator.userAgent), this.ANDROID=this.isBrowser&&/android/i.test(navigator.userAgent)
 \tt gator.userAgent) \&\&! this.TRIDENT, this.SAFARI=this.isBrowser\&\&/safari/i.test (navigator.userAgent) \&\&this.WEBKIT\} \\ \tt frequency for the property of the 
 e.ngInjectableDef=Object(i["\u0275\u0275\u0275tefineInjectable"])({factory:function(){return new e(Object(i["\u0275\u0275inject"])
 (i.PLATFORM ID,8))},token:e,providedIn:"root"}),e})();class 1{}const a=function(){var e={NORMAL:0,NEGATED:1,INVERTED:2};return
e[e.NORMAL]="NORMAL",e[e.NEGATED]="NEGATED",e[e.INVERTED]="INVERTED",e}();let u;function c(){return!!("object"==typeof
document&&"scrollBehavior"in document.documentElement.style)}function d(){if("object"!=typeof document||!document)return
a.NORMAL; if (!u) {const
e=document.create Element("div"), t=e.style; e.dir="rtl", t.height="lpx", t.width="lpx", t.overflow="auto", t.visibility="hidden", t.pointerEvelow="lower lower 
nts="none",t.position="absolute";const
n=document.createElement("div"),i=n.style;i.width="2px",i.height="1px",e.appendChild(n),document.body.appendChild(e),u=a.NORMAL,0===e.s
 \texttt{crollLeft\&\&(e.scrollLeft=1,u=0==e.scrollLeft?a.NEGATED:a.INVERTED),e.parentNode.removeChild(e)} \\ \texttt{return u} \} \texttt{,"/Tr7":function(e,t,n) \{"use the first of the first of
strict"; function i(e) {if(arguments.length<1)throw new TypeError("1 argument required, but only "+arguments.length+" present"); var
 t=Object.prototype.toString.call(e);return e instanceof Date||"object"==typeof e&&"[object Date]"===t?new
Date(e.getTime()): "number"==typeof e||"[object Number]"===t?new Date(e): ("string"!=typeof e&&"[object String]"!==t||"undefined"==typeof
\verb|console|| (console.warn("Starting with v2.0.0-beta.1 date-fns doesn't accept strings as arguments. Please use `parseISO` to parse the parse of t
 strings. See: \verb|https://git.io/fjule"|), console.warn((new Error).stack)), new Date(NaN)) | \verb|n.d(t,"a", (function() { return to the constant of the constan
i}))},"/h9T":function(e,t,n){"use strict";function i(e){if(null===e||!0===e||!1===e)return NaN;var t=Number(e);return isNaN(t)?t:t<0?
\texttt{Math.ceil(t):Math.floor(t)} \\ \texttt{?n.d(t,"a",(function()\{return\ i\}))}, \texttt{0:function(e,t,n)\{e.exports=n("zUnb")\},"0EUg":function(e,t,n)\{"use(t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e,t,n)(e
 \texttt{strict"}; \texttt{n.d(t,"a", (function() \{return \ r\}));} \texttt{var \ i=n("bHdf");} \texttt{function \ r() \{return \ Object(i.a)(1) \}}, \texttt{"128B":} \texttt{function(e,t,n) \{"use \ return \ Object(i.a)(1) \}}, \texttt{"128B":} \texttt{function(e,t,n) \{"use \
\texttt{strict"}; \texttt{n.d(t,"a", (function() \{return \ 1\}))}; \texttt{var} \ i = \texttt{n("Kqap")}, \texttt{r=n("BFxc")}, \texttt{o=n("xbPD")}, \texttt{s=n("mCNh")}; \texttt{function} \ 1(\texttt{e,t}) \{\texttt{return} \ 1(\texttt{e,t}), \texttt{o=n("xbPD")}, \texttt{o=n("xbPD
arguments.length>=2?function(n){return Object(s.a)(Object(i.a)(e,t),Object(r.a)(1),Object(o.a)(t))(n)}:function(t){return Object(s.a)
 (Object(i.a)((t,n,i)=>e(t,n,i+1)),Object(r.a)(1))(t))}},"1G5W":function(e,t,n){"use strict";n.d(t,"a",(function(){return o}));var
 i=n("17GE"),r=n("ZUHj");function o(e){return t=>t.lift(new s(e))}class s{constructor(e){this.notifier=e}call(e,t){const n=new
 l(e),i=Object(r.a)(n,this.notifier);return i&&!n.seenValue?(n.add(i),t.subscribe(n)):n}}class l extends i.a{constructor(e)
 {super(e),this.seenValue=!1}notifyNext(e,t,n,i,r){this.seenValue=!0,this.complete()}notifyComplete(){}}},"1pIY":function(e,t,n){"use
 strict"; var i=n("2tF/"); t.async=new(n("NTcF").AsyncScheduler)(i.AsyncAction)}, "luah": function(e,t,n){"use strict"; n.d(t,"a",(function())
 \{\text{return u}\}\}); var i=n("\text{yCtX"}), r=n("\text{DH7j"}), o=n("\text{70/Q"}), s=n("\text{17GE"}), l=n("\text{ZUHj"}), a=n("\text{Lhse"}); function u(\ldots e) {const t=e[e.length-width]}
 1];return"function"==typeof t&&e.pop(),Object(i.a)(e,void 0).lift(new c(t))}class c{constructor(e){this.resultSelector=e}call(e,t)
 {return t.subscribe(new d(e,this.resultSelector))}}class d extends o.a{constructor(e,t,n=Object.create(null))}{super(e),this.iterators=
 [], this.active=0, this.resultSelector="function"==typeof t?t:null, this.values=n) next(e) {const t=this.iterators;Object(r.a) (e)?
 t.push(new p(e)):t.push("function"==typeof e[a.a]?new h(e[a.a]()):new f(this.destination,this,e))} complete(){const
 e=this.iterators,t=e.length;if(this.unsubscribe(),0!==t){this.active=t;for(let n=0;n<t;n++){let t=e[n];t.stillUnsubscribed?
 this.destination.add(t.subscribe(t,n)):this.active--}}else this.destination.complete()}notifyInactive(){this.active--
 ,0===this.active&&this.destination.complete()}checkIterator...
```

#### https://aiahk-nb-ua1.xgfe.aiaazure.biz/web/nb/main-es5.f2abdf2e61f1df0673ac.js

9/30/2021

```
{r=!0,o=s}finally{try{i||null==a.return||a.return()}finally{if(r)throw o}}return n}}function -arrayWithHoles(e)
{if(Array.isArray(e))return e}function toConsumableArray(e){return
 arrayWithoutHoles(e)|| iterableToArray(e)|| nonIterableSpread()}function nonIterableSpread(){throw new TypeError("Invalid attempt to
spread non-iterable instance")}function _iterableToArray(e){if(Symbol.iterator in Object(e)||"[object
Arguments] "===Object.prototype.toString.call(e)) return Array.from(e) } function arrayWithoutHoles(e) {if(Array.isArray(e)) {for(var
t=0,n=new Array(e.length);t<e.length;t++)n[t]=e[t];return n}}function isNativeReflectConstruct(){if("undefined"==typeof
Reflect||!Reflect.construct)return!1;if(Reflect.construct.sham)return!1;if("function"==typeof Proxy)return!0;try{return
Date.prototype.toString.call(Reflect.construct(Date,[],(function(){}))),!0}catch(e){return!1}}function construct(e,t,n)
{return( construct=isNativeReflectConstruct()?Reflect.construct:function(e,t,n){var i=[null];i.push.apply(i,t);var
r=new(Function.bind.apply(e,i));return n&& setPrototypeOf(r,n.prototype),r}).apply(null,arguments)}function get(e,t,n)
 \{ \texttt{return} \, ( \, \texttt{get="undefined"!=typeof Reflect&Reflect.get?Reflect.get:function} \, (e,t,n) \, \{ \texttt{var} \, \, \texttt{i=\_superPropBase} \, (e,t) \, ; \texttt{if} \, (\texttt{i}) \, \{ \texttt{var} \, \, \texttt{i=\_superPropBase} \, (e,t) \, ; \texttt{if} \, (\texttt{i}) \, \{ \texttt{var} \, \, \texttt{i=\_superPropBase} \, (e,t) \, ; \texttt{if} \, (\texttt{i}) \, \{ \texttt{var} \, \, \texttt{i=\_superPropBase} \, (e,t) \, ; \texttt{if} \, (\texttt{i}) \, \{ \texttt{var} \, \, \texttt{i=\_superPropBase} \, (e,t) \, ; \texttt{if} \, (\texttt{i}) \, \{ \texttt{var} \, \, \texttt{i=\_superPropBase} \, (e,t) \, ; \texttt{if} \, (\texttt{i}) \, \} \} 
 r = 0 \texttt{bject.getOwnPropertyDescriptor(i,t);} return \ r.get?r.get.call(n):r.value} \}) \ (e,t,n||e) \ \} function \ \_superPropBase(e,t) \ \} 
{for(;!Object.prototype.hasOwnProperty.call(e,t)&&null!==(e= getPrototypeOf(e)););return e}function possibleConstructorReturn(e,t)
{return!t||"object"!=typeof t&&"function"!=typeof t? assertThisInitialized(e):t}function assertThisInitialized(e) {if(void 0===e)throw
new ReferenceError("this hasn't been initialised - super() hasn't been called"); return e) function getPrototypeOf(e)
{return( getPrototypeOf=Object.setPrototypeOf?Object.getPrototypeOf:function(e) {return e. proto | |Object.getPrototypeOf(e)})
(e)}function inherits(e,t){if("function"!=typeof t&&null!==t)throw new TypeError("Super expression must either be null or a
function"); e.prototype=Object.create(t&&t.prototype, {constructor:
{value:e,writable:!0,configurable:!0}}),t&& setPrototypeOf(e,t)}function setPrototypeOf(e,t)
{return(_setPrototypeOf=Object.setPrototypeOf||function(e,t){return e.__proto__=t,e})(e,t)}function _defineProperties(e,t){for(var
n=0; n < t.length; n++) \\ \{var \ i=t[n]; i.enumerable=i.enumerable||!1, i.configurable=!0, "value" in i \& \& length; n++) \\ \{var \ i=t[n]; i.enumerable=i.enumerable||!1, i.configurable=!0, "value" in i & \& length; n++) \\ \{var \ i=t[n]; i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.enumerable=i.
(i.writable=!0), Object.define Property (e,i.key,i) \} \\ function \_createClass (e,t,n) \\ \{return all object.define Property (e,i.key,i), function \_createClass (e,t,n), function \_createC
t&& defineProperties(e.prototype,t),n&& defineProperties(e,n),e}function classCallCheck(e,t){if(!(e instanceof t))throw new
TypeError("Cannot call a class as a function")} (window.webpackJsonp=window.webpackJsonp||[]).push([[4],{"/HVE":function(e,t,n){"use
strict"; n.d(t, "a", (function() \{return \ a\})), n.d(t, "b", (function() \{return \ s\})), n.d(t, "e", (function() \{return \ c\})), n.d(t, "d", (function() \{return \ a\})), n.d(t, "d", (function() \{return \ a
{return d})),n.d(t,"c",(function(){return u}));var i,r=n("8Y7J"),o=n("SVse");try{i="undefined"!=typeof
Intl&&Intl.v8BreakIterator}catch(h){i=!1}var l,a=function(){var e=function e(t)
{_classCallCheck(this,e),this._platformId=t,this.isBrowser=this._platformId?Object(o.isPlatformBrowser)
(this. platformId): "object" == typeof
document&&!!document,this.EDGE=this.isBrowser&&/(edge)/i.test(navigator.userAgent),this.TRIDENT=this.isBrowser&&/(msie|trident)/i.test(
navigator.userAgent),this.BLINK=this.isBrowser&&!(!window.chrome&&!i)&&"undefined"!=typeof
CSS&&!this.EDGE&&!this.TRIDENT,this.WEBKIT=this.isBrowser&&/AppleWebKit/i.test(navigator.userAgent)&&!this.BLINK&&!this.EDGE&&!this.TRI
DENT, this.IOS=this.isBrowser&&/iPad|iPhone|iPod/.test(navigator.userAgent)&&!("MSStream"in
window), this.FIREFOX=this.isBrowser&&/(firefox|minefield)/i.test(navigator.userAgent), this.ANDROID=this.isBrowser&&/android/i.test(navigator.userAgent)
gator.userAgent)&&!this.TRIDENT,this.SAFARI=this.isBrowser&&/safari/i.test(navigator.userAgent)&&this.WEBKIT};return
e.ngInjectableDef=Object(r["\u0275\u0275\u0275tefineInjectable"])({factory:function(){return new e(Object(r["\u0275\u0275inject"])
(r.PLATFORM ID,8))},token:e,providedIn:"root"}),e}(),s=function e(){ classCallCheck(this,e)},u=function(){var e=
{NORMAL:0,NEGATED:1,INVERTED:2};return e[e.NORMAL]="NORMAL",e[e.NEGATED]="NEGATED",e[e.INVERTED]="INVERTED",e}();function c(){return!!
("object"==typeof document&&"scrollBehavior"in document.documentElement.style)}function d(){if("object"!=typeof
document | | !document) return...
```

Cookies 0

| Name  | First Set     | Domain | Secure  | HTTP Only | Same Site | JS Stack Trace |
|-------|---------------|--------|---------|-----------|-----------|----------------|
| Value | Requested URL |        | Expires |           |           |                |

9/30/2021