Old way:

```
src/Dependant.php
class Dependant {
    public function aFunction() {
        return 'Old way';
    }
}
index.php
require 'src/Dependant.php';
$dependant = new Dependant;
echo $dependant->aFunction();
```

Composer: PSR-4

Method 1	Method 2
1. Create composer.json with only {}	
2. run composer install vendor/autoload.php gets generated	
3. Fill composer.json { "autoload": { "psr-4": { "A\\B\\": "src/" } }	1. Create composer.json with the autoload part
4. Add namespace	2. Add namespace
namespace A\B;	
<pre>class Dependant { public function aFunction() { return 'autoload psr4'; } }</pre>	
5. Composer dump vendor/composer/autoload_psr4.php gets generated	3. Composer dump
6. Add require 'vendor/autoload.php'; \$dependant = new A\B\Dependant; echo \$dependant->aFunction();	4. Add require 'vendor/autoload.php';
We can also use use A\B\Dependant; at the top (under require 'vendor/autoload.php';) So we can write new Dependant() instead of new A\B\Dependant() afterwards.	

File Based	Classmap Based
src/Afile.php	src/Afile.php
<pre>function aFunction () { return 'autoload file'; }</pre>	Class AClass { public function aFunction () { echo 'autoload folder'; } }
index.php	index.php
require 'vendor/autoload.php'; echo aFunction();	require 'vendor/autoload.php'; \$aClass = new AClass; echo \$aClass->aFunction();
composer.json	composer.json
{ "autoload": { "files": ["src/AFile.php"] } }	{ "autoload": { "classmap": ["src"] } }

PSR-0	PSR-4
src/ <mark>A/B/</mark> Dependant.php	src/Dependant.php
namespace A\B;	namespace A\B;
class Dependant	class Dependant
{ public function aFunction()	{ public function aFunction()
public function ar unction() {	public function artifiction() {
return 'autoload psr0';	return 'autoload psr4';
}	}
in day also	in day also
index.php	index.php
require 'vendor/autoload.php';	require 'vendor/autoload.php';
use A\B\Dependant;	use A\B\Dependant;
\$dependant = new Dependant;	\$dependant = new Dependant;
echo \$dependant->aFunction();	echo \$dependant->aFunction();
composer.json	composer.json
	ſ
"autoload": {	"autoload": {
"psr-0": {	"psr-4": {
"A\\B\\Dependant": "src/"	"A\\B <mark>\\</mark> ": "src/"
}	}
}	}

Then just run: composer dump and php index.php