

DOCUMENTATION  OA 

Terms of service

TEAM - Website

Send email to TEAM

Apache 2.0

[Find out more](#)

Servers

<http://localhost:1337/api> - Development server

Authorize



Users-Permissions - Auth Authentication endpoints

Find out more

GET /connect/{provider} Login with a provider

1

Redirects to provider login before being redirect to /auth/{provider}/callback

Parameters

Try it out

Name	Description
------	-------------

provider * required

`string
(path)`

provider

Responses

Code Description

Links

301

Redirect response

Code	Description	Links
default	Error	No links

Media type Controls Accept header.

[Example Value](#) | [Schema](#)

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

POST /auth/local Local login ^ 

Returns a jwt token and user info

Parameters [Try it out](#)

No parameters

Request body required

[Example Value](#) | [Schema](#)

```
{
  "identifier": "foobar",
  "password": "Test1234"
}
```

Responses

Code	Description	Links
200	Connection	No links

Media type Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "jwt": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6Ikpvag4gRG9lIiwiWF0IjoxNTE2MjM5MDIyfQ.SflKxwRJSMeKKF2QT4fwpMeJf36P0k6yJV_adQssw5c",  
  "user": {  
    "id": 1,  
    "username": "foo.bar",  
    "email": "foo.bar@strapi.io",  
    "provider": "local",  
    "confirmed": true,  
    "blocked": false,  
    "createdAt": "2022-06-02T08:32:06.258Z",  
    "updatedAt": "2022-06-02T08:32:06.267Z"  
  }  
}
```

default

Error

No links

Media type

application/json




Example Value | Schema

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

POST

/auth/local/register Register a user



Returns a jwt token and user info

Parameters

[Try it out](#)

No parameters

Request body required

application/json



Example Value | Schema

```
{  
  "username": "foobar",  
  "email": "foo.bar@strapi.io",  
  "password": "Test1234"  
}
```

Responses

Code	Description	Links
200	Successful registration	No links
default	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "jwt": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6Ikpvag4gRG9lIiwiWF0IjoxNTE2MjM5MDIyfQ.SflKxwRJSMeKKF2QT4fwpMeJf36P0k6yJV_adQssw5c", "user": { "id": 1, "username": "foo.bar", "email": "foo.bar@strapi.io", "provider": "local", "confirmed": true, "blocked": false, "createdAt": "2022-06-02T08:32:06.258Z", "updatedAt": "2022-06-02T08:32:06.267Z" } }</pre> <p>Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links

GET /auth/{provider}/callback Default Callback from provider auth

[Try it out](#)

Parameters

Name	Description
provider * required	Provider name (path)

provider

Responses

Code	Description	Links
200	Returns a jwt token and user info	No links
default	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "jwt": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6Ikpvag4gRG9lIiwiWF0IjoxNTE2MjM5MDIyfQ.SfIKxwRJSMeKKF2QT4fwpMeJf36P0k6yJV_adQssw5c", "user": { "id": 1, "username": "foo.bar", "email": "foo.bar@strapi.io", "provider": "local", "confirmed": true, "blocked": false, "createdAt": "2022-06-02T08:32:06.258Z", "updatedAt": "2022-06-02T08:32:06.267Z" } }</pre> <p>Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links

POST
/auth/forgot-password
Send rest password email
^
🔒

Parameters
Try it out

No parameters

Request body required
application/json

[Example Value](#) | [Schema](#)

```
{
  "email": "foo.bar@strapi.io"
}
```

Responses

Code	Description	Links
200	Returns ok	No links
default	Error	No links

POST /auth/reset-password Rest user password ^ 

Parameters [Try it out](#)

No parameters

Request body required [application/json](#) 


[Example Value](#) | [Schema](#)

```
{ "password": "Test1234", "passwordConfirmation": "Test1234", "code": "zertyoaizndoianzdianzdonaizdoinaozdnia" }
```

Responses

Code	Description	Links
200	Returns a jwt token and user info	No links
default	Error	No links

POST /auth/change-password Update user's own password



Parameters

[Try it out](#)

No parameters

Request body required

[application/json](#)

[Example Value](#) | [Schema](#)

```
{  
  "password": "string",  
  "currentPassword": "string",  
}
```

```
"passwordConfirmation": "string"
}
```

Responses

Code	Description	Links
200	Returns a jwt token and user info	No links
default	Error	No links

Media type

application/json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
{
  "jwt": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6Ikpvag4gRG91IiwiWF0IjoxNTE2MjM5MDIyfQ.SflKxwRJSMeKKF2QT4fwpMeJf36P0k6yJV_adQssw5c",
  "user": {
    "id": 1,
    "username": "foo.bar",
    "email": "foo.bar@strapi.io",
    "provider": "local",
    "confirmed": true,
    "blocked": false,
    "createdAt": "2022-06-02T08:32:06.258Z",
    "updatedAt": "2022-06-02T08:32:06.267Z"
  }
}
```

default

Error

No links

Media type

application/json



[Example Value](#) | [Schema](#)

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

GET

/auth/email-confirmation Confirm user email



Parameters

[Try it out](#)

Name	Description
confirmation string (query)	confirmation token received by email

Responses

Code	Description	Links
301	Redirects to the configure email confirmation redirect url	No links
default	Error	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

POST	/auth/send-email-confirmation	Send confirmation email	^	Try it out
Parameters	Try it out			
No parameters				
Request body <small>required</small>	application/json			
Example Value Schema				
{ "email": "string" }				

Responses

Code	Description	Links
200	Returns email and boolean to confirm email was sent	No links
default	<p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "email": "string", "sent": true }</pre> <p>Error</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links

Users-Permissions - Users & Roles

Users, roles, and permissions endpoints

[Find out more](#) 

GET	/users-permissions/permissions	Get default generated permissions	 
Parameters			
	No parameters		Try it out
Responses			
Code	Description	Links	
200	Returns the permissions tree	No links	

Media type



Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "permissions": {  
    "api::content-type.content-type": {  
      "controllers": {  
        "controllerA": {  
          "find": {  
            "enabled": false,  
            "policy": ""  
          },  
          "findOne": {  
            "enabled": false,  
            "policy": ""  
          },  
          "create": {  
            "enabled": false,  
            "policy": ""  
          }  
        },  
        "controllerB": {  
          "find": {  
            "enabled": false,  
            "policy": ""  
          },  
          "findOne": {  
            "enabled": false,  
            "policy": ""  
          },  
          "create": {  
            "enabled": false,  
            "policy": ""  
          }  
        }  
      }  
    }  
  }  
}
```

default

Error

No links

Media type

[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

GET

/users-permissions/roles List roles



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	Returns list of roles	No links
default	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "roles": [{ "id": 1, "name": "Public", "description": "Default role given to unauthenticated user.", "type": "public", "createdAt": "2022-05-19T17:35:35.097Z", "updatedAt": "2022-05-31T16:05:36.603Z", "nb_users": 0 }] }</pre>	No links

POST /users-permissions/roles Create a role ^ 

Parameters [Try it out](#)

No parameters

Request body required application/json

[Example Value](#) | [Schema](#)

```
{
  "name": "foo",
  "description": "role foo",
  "permissions": {
    "api::content-type.content-type": {
      "controllers": {
        "controllerA": {
          "methods": [
            "GET"
          ],
          "actions": [
            "index"
          ]
        }
      }
    }
  }
}
```

```
        "find": {
          "enabled": true
        }
      }
    }
}
```

Responses

Code	Description	Links
200	Returns ok if the role was create	No links
default	Error	No links

Media type

application/json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "ok": true  
}
```

default

Error

No links

Media type

application/json



[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

GET

/users-permissions/roles/{id} Get a role



Parameters

[Try it out](#)

Name	Description
id * required string (path)	role id <input type="text" value="id"/>

Responses

Code	Description	Links
200	Returns the role	<i>No links</i>
default	<p>Media type</p> <p>application/json <input type="button" value="▼"/></p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "role": { "id": 1, "name": "Public", "description": "Default role given to unauthenticated user.", "type": "public", "createdAt": "2022-05-19T17:35:35.097Z", "updatedAt": "2022-05-31T16:05:36.603Z", "permissions": { "api::content-type.content-type": { "controllers": { "controllerA": { "find": { "enabled": true } } } } } } }</pre> <p>Media type</p> <p>application/json <input type="button" value="▼"/></p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	<i>No links</i>

Code Description

Links

```
}
```

PUT /users-permissions/roles/{role} Update a role



Parameters

Try it out

Name	Description
------	-------------

role * required

string
(path)
role

Request body required

application/json

Example Value | Schema

```
{
  "name": "foo",
  "description": "role foo",
  "permissions": {
    "api::content-type.content-type": {
      "controllers": {
        "controllerA": {
          "find": {
            "enabled": true
          }
        }
      }
    }
  }
}
```

Responses

Code Description

Links

200

Returns ok if the role was updated

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
{
  "ok": true
}
```

Code	Description	Links
default	Error	No links

Media type

application/json

Example Value | Schema

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

DELETE /users-permissions/roles/{role} Delete a role

Parameters

Try it out

Name	Description
role * required	role Id (path)
role	

Code	Description	Links
200	Returns ok if the role was delete	No links
default	Error	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "ok": true
}
```

Code	Description	Links
------	-------------	-------

Media type

application/json



[Example Value](#) | [Schema](#)

```
{\n  \"data\": {},\n  \"error\": {\n    \"status\": 0,\n    \"name\": \"string\",\n    \"message\": \"string\",\n    \"details\": {}\n  }\n}
```

GET /users Get list of users



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
------	-------------	-------

200

Returns an array of users

No links

Media type

application/json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
[{\n  \"id\": 9,\n  \"username\": \"foao@strapi.io\", \n  \"email\": \"foao@strapi.io\", \n  \"provider\": \"local\", \n  \"confirmed\": false,\n  \"blocked\": false,\n  \"createdAt\": \"2022-06-01T18:32:35.211Z\", \n  \"updatedAt\": \"2022-06-01T18:32:35.217Z\"\n}]
```

default

Error

No links

Media type

application/json



[Example Value](#) | [Schema](#)

Code Description

Links

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

POST /users Create a user



Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  
  "username": "foo",  
  "email": "foo@strapi.io",  
  "password": "foo-password"  
}
```

Responses

Code Description

Links

201

Returns created user info

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
{  
  "id": 1,  
  "username": "foo",  
  "email": "foo@strapi.io",  
  "provider": "local",  
  "confirmed": false,  
  "blocked": false,  
  "createdAt": "2022-05-19T17:35:35.096Z",  
  "updatedAt": "2022-05-19T17:35:35.096Z",  
  "role": {  
    "id": 1,  
    "name": "X",  
    "description": "Default role given to authenticated user.",  
    "type": "authenticated",  
    "createdAt": "2022-05-19T17:35:35.096Z",  
    "updatedAt": "2022-06-04T07:11:59.551Z"  
  }  
}
```

Code	Description	Links
	<pre>}</pre> <p>default Error</p> <p>Media type application/json</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links

GET /users/{id} Get a user ^ 

Parameters [Try it out](#)

Name	Description
id * required	user Id (path)

Responses

Code	Description	Links
200	Returns a user	No links

Media type
application/json

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{
  "id": 1,
  "username": "foo",
  "email": "foo@strapi.io",
  "provider": "local",
  "confirmed": false,
  "blocked": false,
  "meta": {
    "count": 1
  }
}
```

Code	Description	Links
	<pre>"createdAt": "2022-05-19T17:35:35.096Z", "updatedAt": "2022-05-19T17:35:35.096Z" }</pre>	
default	Error	No links

Media type

application/json ▾

[Example Value](#) | [Schema](#)

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

PUT /users/{id} Update a user ^ 

Parameters [Try it out](#)

Name	Description
id * required	user Id (path)
<input type="text" value="id"/>	

Request body required **application/json** ▾

[Example Value](#) | [Schema](#)

```
{
  "username": "foo",
  "email": "foo@strapi.io",
  "password": "foo-password"
}
```

Responses	Code	Description	Links
	200	Returns updated user info	No links

Media type



Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "id": 1,  
  "username": "foo",  
  "email": "foo@strapi.io",  
  "provider": "local",  
  "confirmed": false,  
  "blocked": false,  
  "createdAt": "2022-05-19T17:35:35.096Z",  
  "updatedAt": "2022-05-19T17:35:35.096Z",  
  "role": {  
    "id": 1,  
    "name": "X",  
    "description": "Default role given to authenticated user.",  
    "type": "authenticated",  
    "createdAt": "2022-05-19T17:35:35.096Z",  
    "updatedAt": "2022-06-04T07:11:59.551Z"  
  }  
}
```

default

Error

No links

Media type

[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

DELETE /users/{id} Delete a user

Parameters

[Try it out](#)

Name	Description
------	-------------

id * requiredstring
(path)

Responses

Code	Description	Links
200	Returns deleted user info	No links
default	<p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 1, "username": "foo", "email": "foo@strapi.io", "provider": "local", "confirmed": false, "blocked": false, "createdAt": "2022-05-19T17:35:35.096Z", "updatedAt": "2022-05-19T17:35:35.096Z" }</pre> <p>Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links

GET
/users/me Get authenticated user info
^
🔒

Parameters

No parameters

Responses

Code	Description	Links
200	Returns user info	No links

Code	Description	Links
------	-------------	-------

application/json ▾

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "id": 1,  
  "username": "foo",  
  "email": "foo@strapi.io",  
  "provider": "local",  
  "confirmed": false,  
  "blocked": false,  
  "createdAt": "2022-05-19T17:35:35.096Z",  
  "updatedAt": "2022-05-19T17:35:35.096Z"  
}
```

default

Error

No links

Media type

application/json ▾

[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

GET

/users/count Get user count



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
------	-------------	-------

200

Returns a number

No links

Media type

application/json ▾

Controls Accept header.

[Example Value](#) | [Schema](#)

1

Code	Description	Links
default	Error	No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

Page

GET /pages [Try it out](#)

Parameters

Name	Description
sort string (query)	Sort by attributes ascending (asc) or descending (desc) <input type="text" value="sort"/>
pagination[withCount] boolean (query)	Return page/pageSize (default: true) <input type="button" value="--"/>
pagination[page] integer (query)	Page number (default: 0) <input type="text" value="pagination[page]"/>
pagination[pageSize] integer (query)	Page size (default: 25) <input type="text" value="pagination[pageSize]"/>
pagination[start] integer (query)	Offset value (default: 0) <input type="text" value="pagination[start]"/>

Name	Description
pagination[limit] integer (query)	Number of entities to return (default: 25) pagination[limit]
fields string (query)	Fields to return (ex: title,author) fields
populate string (query)	Relations to return populate
filters object (query)	Filters to apply {}
locale string (query)	Locale to apply locale

Responses

Code	Description	Links
200	OK	No links

Media type

application/json ▾

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "data": [  
    {  
      "id": 0,  
      "attributes": {  
        "Title": "string",  
        "createdAt": "2025-01-13T03:41:41.358Z",  
        "updatedAt": "2025-01-13T03:41:41.358Z",  
        "publishedAt": "2025-01-13T03:41:41.358Z",  
        "createdBy": {  
          "data": {  
            "id": 0,  
            "attributes": {  
              "firstname": "string",  
              "lastname": "string",  
              "username": "string",  
              "email": "user@example.com",  
              "resetPasswordToken": "string",  
              "registrationToken": "string",  
              "isActive": true,  
              "roles": {  
                "data": [  
                  {  
                    "id": 0,  
                    "attributes": {  
                      "name": "string",  
                      "code": "string",  
                      "description": "string",  
                    }  
                  }  
                ]  
              }  
            }  
          }  
        }  
      }  
    ]  
  ]  
}
```

400

Bad Request

No links

Media type

application/json



[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

401

Unauthorized

No links

Media type

application/json



[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

Code	Description	Links
403	Forbidden	No links
	<p>Media type</p> <div><p>application/json</p></div> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	
404	Not Found	No links

POST /pages

Parameters

No parameters

Try it out

Request body required

application/json

Example Value | Schema

```
{  
    "data": {  
        "Title": "string"  
    }  
}
```

Responses

Media type

1

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

401

Unauthorized

No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

403

Forbidden

No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

404

Not Found

No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

Code	Description	Links
500	Internal Server Error	No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

GET /pages/{id} ^ 

Parameters [Try it out](#)

Name	Description
id * required <small>(path)</small>	<input type="text" value="id"/>

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "data": {  
    "id": 0,  
    "attributes": {  
      "Title": "string",  
      "createdAt": "2025-01-13T03:41:41.380Z",  
      "updatedAt": "2025-01-13T03:41:41.380Z",  
      "publishedAt": "2025-01-13T03:41:41.380Z",  
      "createdBy": {  
        "data": {  
          "id": 0,  
          "attributes": {  
            "Title": "string",  
            "createdAt": "2025-01-13T03:41:41.380Z",  
            "updatedAt": "2025-01-13T03:41:41.380Z",  
            "publishedAt": "2025-01-13T03:41:41.380Z"  
          }  
        }  
      }  
    }  
  }  
}
```

```
"firstname": "string",
"lastname": "string",
"username": "string",
"email": "user@example.com",
"resetPasswordToken": "string",
"registrationToken": "string",
"isActive": true,
"roles": {
  "data": [
    {
      "id": 0,
      "attributes": {
        "name": "string",
        "code": "string",
        "description": "string",
        "users": {
          "data": [
            {
              "id": 0,
              "username": "string"
            }
          ]
        }
      }
    }
  ]
}
```

400

Bad Request

No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

401

Unauthorized

No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string",
    "details": {}
  }
}
```

403

Forbidden

No links

Media type

application/json

[Example Value](#) | [Schema](#)

```
{
  "data": {},
  "error": {
    "status": 0,
    "name": "string",
    "message": "string"
  }
}
```

Code	Description	Links
404	<p>Not Found</p> <p>Media type</p> <p>application/json ▾</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p> <p>application/json ▾</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links

PUT /pages/{id} ^ 

Parameters [Try it out](#)

Name	Description
id * required number (path)	<input type="text" value="id"/>

Request body required **application/json** ▾

[Example Value](#) | [Schema](#)

```
{
  "data": {
```

```
        "Title": "string"
    }
}
```

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <p>application/json ▾</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "data": { "id": 0, "attributes": { "Title": "string", "createdAt": "2025-01-13T03:41:41.392Z", "updatedAt": "2025-01-13T03:41:41.392Z", "publishedAt": "2025-01-13T03:41:41.392Z", "createdBy": { "data": { "id": 0, "attributes": { "firstname": "string", "lastname": "string", "username": "string", "email": "user@example.com", "resetPasswordToken": "string", "registrationToken": "string", "isActive": true, "roles": { "data": [{ "id": 0, "attributes": { "name": "string", "code": "string", "description": "string", "users": { </pre>	<i>No links</i>
400	<p>Bad Request</p> <p>Media type</p> <p>application/json ▾</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	<i>No links</i>

Code	Description	Links
401	Unauthorized	No links
	Media type	
	<input checked="" type="button"/> application/json <input type="button"/>	
	Example Value Schema	
	<pre>{\n "data": {},\n "error": {\n "status": 0,\n "name": "string",\n "message": "string",\n "details": {}\n }\n}</pre>	
403	Forbidden	No links
	Media type	
	<input checked="" type="button"/> application/json <input type="button"/>	
	Example Value Schema	
	<pre>{\n "data": {},\n "error": {\n "status": 0,\n "name": "string",\n "message": "string",\n "details": {}\n }\n}</pre>	
404	Not Found	No links
	Media type	
	<input checked="" type="button"/> application/json <input type="button"/>	
	Example Value Schema	
	<pre>{\n "data": {},\n "error": {\n "status": 0,\n "name": "string",\n "message": "string",\n "details": {}\n }\n}</pre>	
500	Internal Server Error	No links
	Media type	
	<input checked="" type="button"/> application/json <input type="button"/>	
	Example Value Schema	

Code Description

Links

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

DELETE /pages/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

number
(path)

Responses

Code Description

Links

200

OK

No links

Media type

application/json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
0
```

400

Bad Request

No links

Media type

application/json



[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

Code	Description	Links
401	<pre>"details": {} }</pre> <p>Unauthorized</p> <p>Media type application/json ▾</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links
403	<p>Forbidden</p> <p>Media type application/json ▾</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links
404	<p>Not Found</p> <p>Media type application/json ▾</p> <p>Example Value Schema</p> <pre>{ "data": {}, "error": { "status": 0, "name": "string", "message": "string", "details": {} } }</pre>	No links
500	<p>Internal Server Error</p> <p>Media type</p>	No links

application/json[Example Value](#) | [Schema](#)

```
{  
  "data": {},  
  "error": {  
    "status": 0,  
    "name": "string",  
    "message": "string",  
    "details": {}  
  }  
}
```

Upload - File

POST /upload

Upload files

Parameters[Try it out](#)

No parameters

Request body required**multipart/form-data**

Upload files

path
string The folder where the file(s) will be uploaded to (only supported on strapi-provider-upload-aws-s3).

refId
string The ID of the entry which the file(s) will be linked to

ref
string The unique ID (uid) of the model which the file(s) will be linked to (api::restaurant.restaurant).

field
string The field of the entry which the file(s) will be precisely linked to.

files * required
array

Responses

Code	Description	Links
200	<p>response</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "name": "string", "alternativeText": "string", "caption": "string", "width": 0, "height": 0, "formats": 0, "hash": "string", "ext": "string", "mime": "string", "size": 0, "url": "string", "previewUrl": "string", "provider": "string", "provider_metadata": {}, "createdAt": "2025-01-13T03:41:41.409Z", "updatedAt": "2025-01-13T03:41:41.409Z" }]</pre>	No links

POST /upload?id={id} ^ 

Upload file information

Parameters [Try it out](#)

Name	Description
id * required	File id <small>string (query)</small>

Request body required [multipart/form-data](#) ▾

Upload files

fileInfo
object

```
files  
string($binary)
```

Responses

Code	Description	Links
200	response	No links

Media type

application/json

Controls Accept header.

[Example Value](#) | [Schema](#)

```
[  
  {  
    "id": 0,  
    "name": "string",  
    "alternativeText": "string",  
    "caption": "string",  
    "width": 0,  
    "height": 0,  
    "formats": 0,  
    "hash": "string",  
    "ext": "string",  
    "mime": "string",  
    "size": 0,  
    "url": "string",  
    "previewUrl": "string",  
    "provider": "string",  
    "provider_metadata": {},  
    "createdAt": "2025-01-13T03:41:41.416Z",  
    "updatedAt": "2025-01-13T03:41:41.416Z"  
  }  
]
```

GET /upload/files



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	Get a list of files	No links

Code	Description	Links
------	-------------	-------

Media type

application/json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
[  
  {  
    "id": 0,  
    "name": "string",  
    "alternativeText": "string",  
    "caption": "string",  
    "width": 0,  
    "height": 0,  
    "formats": 0,  
    "hash": "string",  
    "ext": "string",  
    "mime": "string",  
    "size": 0,  
    "url": "string",  
    "previewUrl": "string",  
    "provider": "string",  
    "provider_metadata": {},  
    "createdAt": "2025-01-13T03:41:41.419Z",  
    "updatedAt": "2025-01-13T03:41:41.419Z"  
  }  
]
```

GET /upload/files/{id}



Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

string

(path)

id

Responses

Code	Description	Links
------	-------------	-------

200

Get a specific file

No links

Media type

application/json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "id": 0,  
  "name": "string",
```

Code	Description	Links
------	-------------	-------

```
"alternativeText": "string",
"caption": "string",
"width": 0,
"height": 0,
"formats": 0,
"hash": "string",
"ext": "string",
"mime": "string",
"size": 0,
"url": "string",
"previewUrl": "string",
"provider": "string",
"provider_metadata": {},
"createdAt": "2025-01-13T03:41:41.421Z",
"updatedAt": "2025-01-13T03:41:41.421Z"
}
```

DELETE /upload/files/{id} ^ 

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required
string
(path)

Responses

Code	Description	Links
------	-------------	-------

200 Delete a file No links

Media type

application/json 

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{
  "id": 0,
  "name": "string",
  "alternativeText": "string",
  "caption": "string",
  "width": 0,
  "height": 0,
  "formats": 0,
  "hash": "string",
  "ext": "string",
  "mime": "string",
  "size": 0,
  "url": "string",
  "previewUrl": "string",
  "provider": "string",
  "provider_metadata": {},
  "createdAt": "2025-01-13T03:41:41.423Z",
  "updatedAt": "2025-01-13T03:41:41.423Z"
}
```

Code	Description	Links
	<pre>"updatedAt": "2025-01-13T03:41:41.423Z" }</pre>	

Schemas

