



MITx 6.86x

Machine Learning with Python-From Linear Models to Deep Learning[Course](#)[Progress](#)[Dates](#)[Discussion](#)[Resources](#)[🏠 Course](#) / [Unit 4. Unsupervised Learning \(2 weeks\)](#) / [Lecture 14. Clustering 2](#)[← Previous](#)

4. Computational Complexity of K-Means and K-Medoids

[🔖 Bookmark this page](#)

Exercises due Apr 19, 2023 08:59 -03 Completed


Computation Complexity of K-Means and K-Medoids




Video

 [Download video file](#)

Transcripts

 [Download SubRip \(.srt\) file](#)

 [Download Text \(.txt\) file](#)

Computational Complexity of K-Means

1/1 point (graded)

Remember that the K-Means algorithm is given by

1. Randomly select z_1, \dots, z_K

2. Iterate

1. Given z_1, \dots, z_K , assign each $x^{(i)}$ to the closest z_j , so that

$$\text{Cost}(z_1, \dots, z_K) = \sum_{i=1}^n \min_{j=1, \dots, k} \|x^{(i)} - z_j\|^2$$



Submit

You have used 1 of 2 attempts

Computational Complexity of K-Medoids

2/2 points (graded)

Remember that the K-Medoids algorithm is given by

1. Randomly select

2. Iterate

1. Given $\{x_1, \dots, x_n\}$, assign each x_i to the closest z_j , so that

2. Given $\{z_1, \dots, z_k\}$, find the best representative

J is minimal.

What is the complexity of step 2.1?



[Submit](#)

You have used 2 of 3 attempts

Discussion

Topic: Unit 4. Unsupervised Learning (2 weeks) :Lecture 14. Clustering 2 / 4.
Computational Complexity of K-Means and K-Medoids

Show all posts ▾

? [When it will be known ?](#)

[We were told that we'll receive the mid-term results 2 days after it finishes. Did anyone get any grades ? ?](#)

💬 [k-medoids complexity](#)

? [Complexity of K-Medoids](#)

💬 [Where comes K for complexity of K-medoids step2.2?](#)

[There will only be \$n\(n-1\)/2\$ pairs for all possible points combinations. Therefore, I think even the most naive w](#)

? [Why is there an extra n for the Big O Notation for k medoids as compared to k means?](#)

[Why is there an extra n for the Big O Notation for k medoids as compared to k means? I could not get it.](#)

? [why is step 2.2 for k-means \$O\(nkd\)\$?](#)

[...d for dimensions →check, k for k times calculation \$z_i\$ →check, but inside the sum of each \$z_i\$ I see on aver](#)

✓ [Step 2\(2\) computational complexity of K-means](#)

? [K-Medoids Algorithm](#)

[Hi, just wanted to clarify the initialization step \(Step 1\) for the K-medoids algo. It's different from previous se](#)



Legal

[Terms of Service & Honor Code](#)

[Privacy Policy](#)

[Accessibility Policy](#)

[Trademark Policy](#)

[Sitemap](#)

[Cookie Policy](#)

[Do Not Sell My Personal Information](#)

Connect

[Blog](#)

[Contact Us](#)

[Help Center](#)

[Security](#)

[Media Kit](#)



© 2023 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)