



MITx 6.86x

Machine Learning with Python-From Linear Models to Deep Learning[Course](#)[Progress](#)[Dates](#)[Discussion](#)[Resources](#)[Course](#) / [Unit 3. Neural networks \(2.5 wee...](#) / [Lecture 10. Recurrent Neural Ne](#)

< Previous



2. Introduction

Bookmark this page

Exercises due Mar 29, 2023 08:59 -03 Completed

Introduction to Recurrent Neural Networks




▶ 0:00 / 0:00


▶ 1.0x

Video

 [Download video file](#)

Transcripts


 [Download SubRip \(.srt\) file](#)

 [Download Text \(.txt\) file](#)

Encoding Sequences with Feed-Forward Neural Networks

1/1 point (graded)

We have a temporal dataset of USD/EURO conversion rate from late 2012 to early 2017. We are asked to predict the value of USD/EURO at the next timestep of early 2017.



If we are trying to encode the data into feature vectors for a feed-forward neural network, we need to consider the temporal nature of the data.

edX

[< Previous](#)[Next >](#)[About](#)[Affiliates](#)[edX for Business](#)[Open edX](#)[Careers](#)[News](#)

Legal

[Terms of Service & Honor Code](#)[Privacy Policy](#)[Accessibility Policy](#)[Trademark Policy](#)[Sitemap](#)[Cookie Policy](#)[Do Not Sell My Personal Information](#)

Connect

[Blog](#)[Contact Us](#)[Help Center](#)[Security](#)[Media Kit](#)

© 2023 edX LLC. All rights reserved.

深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)