Visual Formatting

pos position:
:s static
:a absolute
:r relative
:f fixed

t top:
:a auto

r right:
:a auto

b bottom:
:a auto

l left:
:a auto

z z-index:
:a auto

fl float:
:n none
:l left
:r right

cl clear:
:n none
:l left
:r right
:b both

d display:
:n none
:b block
:i inline
:ib inline-block
:li list-item
:ri run-in
:cp compact
:tb table
:itb inline-table
:tbcp table-caption
:tbcl table-column
:tbclg table-column-group
:tbhg table-header-group
:tbfg table-footer-group
:tbr table-row
:tbrg table-row-group
:tbc table-cell
:rb ruby
:rbb ruby-base
:rbbg ruby-base-group
:rbt ruby-text
:rbtg ruby-text-group

v visibility:
:v visible
:h hidden
:c collapse

ov overflow:
:v visible
:h hidden
:s scroll
:a auto

ovx overflow-x:
:v visible
:h hidden
:s scroll
:a auto

ovy overflow-y:
:v visible
:h hidden
:s scroll
:a auto

ovs overflow-style:
:a auto
:s scrollbar
:p panner
:m move
:mq marquee

zoo zoom:1

cp clip:
:a auto
:r rect()

rz resize:
:n none
:b both
:h horizontal
:v vertical

cur cursor:
:a auto
:d default
:c crosshair
:ha hand
:he help
:m move
:p pointer
:t text

Margin & Padding

m margin:
:a auto

mt margin-top:
:a auto

mr margin-right:
:a auto

mb margin-bottom:
:a auto

ml margin-left:
:a auto

p padding:

pt padding-top:

pr padding-right:

pb padding-bottom:

pl padding-left:

Box Sizing

bxz box-sizing:
:cb content-box
:bb border-box

bxsh box-shadow:
:n none

w width:
:a auto

h height:
:a auto

maw max-width:
:n none

mah max-height:
:n none

miw min-width:

mih min-height:

Font

f font:
+ 1em Arial,sans-serif

fw font-weight:
:n normal
:b bold
:br bolder
:lr lighter

fs font-style:
:n normal
:i italic
:o oblique

fv font-variant:
:n normal
:sc small-caps

fz font-size:

fza font-size-adjust:
:n none

ff font-family:
:s serif
:ss sans-serif
:c cursive
:f fantasy
:m monospace

fef font-effect:
:n none
:eg engrave
:eb emboss
:o outline

fem font-emphasize:

femp font-emphasize-position:
:b before
:a after

fems font-emphasize-style:
:n none
:ac accent
:dt dot
:c circle
:ds disc

fsm font-smooth:
:a auto
:n never
:aw always

fst font-stretch:
:n normal
:uc ultra-condensed
:ec extra-condensed
:c condensed
:sc semi-condensed
:se semi-expanded
:e expanded
:ee extra-expanded
:ue ultra-expanded

Text

va vertical-align:
:sup super
:t top
:tt text-top
:m middle
:bl baseline
:b bottom
:tb text-bottom
:sub sub

ta text-align:
:l left
:c center
:r right

tal text-align-last:
:a auto
:l left
:c center
:r right

td text-decoration:
:n none
:u underline
:o overline
:l line-through

te text-emphasis:
:n none
:ac accent
:dt dot
:c circle
:ds disc
:b before
:a after

th text-height:
:a auto
:f font-size
:t text-size
:m max-size

ti text-indent:
:- -9999px

tj text-justify:
:a auto
:iw inter-word
:ii inter-ideograph
:ic inter-cluster
:d distribute
:k kashida
:t tibetan

to text-outline:
+ 0 0 #000
:n none

tr text-replace:
:n none

tt text-transform:
:n none
:c capitalize
:u uppercase
:l lowercase

tw text-wrap:
:n normal
:no none
:u unrestricted
:s suppress

tsh text-shadow:
+ 0 0 0 #000
:n none

trf transform:
:skx skewX()
:sky skewY()
:sc scale()
:scx scaleX()
:scy scaleY()
:r rotate()
:t translate()
:tx translateX()
:ty translateY()

lh line-height:

abbr	property	key	value
whs	white-space:		
		:n	normal
		:p	pre
		:nw	nowrap
		:pw	pre-wrap
		:pl	pre-line
whsc	white-space-collapse:		
		:n	normal
		:k	keep-all
		:l	loose
		:bs	break-strict
		:ba	break-all
wob	word-break:		
		:n	normal
		:k	keep-all
		:l	loose
		:bs	break-strict
		:ba	break-all
wos	word-spacing:		
wow	word-wrap:		
		:nm	normal
		:n	none
		:u	unrestricted
		:s	suppress
lts	letter-spacing:		

Background

abbr	property	key	value
bg	background:		
		+	#fff url() 0 0 no-repeat
		:n	none
		:ie	progid:DXImageTransform…
bgc	background-color:#fff		
bgi	background-image:url()		
		:n	none
bgr	background-repeat:		
		:n	no-repeat
		:x	repeat-x
		:y	repeat-y
bga	background-attachment:		
		:f	fixed
		:s	scroll
bgp	background-position:0 0		
bgpx	background-position-x:		
bgpy	background-position-y:		
bgbk	background-break:		
		:bb	:bounding-box
		:eb	:each-box
		:c	:continuous
bgcp	background-clip:		
		:bb	border-box
		:pb	padding-box
		:cb	content-box
		:nc	no-clip
bgo	background-origin:		
		:pb	padding-box
		:bb	border-box
		:cb	content-box
bgz	background-size:		
		:a	auto
		:ct	contain
		:cv	cover
brad	-webkit-border-radius:…		
bsha	-webkit-box-shadow:…		

Border

abbr	property	key	value
bd	border:		
		+	1px solid #000
		:n	none
bdbk	border-break:		
		:c	close
bdcl	border-collapse:		
		:c	collapse
		:s	separate
bdc	border-color:#000		
bdi	border-image:url()		
		:n	:none
bdti	border-top-image:url()		
		:n	none
bdri	border-right-image:url()		
		:n	none
bdbi	border-bottom-image:url()		
		:n	none
bdli	border-left-image:url()		
		:n	none
bdci	border-corner-image:url()		
		:n	none
		:c	continue
bdtli	border-top-left-image:url()		
		:n	none
		:c	continue
bdtri	border-top-right-image:url()		
		:n	none
		:c	continue
bdbri	border-bottom-right-image:url()		
		:n	none
		:c	continue
bdbli	border-bottom-left-image:url()		
		:n	none
		:c	continue
bdf	border-fit:		
		:c	clip
		:r	repeat
		:sc	scale
		:st	stretch
		:ow	overwrite
		:of	overflow
		:sp	space
bdl	border-length:		
		:a	auto
bdsp	border-spacing:		
bds	border-style:		
		:n	none
		:h	hidden
		:dt	dotted
		:ds	dashed
		:s	solid
		:db	double
		:dtds	dot-dash
		:dtdtds	dot-dot-dash
		:w	wave
		:g	groove
		:r	ridge
		:i	inset
		:o	outset
bdw	border-width:		
bdt	border-top:		
		+	1px solid #000
		:n	none
bdtw	border-top-width:		
bdts	border-top-style:		
		:n	none
bdtc	border-top-color:#000		
bdr	border-right:		
		+	1px solid #000
		:n	none
bdrw	border-right-width:		
bdrs	border-right-style:		
		:n	none
bdrc	border-right-color:#000		
bdb	border-bottom:		
		+	1px solid #000
		:n	none
bdbw	border-bottom-width:		
bdbs	border-bottom-style:		
		:n	none
bdbc	border-bottom-color:#000		
bdl	border-left:		
		+	1px solid #000
		:n	none
bdlw	border-left-width:		
bdls	border-left-style:		
		:n	none
bdlc	border-left-color:#000		
bdrs	border-radius:		
bdtrrs	border-top-right-radius:		
bdtlrs	border-top-left-radius:		
bdbrrs	border-bottom-right-radius:		
bdblrs	border-bottom-left-radius:		

Color

abbr	property	key	value
c	color:#000		
op	opacity:		
		:ie	DXImageTransform.Microsoft…
		:ms	-ms-filter:…

Generated Content

abbr	property	key	value
cn	content:		
q	quotes:		
		:n	none
		:ru	quotes:'\\00AB'…
		:en	quotes:'\\201C'…
ct	content:		
		:n	normal
		:oq	open-quote
		:noq	no-open-quote
		:cq	close-quote
		:ncq	no-close-quote
		:a	attr()
		:c	counter()
		:cs	counters()
coi	counter-increment:		
cor	counter-reset:		

Lists

abbr	property	key	value
lis	list-style:		
		:n	none
lisp	list-style-position:		
		:i	inside
		:o	outside
list	list-style-type:		
		:n	none
		:d	disc
		:c	circle
		:s	square
		:dc	decimal
		:dclz	decimal-leading-zero
		:lr	lower-roman
		:ur	upper-roman
lisi	list-style-image:		
		:n	none

Tables

abbr	property	key	value
tbl	table-layout:		
		:a	auto
		:f	fixed
cps	caption-side:		
		:t	top
		:b	bottom
ec	empty-cells:		
		:s	show
		:h	hide

Outline

abbr	property	key	value
o	outline:		

:n	none
oo	outline-offset:
ow	outline-width:
os	outline-style:
oc	outline-color:#000
:i	invert

Print

pgbb	page-break-before:
:au	auto
:al	always
:l	left
:r	right
pgbi	page-break-inside:
:au	auto
:av	avoid
pgba	page-break-after:
:au	auto
:al	always
:l	left
:r	right
orp	orphans:
wid	widows:

Special

@i	@import url()
@m	@media print
@f	@font-face {font-family: ; src:url();}
+	@font-face {font-family:''; src:urlc:url('.eot');…
!	!important
cm	/* */