



RELATIONAL DATABASE

BASIC KNOWLEDGE

About the concepts behind it. Query a Data Base using SQL Language. A gift for the WeDo.

TYPES OF DATA

varchar

in

double, float, real

date

binary

time

SOFTWARE INSTALL

DBForge Studio

MySql Server

SQL Statements

SELECT

- Select the column of the table that you want to search.

FROM

- Select the table that you want to search.
⇒ SELECT * FROM table_name;

WHERE

- Select the conditions to filter specific values. Two different ways to attribute values and a wild card to filter data (filter).
 1. =
 2. LIKE
 3. %
⇒ SELECT * FROM name_table WHERE column_table = value;
⇒ SELECT * FROM name_table WHERE column_table LIKE value;
⇒ SELECT * FROM name_table WHERE column_table LIKE %xxx%;

ORDER BY

- It will define the order that the table will present the data.
 - ⇒ `SELECT SUM(valor) AS TOTAL, nome AS NAME`
 - ⇒ `FROM compras`
 - ⇒ `GROUP BY nome;`

INNER JOIN

- It will allow the query to search in more than one table, from values that exists in both tables.
- Comparing the PRIMARY/FOREIGN key of the tables that we want to join.
- Inner join only shows what both tables have in common (intersect of both sets)
 - ⇒ `SELECT P.pro_nome, I.itens_qtd`
 - ⇒ `FROM mercado_v2.itens AS I`
 - ⇒ `INNER JOIN mercado_v2.produtos AS P`
 - ⇒ `ON I.itens_id = P.pro_id;`

SQL in General (more statements)

SHOW

- It will show all data base/table that exist in this server.
 - => `SHOW DATABASES;`
 - => `SHOW TABLES;`

USE

- Allow me to use a specific data base.
 - ⇒ `USE NAME_OF_DATA_BASE;`

CREATE

- It will create a new data base/table in the server.
- Need to specify the parameters.
 - ⇒ `CREATE DATABASE name_database;`
 - ⇒ `CREATE TABLE name_table (ex1 INT(11), ex2 VARCHAR(30));`

DESCRIBE

- It will allow me to show a description of tables in a data base;
 - ⇒ `DESCRIBE name_table;`

INSERT

- It will populate the data base with values
- Keywords: INSERT, INTO, VALUES.
 - ⇒ INSERT INTO name_table (column1, column2, columnN) VALUES ('ex1', 'ex2', 1);

DROP

- It will eliminate the database/table.
 - ⇒ DROP TABLE name_table;
 - ⇒ DROP DATABASE name_database;

TRUNCATE

- It will allow the deletion of data in a table (not the table itself)
 - ⇒ TRUNCATE TABLE name_table;

SQL using CMD (command line)

In General

- In folder 'img', there are prints from the cmd, where it was used some of the commands above. Without the need of the interface DBForge or MySQL Workbench.

SQL funtions

SUM

- It will give the total values for a certain ID in a column
 - ⇒ SUM(valor_add)