

Confirmation of Clinical Necessity

Patient Name: Neill Ryan

(Passport No. 554471383)

Dear Sir/Madam,

This letter serves to confirm the clinical necessity of the use of joined (splined) crowns in the dental treatment provided to Mr. Neill Ryan. Following a detailed clinical evaluation and radiographic analysis, this approach was deemed essential to ensure the optimal stability and long-term success of the prosthetic restorations.

During Mr. Ryan's initial assessment, a full radiographic examination revealed areas of diminished structural integrity in several teeth designated for crown placement which left the treated teeth more vulnerable to fracture under occlusal forces necessitating an approach that would provide additional reinforcement and prevent excessive functional strain on individual teeth.


The clinical decision to utilize joined crowns was based on the need to distribute occlusal loads evenly across multiple teeth. This approach reduces the risk of localized stress and potential fractures, which are more likely with individual crowns in cases involving multiple adjacent restorations. The connected crowns also serve to stabilize the dental arch, minimizing the potential for mobility in treated teeth and preserving the integrity of the supporting periodontal structures.

Angulation discrepancies in the alignment of adjacent teeth poses challenges for the optimal placement of individual crowns, as minor misalignments can compromise the fit and functionality of restorations. The joined design allowed for adjustments to ensure proper alignment and a uniform occlusal surface, thereby enhancing both the mechanical and aesthetic outcomes of the treatment. In addition to the above, joined crowns reduce the risk of marginal discrepancies between restorations, which could otherwise increase the likelihood of plaque accumulation and secondary caries. By splinting the crowns, a more secure and precise fit was achieved, promoting better oral hygiene maintenance and reducing long-term periodontal risks.

In summary, the use of joined crowns in Mr. Ryan's treatment was a necessary and deliberate choice, informed by his clinical and radiographic evaluation, and aligned with evidence-based practices. This method was selected to ensure the durability, stability, and overall success of his dental rehabilitation while prioritizing his long-term oral health.

Should you require additional details regarding the treatment provided or the clinical rationale for this decision, please do not hesitate to contact us.

OrbisMed Clinics Coordinator :



Head Physician:

Dr. Emre KARAGÖZ

Dis Hekimi
Dip.Tes.No: 36604

Date:

10.12.2024