



ALL-ON-X FINAL PROSTHESIS

INFORMED CONSENT FORM – PAGE 1 OF 2

Patient Full Name: _____ **Date:** _____

I understand that the final All-on-X prosthesis is a fixed, implant-supported restoration designed to restore function and aesthetics, and that it cannot fully replicate natural teeth, natural bone, or natural gum tissue.

I acknowledge that a cleanable (hygiene) area is intentionally designed to allow proper cleaning and long-term implant health. Airflow, saliva, or water passage through this area is normal and not a defect, implant failure, or clinical error.

I understand that speech changes, including lisping or altered pronunciation, may occur, particularly during the adaptation period, and that adaptation varies from patient to patient.

I understand that gum levels and soft tissues may change over time due to biological healing, bone remodeling, oral hygiene, smoking, systemic conditions, or individual anatomy, and that such changes are not treatment failures.

I understand that long-term success depends on strict oral hygiene, regular professional maintenance, and compliance with post-operative instructions, and that failure to do so may lead to complications not covered under treatment guarantees.

ACKNOWLEDGEMENT – PAGE 1

I confirm that I have read, understood, and accept the information provided on this page.

Patient Signature: _____

Full Name (Print): _____

Date: _____



ALL-ON-X FINAL PROSTHESIS

INFORMED CONSENT FORM – PAGE 2 OF 2

I understand that after the extraction of all natural teeth, changes in jaw shape, facial contours, and soft tissue support may occur.

I acknowledge that natural teeth, roots, and surrounding bone play a critical role in supporting facial muscles, lips, and overall facial structure, and that their loss may affect facial appearance.

I understand that bone remodeling and bone resorption may naturally occur over time following tooth extractions, and that these biological processes may influence facial shape and profile.

I acknowledge that these anatomical and biological changes are not caused by the prosthesis itself, but are related to tooth loss, bone physiology, healing processes, and individual anatomy.

I understand that the final prosthesis may feel bulkier than natural teeth, especially during the early adaptation period, and that this bulk is often necessary to restore lost tooth and bone volume, ensure strength and durability, and maintain biomechanical stability.

I understand that lip support depends on bone level, anatomy, soft tissue condition, and prosthetic limitations, and that full restoration of natural lip support may not always be possible, particularly in cases of advanced bone loss.

I acknowledge that claims such as 'my face collapsed', 'my teeth feel bulky', or 'I lost lip support' may be related to pre-existing bone loss and tooth absence rather than the prosthetic treatment itself.

I understand that aesthetic perception is subjective, and that minor dissatisfaction related to facial appearance, fullness, or profile does not constitute clinical error, negligence, or malpractice.

ACKNOWLEDGEMENT – PAGE 2

I confirm that I have read, understood, and accept the information provided on this page.

Patient Signature: _____

Full Name (Print): _____

Date: _____



ADDITIONAL CLINICAL & PROSTHETIC LIMITATIONS

SCREW ACCESS FILLINGS (COMPOSITE SEALS)

Composite fillings placed in screw access channels may discolor, wear, crack, or detach over time. These are consumable maintenance components and not covered under warranty.

FUNCTIONAL USE LIMITATIONS

Prostheses are not designed to bite non-food objects (fingernails, pens, packaging, plastic, bones, shells). Misuse damage is not covered under warranty.

OCCLUSION-RELATED DESIGN MODIFICATIONS

Bite discrepancies may require increased thickness, altered tooth positioning, modified vertical dimension, reinforced material design, customized occlusal anatomy, or added bulk for biomechanical stability. These are functional requirements, not design flaws.

CLINICAL DISCLAIMER

Design is based on biomechanics and safety; aesthetic preferences cannot override these requirements.

PATIENT ACKNOWLEDGEMENT

I confirm that I have read, understood and accept all information and conditions stated on this page.

Patient Name: _____

Signature: _____

Date: _____