P&ID

VENDOR: DEVIN MACHINE	**VENDOR'S Job:1603**
Purchase Order: PPJPC-1400-07	**Package: Rubber Loading System**

Status Code	Eng.	Dept.	Date

Comment status code:


AP	Approved and released for Manufacture	NC	NC - No Comments
CO	Not Approved	AC	AC - Approved with Comments
RE	RE - Rejected		

IMPORTANT: Permission to proceed does not constitute acceptance or approval of design details, calculations, analyses, test methods or materials developed or selected by the supplier and does not relieve supplier from full compliance with contractual obligation.

1	2026.Aug.15	IFR	ISSUE FOR REVIEW	AN	AN	MTB			
0	2019.July.19	IFR	ISSUE FOR REVIEW	FCH	FCH	MTB			
Rev	**Date**	**Class**	**Status**	Prepared	Checked	Approved	Prepared	Checked	Approved
				DEVIN MACHINE			**PJPC**		

REVISION INDEX

PAGE	REVISION							PAGE	REVISION							PAGE	REVISION						
	0	1	2	3	4	5	6		0	1	2	3	4	5	6		0	1	2	3	4	5	6
1	X	X						21								41							
2		X						22								42							
3		X						23								43							
4		X						24								44							
5		X						25								45							
6								26								46							
7								27								47							
8								28								48							
9								29								49							
10								30								50							
11								31								51							
12								32								52							
13								33								53							
14								34								54							
15								35								Appendix							
16								36								Att. 1							
17								37								Att. 2							
18								38								Att. 3							
19								39								Att. 4							
20								40								Att. 5							



NOTE 1	INTERLOCK LOGIC	SEQUENCE LOGIC	STOP HAND SWITCH	START HAND SWITCH	START ENABLE	SAFETY INTERLOCK LOGIC	MOTOR STATE	MOTOR AVAILABILITY	CUMULATIVE ALARM	NOTES
80-MT-3151		S 3123 S 3124	XHSL T3151	XHSH T3151		ESD 3105 ESD 3106	XL T3151			

80-PK-3150
RUBBER LOADING SYSTEM

CAPACITY : 2000 Kg/h (70 Bale/Hrs)

80-H-3150
RUBBER BALES HANDLING AID

DIMENSION (LENGTH / WIDTH) : 1600 / 1250 mm
CAPACITY : 2000 Kg/h (70 Bale/Hrs)
DESIGN TEMPERATURE : 85°C

80-Z-3150
80-H-3150 DRIVER

POWER : 2.2 KW

80-T-3150
RUBBER BALES ACCUMULATOR


ROLLER DIAMETER : 60 mm
ROLLER LENGTH : 910mm
MATERIAL : C.S.
DESIGN TEMPERATURE : 85°C

80-Z-3151
RUBBER BALES LIFTING AID

CAPACITY : 2000 Kg/h (70 Bale/Hrs)
DESIGN TEMPERATURE : 85°C

80-T-3151
RUBBER BALES BELT CONVEYOR

DIMENSION (LENGTH / WIDTH) : 8700 / 1280 mm
CAPACITY : 2000 Kg/h (70 Bale/Hrs)
TYPE OF DRIVER : BELT
DESIGN TEMPERATURE : 85°C
POWER : 1.5 KW



NOTES

1- THE CONTROL OF 80-MT-3151 IS BY OTHER CONTRACTOR.

2- TWO FUNCTIONS PUSHBUTTONS; WHITE FLUSH PUSHBUTTON WILL SEND A SIGNAL TO GOES UP 80-H-3150 AND BLACK FLUSH PUSHBUTTON WILL SEND A SIGNAL TO GOES DOWN 80-H-3150.

LEGEND

VENDOR

* VENDOR'S SCOPE OF SUPPLY.

SLS: SAFETY LIMIT SWITCH

LLS: LIMIT SWITCH

REFERENCE DRAWINGS	DWG. No.
--	--

Status Code	Eng.	Dept.	Date

Comment status code:

AP	Approved and released for Manufacture	NC	No Comments
CO	Not Approved	AC	Approved with Comments
RE	Rejected		

IMPORTANT: Permission to proceed does not constitute acceptance or approval of design details, calculations, analyses, test methods or materials developed or selected by the supplier and does not relieve supplier from full compliance with contractual obligation.

VENDOR:
DEVIN MACHINE
No. 16,Unit No. 3 Qarqavol St. North Sohrevardi, Tehran, 1555915514, IRAN
TEL: +98 21 88755224 Fax:+98 21 88756237
Info@devinmachine.com

Rev.	Date	Class	Purpose of Issue	Prepared by	Checked by	Approved by
1	2026.Aug.15	IFR	ISSUE FOR REVIEW	AN	AN	MTB
0	2018.July.07	IFR	ISSUE FOR REVIEW	FCH	MTB	MTB

OWNER:

PADJAM POLYMER DEVELOPMENT CO.


PROJECT: **JAM ABS & RUBBERS PLANT (BANDAR ASSALUYEH)**

CONTRACTOR:

Tecnimont polimeri europa

DRAWING TITLE: PIPING AND INSTRUMENTATION DIAGRAM
Rubber Loading System
Tag No.: 80-PK-3150, 80-PK-4150, 80-PK-5150

		Rev.	Size.	Scale.	Sheet No.
Project No:	3151				
PO No.:	PP.JPC-1400-07				
Doc No.	J-80-DM-PM-PID-4010-0001-001-1	1	A1	–	3 OF 5
VENDOR Doc No.	1603-GD-PID-001-01				



NOTE 1	INTERLOCK LOGIC	SEQUENCE LOGIC	STOP HAND SWITCH	START HAND SWITCH	START ENABLE	SAFETY INTERLOCK LOGIC	MOTOR STATE	MOTOR AVAILABILITY	CUMULATIVE ALARM	NOTES
80-MT-4151		S 4123 S 4124	XHSL T4151	XHSH T4151		ESD 4105 ESD 4106	XL T4151			.

80-H-4150
RUBBER BALES HANDLING AID
DIMENSION (LENGTH / WIDTH) : 1600 / 1250 mm
CAPACITY : 2000 Kg/h (70 Bale/Hrs)
DESIGN TEMPERATURE : 85°C


80-Z-4150
80-H-4150 DRIVER
POWER : 2.2 KW


80-PK-4150
RUBBER LOADING SYSTEM
CAPACITY : 2000 Kg/h (70 Bale/Hrs)


80-T-4150
RUBBER BALES ACCUMULATOR
ROLLER DIAMETER : 60 mm
ROLLER LENGTH : 910mm
MATERIAL : C.S.
DESIGN TEMPERATURE : 85°C

80-Z-4151
RUBBER BALES LIFTING AID
CAPACITY : 2000 Kg/h (70 Bale/Hrs)
DESIGN TEMPERATURE : 85°C

80-T-4151
RUBBER BALES BELT CONVEYOR
DIMENSION (LENGTH / WIDTH) : 8700 / 1280 mm
CAPACITY : 2000 Kg/h (70 Bale/Hrs)
TYPE OF DRIVER : BELT
DESIGN TEMPERATURE : 85°C
POWER : 1.5 KW







NOTES

1- THE CONTROL OF 80-MT-4151 IS BY OTHER CONTRACTOR.

2- TWO FUNCTIONS PUSHBUTTONS; WHITE FLUSH PUSHBUTTON WILL SEND A SIGNAL TO GOES UP 80-H-4150 AND BLACK FLUSH PUSHBUTTON WILL SEND A SIGNAL TO GOES DOWN 80-H-4150.

LEGEND

VENDOR

* VENDOR'S SCOPE OF SUPPLY.

SLS: SAFETY LIMIT SWITCH

LLS: LIMIT SWITCH

REFERENCE DRAWINGS	DWG. No.
--	--

Status Code	Eng.	Dept.	Date

Comment status code:

AP	Approved and released for Manufacture	NC	No Comments
CO	Not Approved	AC	Approved with Comments
RE	Rejected		

IMPORTANT: Permission to proceed does not constitute acceptance or approval of design details, calculations, analyses, test methods or materials developed or selected by the supplier and does not relieve supplier from full compliance with contractual obligation.

VENDOR:
DEVIN MACHINE
No. 16,Unit No. 3 Qarqavol St. North Sohrevardi, Tehran, 1555915514, IRAN
TEL: +98 21 88755224 Fax:+98 21 88756237
Info@devinmachine.com

Rev.	Date	Class	Purpose of Issue	Prepared by	Checked by	Approved by
1	2026.Aug.15	IFR	ISSUE FOR REVIEW	AN	AN	MTB
0	2018.July.07	IFR	ISSUE FOR REVIEW	FCH	MTB	MTB


OWNER:
PADJAM POLYMER DEVELOPMENT CO.

PROJECT: **JAM ABS & RUBBERS PLANT (BANDAR ASSALUYEH)**

CONTRACTOR:
Tecnimont
eni polimeri europa

DRAWING TITLE: PIPING AND INSTRUMENTATION DIAGRAM
Rubber Loading System
Tag No.: 80-PK-3150, 80-PK-4150, 80-PK-5150

		Rev.	Size.	Scale.	Sheet No.
Project No:	3151				
PO No.:	PP.JPC-1400-07				
Doc No.	J-80-DM-PM-PID-4010-0001-001-1	1	A1	–	4 OF 5
VENDOR Doc No.	1603-GD-PID-001-01				



80-H-5150
RUBBER BALES HANDLING AID

DIMENSION (LENGTH / WIDTH) : 1600 / 1250 mm
CAPACITY : 2000 Kg/h (70 Bale/Hrs)
DESIGN TEMPERATURE : 85°C

80-Z-5150
80-H-5150 DRIVER

POWER : 2.2 KW

80-PK-5150
RUBBER LOADING SYSTEM

CAPACITY : 2000 Kg/h (70 Bale/Hrs)

80-T-5150
RUBBER BALES ACCUMULATOR

ROLLER DIAMETER : 60 mm
ROLLER LENGTH : 910mm
MATERIAL : C.S.
DESIGN TEMPERATURE : 85°C

80-Z-5151
RUBBER BALES LIFTING AID

CAPACITY : 2000 Kg/h (70 Bale/Hrs)
DESIGN TEMPERATURE : 85°C

80-T-5151
RUBBER BALES BELT CONVEYOR

DIMENSION (LENGTH / WIDTH) : 8700 / 1280 mm
CAPACITY : 2000 Kg/h (70 Bale/Hrs)
TYPE OF DRIVER : BELT
DESIGN TEMPERATURE : 85°C
POWER : 1.5 KW

NOTE 1	INTERLOCK LOGIC	SEQUENCE LOGIC	STOP HAND SWITCH	START HAND SWITCH	START ENABLE	SAFETY INTERLOCK LOGIC	MOTOR STATE	MOTOR AVAILABILITY	CUMULATIVE ALARM	NOTES
80-MT-5151		S 5123 S 5124	XHSL T5151	XHSH T5151		ESD 5105 ESD 5106	XL T5151			

NOTES

1- THE CONTROL OF 80-MT-5151 IS BY OTHER CONTRACTOR.

2- TWO FUNCTIONS PUSHBUTTONS; WHITE FLUSH PUSHBUTTON WILL SEND A SIGNAL TO GOES UP 80-H-5150 AND BLACK FLUSH PUSHBUTTON WILL SEND A SIGNAL TO GOES DOWN 80-H-5150.


LEGEND


▲ VENDOR
▽


* VENDOR'S SCOPE OF SUPPLY.

SLS: SAFETY LIMIT SWITCH

LLS: LIMIT SWITCH







REFERENCE DRAWINGS

REFERENCE DRAWINGS	DWG. No.
--	--

Status Code	Eng.	Dept.	Date

Comment status code:

AP	Approved and released for Manufacture	NC	No Comments
CO	Not Approved	AC	Approved with Comments
RE	Rejected		

IMPORTANT: Permission to proceed does not constitute acceptance or approval of design details, calculations, analyses, test methods or materials developed or selected by the supplier and does not relieve supplier from full compliance with contractual obligation.

VENDOR:
DEVIN MACHINE
No. 16,Unit No. 3 Qarqavol St. North Sohrevardi, Tehran, 1555915514, IRAN
TEL: +98 21 88755224 Fax:+98 21 88756237
Info@devinmachine.com

Rev.	Date	Class	Purpose of Issue	Prepared by	Checked by	Approved by
1	2026.Aug.15	IFR	ISSUE FOR REVIEW	AN	AN	MTB
0	2018.July.07	IFR	ISSUE FOR REVIEW	FCH	MTB	MTB

OWNER:
PADJAM POLYMER DEVELOPMENT CO.

PROJECT: **JAM ABS & RUBBERS PLANT (BANDAR ASSALUYEH)**

CONTRACTOR:
Tecnimont
eni polimeri europa

DRAWING TITLE: PIPING AND INSTRUMENTATION DIAGRAM
Rubber Loading System
Tag No.: 80-PK-3150, 80-PK-4150, 80-PK-5150

		Rev.	Size.	Scale.	Sheet No.
Project No:	3151				
PO No.:	PP.JPC-1400-07				
Doc No.	J-80-DM-PM-PID-4010-0001-001-1	1	A1	–	5 OF 5
VENDOR Doc No.	1603-GD-PID-001-01				