Modeling

Group 6

```
Couldabeens
#======#
# Get the threshold-classified retiree dataset of pitchers
retirees <- rbind(pit_ret,pos_ret)</pre>
couldabeens <- count_cbns(retirees)</pre>
# Find number of retirees that year
num_retirees <- df_tot_ret[order(df_tot_ret$Year),]</pre>
num_retirees <- data.frame(retirees = num_retirees$retirees)</pre>
# Append number of retirees that year
couldabeens <- cbind(couldabeens, num_retirees)</pre>
# Find proportion of couldabeens : retirees
couldabeens <- couldabeens %>% mutate(prop = cbns/retirees)
#======#
     Analysis
#=====#
# Partition dataset into years before and after rule
couldabeens_pre <- couldabeens %>% filter(Year <= 2002)</pre>
couldabeens_post <- couldabeens %>% filter(Year > 2002)
# Obtain linear model for pre-rule years
model_pre <- lm(formula = prop ~ I(Year), data = couldabeens_pre)</pre>
coefs_pre <- model_pre$coefficients</pre>
# Obtain linear model for post-rule years
model_post <- lm(formula = prop ~ I(Year), data = couldabeens_post)</pre>
coefs_post <- model_post$coefficients</pre>
```

Couldabeens: Pre-rule Era (1969-2002)

```
##
## Call:
## lm(formula = prop ~ I(Year), data = couldabeens_pre)
##
## Residuals:
##
         Min
                                         3Q
                    1Q
                          Median
                                                  Max
##
   -0.151821 -0.076389
                        0.001651
                                 0.062593
                                            0.166725
##
## Coefficients:
##
                Estimate Std. Error t value Pr(>|t|)
## (Intercept) 5.310781
                           3.013385
                                      1.762
                                               0.0876 .
## I(Year)
               -0.002436
                           0.001518
                                     -1.605
                                               0.1184
                   0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## Signif. codes:
## Residual standard error: 0.08682 on 32 degrees of freedom
## Multiple R-squared: 0.07449,
                                    Adjusted R-squared:
## F-statistic: 2.575 on 1 and 32 DF, p-value: 0.1184
```

Proportion of Couldabeen Retirees (1969–2002)




Figure 1: Proportion of Retirees who were Coulabeens prior to the implementation of the Luxury Tax

Couldabeens: Post-rule Era (2003-2018)

```
##
## Call:
## lm(formula = prop ~ I(Year), data = couldabeens_post)
##
## Residuals:
##
         Min
                    1Q
                          Median
                                        3Q
                                                 Max
   -0.074697 -0.026968 -0.000475 0.022815
##
##
## Coefficients:
##
                Estimate Std. Error t value Pr(>|t|)
## (Intercept) -9.689947
                           5.138559
                                     -1.886
                                              0.0803 .
## I(Year)
                0.004965
                           0.002556
                                      1.943
                                              0.0725 .
                   0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## Signif. codes:
## Residual standard error: 0.04713 on 14 degrees of freedom
## Multiple R-squared: 0.2123, Adjusted R-squared: 0.1561
## F-statistic: 3.774 on 1 and 14 DF, p-value: 0.07246
```

Proportion of Couldabeen Retirees (2003–2018)




Figure 2: Proportion of Retirees who were Coulabeens after the implementation of the Luxury Tax