Eigenvectors of Symmetric Matrices

Ali Taqi

11/4/2020

```
S \leftarrow RM_symm(8,0.5,10)
prop <- prop_real_rows(eigen_frame = eigen_frame(S))</pre>
prop
## # A tibble: 8 x 3
    row_i prop_reals is_real
     <dbl>
             <dbl> <lgl>
## 1
       1
              0.25 FALSE
              0.25 FALSE
## 2
        2
## 3
       3
              0.5 FALSE
## 4
       4
              0.5 FALSE
       5
              0.25 FALSE
## 5
## 6
        6
                0.25 FALSE
## 7
        7
                0.25 FALSE
## 8
                0.5 FALSE
avgprop_real_components(eigen_frame(S))
```

[1] 0.34375

Simulation

```
simulate_by_f <- function(M_max,f,ep,draws){
    M_vec <- sample(1:M_max, draws, replace = F)
    table <- data.frame(M = M_vec)

prop_vec <- rep(NA, length(table$M))

for(i in 1:length(table$M)){
    S_curr <- RM_symm(table$M[i],f,ep)
    prop <- avgprop_real_components(eigen_frame(S_curr))
    #print(prop)
    prop_vec[i] <- prop
}

cbind(table,prop_vec)
}

plot_f_table <- function(table, f){
    ggplot() +
    geom_point(data = table, aes(x=M, y=prop_vec, color = prop_vec)) +
    labs(color = "EV Real", title = paste("f = ",f,sep="")) +
    scale_color_gradient(high="blue", low="red")</pre>
```

```
}
M < -200
ep <- 100
d <- ep
f < -0.5
table <- simulate_by_f(f = f, M_max = M, ep = ep, draws = d)
head(table)
##
       М
          prop_vec
## 1 45 0.13086667
## 2 185 0.06475405
## 3 94 0.05276064
## 4 17 0.22492353
## 5 147 0.06776871
## 6 62 0.11135161
model <- glm(formula = prop_vec ~ I(1/M), data = table)</pre>
summary(model)
##
## Call:
## glm(formula = prop_vec ~ I(1/M), data = table)
## Deviance Residuals:
##
         Min
                     1Q
                            Median
                                           3Q
                                                      Max
## -0.063354 -0.017274 -0.004564
                                    0.014620
                                               0.174418
##
## Coefficients:
               Estimate Std. Error t value Pr(>|t|)
##
## (Intercept) 0.062165 0.003765
                                     16.51 <2e-16 ***
## I(1/M)
              2.988311
                          0.081537
                                     36.65 <2e-16 ***
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for gaussian family taken to be 0.001094067)
##
##
       Null deviance: 1.57678 on 99 degrees of freedom
## Residual deviance: 0.10722 on 98 degrees of freedom
## AIC: -394.02
##
## Number of Fisher Scoring iterations: 2
pred <- function(M){</pre>
  b0 <- model$coefficients[1]</pre>
  b1 <- model$coefficients[2]</pre>
  b0 + b1/M
}
ggplot() +
  geom_point(data = table, aes(x=M, y=prop_vec, color = prop_vec)) +
  labs(color = "EV Real", title = paste("f = ",f,sep="")) +
  scale color gradient(high="blue", low="red") +
  stat_function(mapping = aes(x = M), fun = pred)
```

