## Iteration: 6 (30/03 - 05/04)

### Alex Taylor - amt22@aber.ac.uk

#### April 5, 2017

#### Version 0.3 (Draft)

#### Contents

1	Story: The Admin can show the results of the question in a		
	sensible format e.g. graph		
	1.1	Analysis - Breakdown of Tasks	
	1.2	Design	
	1.3	Implementation	
	1.4	Testing	
	1.5	Extras	
2	Story: Users should not be able to submit their own answers		
	by a	altering the HTML, as they did with Qwizom	
	2.1	Analysis - Breakdown of Tasks	
	2.2	Design	
	2.3	Implementation	
	2.4	Testing	
	2.5	Extras	
3	Story: The Admin can see what percentage of users connected		
	to the session have answered		
	3.1	Analysis - Breakdown of Tasks	
	3.2	Design	
	3.3	Implementation	
	3.4	Testing	
	3.5	Extrac	

# 1 Story: The Admin can show the results of the question in a sensible format e.g. graph

- 1.1 Analysis Breakdown of Tasks
  - Save the data
  - Ensure no users submit twice
  - Read from that data in the admin panel
  - Prettify this results tab
- 1.2 Design
- 1.3 Implementation
- 1.4 Testing
- 1.5 Extras

### 2 Story: Users should not be able to submit their own answers by altering the HTML, as they did with Qwizom

#### 2.1 Analysis - Breakdown of Tasks

Very few tasks as will be explained in the design section:

- Add check for empty arrays on frontend
- Add check for empty arrays on backend
- 2.2 Design
- 2.3 Implementation
- 2.4 Testing
- 2.5 Extras

# 3 Story: The Admin can see what percentage of users connected to the session have answered

- 3.1 Analysis Breakdown of Tasks
  - $\bullet$  Get total number of responses
  - $\bullet\,$  Post this number on the page as part of the results form
- 3.2 Design
- 3.3 Implementation
- 3.4 Testing
- 3.5 Extras