S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1

Exchanges where a direct-path miss is most likely: 300 of 300 in this trial, the 40 highest shown. Most suspicious first.


page	exchange	score	range	why
3	159	21.1	6.547 m	range +0.88 m from the trial's median: a later path taken as the first?; calibrated range is +1.34 m from the real distance; poll: energy 6 x noise just before the reported fi...
4	121	20.5	6.373 m	range +0.71 m from the trial's median: a later path taken as the first?; calibrated range is +1.16 m from the real distance; poll: energy 6 x noise just before the reported fi...
5	288	20.1	6.298 m	range +0.63 m from the trial's median: a later path taken as the first?; calibrated range is +1.09 m from the real distance; final: energy 6 x noise just before the reported f...
6	112	19.5	6.416 m	range +0.75 m from the trial's median: a later path taken as the first?; calibrated range is +1.21 m from the real distance; final: peak is 4.1 samples after the first path (u...
7	180	18.5	6.160 m	range +0.49 m from the trial's median: a later path taken as the first?; calibrated range is +0.95 m from the real distance; final: energy 5 x noise just before the reported f...
8	118	17.9	6.112 m	range +0.44 m from the trial's median: a later path taken as the first?; calibrated range is +0.90 m from the real distance; final: energy 5 x noise just before the reported f...
9	216	14.8	5.938 m	range +0.27 m from the trial's median: a later path taken as the first?; calibrated range is +0.73 m from the real distance; final: peak is 10.7 samples after the first path (...
10	94	14.0	5.947 m	range +0.28 m from the trial's median: a later path taken as the first?; calibrated range is +0.74 m from the real distance; final: peak is 10.9 samples after the first path (...
11	56	1.9	5.777 m	calibrated range is +0.57 m from the real distance
12	111	1.9	5.770 m	calibrated range is +0.56 m from the real distance
13	44	1.8	5.757 m	calibrated range is +0.55 m from the real distance
14	98	1.8	5.747 m	calibrated range is +0.54 m from the real distance
15	117	1.8	5.747 m	calibrated range is +0.54 m from the real distance
16	246	1.8	5.741 m	calibrated range is +0.53 m from the real distance
17	200	1.8	5.737 m	calibrated range is +0.53 m from the real distance
18	40	1.8	5.734 m	calibrated range is +0.53 m from the real distance
19	157	1.8	5.734 m	calibrated range is +0.53 m from the real distance
20	45	1.8	5.734 m	calibrated range is +0.53 m from the real distance
21	151	1.7	5.732 m	calibrated range is +0.52 m from the real distance
22	109	1.7	5.730 m	calibrated range is +0.52 m from the real distance
23	130	1.7	5.730 m	calibrated range is +0.52 m from the real distance
24	295	1.7	5.729 m	calibrated range is +0.52 m from the real distance
25	10	1.7	5.729 m	calibrated range is +0.52 m from the real distance
26	26	1.7	5.726 m	calibrated range is +0.52 m from the real distance
27	291	1.7	5.725 m	calibrated range is +0.52 m from the real distance
28	85	1.7	5.722 m	calibrated range is +0.51 m from the real distance
29	65	1.7	5.722 m	calibrated range is +0.51 m from the real distance
30	283	1.7	5.722 m	calibrated range is +0.51 m from the real distance
31	97	1.7	5.719 m	calibrated range is +0.51 m from the real distance
32	186	1.7	5.716 m	calibrated range is +0.51 m from the real distance


S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1


Exchanges where a direct-path miss is most likely: 300 of 300 in this trial, the 40 highest shown. Most suspicious first.


page	exchange	score	range	why
33	100	1.7	5.715 m	calibrated range is +0.51 m from the real distance
34	224	1.7	5.714 m	calibrated range is +0.51 m from the real distance
35	166	1.7	5.714 m	calibrated range is +0.51 m from the real distance
36	190	1.7	5.712 m	calibrated range is +0.50 m from the real distance
37	255	1.7	5.712 m	calibrated range is +0.50 m from the real distance
38	66	1.7	5.711 m	calibrated range is +0.50 m from the real distance
39	156	1.7	5.709 m	calibrated range is +0.50 m from the real distance
40	217	1.7	5.708 m	calibrated range is +0.50 m from the real distance
41	205	1.7	5.707 m	calibrated range is +0.50 m from the real distance
42	197	1.7	5.707 m	calibrated range is +0.50 m from the real distance


S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 159 status ok range 6.547 m (real 5.330 m, error +1.217 m, calibrated +1.338 m)
WHY IT WAS PICKED: range +0.88 m from the trial's median: a later path taken as the first?; calibrated range is +1.34 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: peak is 4.6 samples after the first path (usually 14.9 in this trial); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.60); the messages disagree on the first path: rising edge is poll 2.6, response 12.4, final 12.7 samples after it

















S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 121 status ok range 6.373 m (real 5.330 m, error +1.043 m, calibrated +1.164 m)
WHY IT WAS PICKED: range +0.71 m from the trial's median: a later path taken as the first?; calibrated range is +1.16 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: peak is 5.2 samples after the first path (usually 14.9 in this trial); poll: first path is 9.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.60); the messages disagree on the first path: rising edge is poll 3.6, response 13.2, final 13.2 samples after it




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 288 status ok range 6.298 m (real 5.330 m, error +0.968 m, calibrated +1.089 m)
WHY IT WAS PICKED: range +0.63 m from the trial's median: a later path taken as the first?; calibrated range is +1.09 m from the real distance; final: energy 6 x noise just before the reported first path (an earlier arrival?); final: peak is 5.1 samples after the first path (usually 14.9 in this trial); final: first path is 9.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.62); the messages disagree on the first path: rising edge is poll 13.5, response 13.5, final 3.5 samples after it




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 112 status ok range 6.416 m (real 5.330 m, error +1.086 m, calibrated +1.208 m)
WHY IT WAS PICKED: range +0.75 m from the trial's median: a later path taken as the first?; calibrated range is +1.21 m from the real distance; final: peak is 4.1 samples after the first path (usually 14.9 in this trial); final: first path is 10.8 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.60); the messages disagree on the first path: rising edge is poll 13.1, response 12.6, final 2.1 samples after it




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 180 status ok range 6.160 m (real 5.330 m, error +0.830 m, calibrated +0.951 m)
WHY IT WAS PICKED: range +0.49 m from the trial's median: a later path taken as the first?; calibrated range is +0.95 m from the real distance; final: energy 5 x noise just before the reported first path (an earlier arrival?); final: peak is 7.1 samples after the first path (usually 14.9 in this trial); final: first path is 7.5 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.57); the messages disagree on the first path: rising edge is poll 12.9, response 13.2, final 5.4 samples after it




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 118 status ok range 6.112 m (real 5.330 m, error +0.782 m, calibrated +0.903 m)
WHY IT WAS PICKED: range +0.44 m from the trial's median: a later path taken as the first?; calibrated range is +0.90 m from the real distance; final: energy 5 x noise just before the reported first path (an earlier arrival?); final: peak is 8.1 samples after the first path (usually 14.9 in this trial); final: first path is 6.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.62); the messages disagree on the first path: rising edge is poll 13.3, response 13.3, final 6.6 samples after it




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 216 status ok range 5.938 m (real 5.330 m, error +0.608 m, calibrated +0.729 m)
WHY IT WAS PICKED: range +0.27 m from the trial's median: a later path taken as the first?; calibrated range is +0.73 m from the real distance; final: peak is 10.7 samples after the first path (usually 14.9 in this trial); final: first path is 3.8 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.79); the messages disagree on the first path: rising edge is poll 13.1, response 13.3, final 9.0 samples after it




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 94 status ok range 5.947 m (real 5.330 m, error +0.617 m, calibrated +0.739 m)
WHY IT WAS PICKED: range +0.28 m from the trial's median: a later path taken as the first?; calibrated range is +0.74 m from the real distance; final: peak is 10.9 samples after the first path (usually 14.9 in this trial); final: first path is 3.9 samples later than usual on the rising edge; the messages disagree on the first path: rising edge is poll 13.0, response 12.6, final 8.9 samples after it




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 56 status ok range 5.777 m (real 5.330 m, error +0.447 m, calibrated +0.569 m)
WHY IT WAS PICKED: calibrated range is +0.57 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 111 status ok range 5.770 m (real 5.330 m, error +0.440 m, calibrated +0.562 m)
WHY IT WAS PICKED: calibrated range is +0.56 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 44 status ok range 5.757 m (real 5.330 m, error +0.427 m, calibrated +0.549 m)
WHY IT WAS PICKED: calibrated range is +0.55 m from the real distance

















S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 98 status ok range 5.747 m (real 5.330 m, error +0.417 m, calibrated +0.538 m)
WHY IT WAS PICKED: calibrated range is +0.54 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 117 status ok range 5.747 m (real 5.330 m, error +0.417 m, calibrated +0.538 m)
WHY IT WAS PICKED: calibrated range is +0.54 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 246 status ok range 5.741 m (real 5.330 m, error +0.411 m, calibrated +0.532 m)
WHY IT WAS PICKED: calibrated range is +0.53 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 200 status ok range 5.737 m (real 5.330 m, error +0.407 m, calibrated +0.529 m)
WHY IT WAS PICKED: calibrated range is +0.53 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 40 status ok range 5.734 m (real 5.330 m, error +0.404 m, calibrated +0.525 m)
WHY IT WAS PICKED: calibrated range is +0.53 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 157 status ok range 5.734 m (real 5.330 m, error +0.404 m, calibrated +0.525 m)
WHY IT WAS PICKED: calibrated range is +0.53 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 45 status ok range 5.734 m (real 5.330 m, error +0.404 m, calibrated +0.525 m)
WHY IT WAS PICKED: calibrated range is +0.53 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 151 status ok range 5.732 m (real 5.330 m, error +0.402 m, calibrated +0.523 m)
WHY IT WAS PICKED: calibrated range is +0.52 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 109 status ok range 5.730 m (real 5.330 m, error +0.400 m, calibrated +0.522 m)
WHY IT WAS PICKED: calibrated range is +0.52 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 130 status ok range 5.730 m (real 5.330 m, error +0.400 m, calibrated +0.522 m)
WHY IT WAS PICKED: calibrated range is +0.52 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 295 status ok range 5.729 m (real 5.330 m, error +0.399 m, calibrated +0.521 m)
WHY IT WAS PICKED: calibrated range is +0.52 m from the real distance

















S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 10 status ok range 5.729 m (real 5.330 m, error +0.399 m, calibrated +0.521 m)
WHY IT WAS PICKED: calibrated range is +0.52 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 26 status ok range 5.726 m (real 5.330 m, error +0.396 m, calibrated +0.517 m)
WHY IT WAS PICKED: calibrated range is +0.52 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 291 status ok range 5.725 m (real 5.330 m, error +0.395 m, calibrated +0.516 m)
WHY IT WAS PICKED: calibrated range is +0.52 m from the real distance

















S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 85 status ok range 5.722 m (real 5.330 m, error +0.392 m, calibrated +0.514 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 65 status ok range 5.722 m (real 5.330 m, error +0.392 m, calibrated +0.514 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 283 status ok range 5.722 m (real 5.330 m, error +0.392 m, calibrated +0.514 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 97 status ok range 5.719 m (real 5.330 m, error +0.389 m, calibrated +0.510 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 186 status ok range 5.716 m (real 5.330 m, error +0.386 m, calibrated +0.508 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 100 status ok range 5.715 m (real 5.330 m, error +0.385 m, calibrated +0.506 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 224 status ok range 5.714 m (real 5.330 m, error +0.384 m, calibrated +0.505 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 166 status ok range 5.714 m (real 5.330 m, error +0.384 m, calibrated +0.505 m)
WHY IT WAS PICKED: calibrated range is +0.51 m from the real distance

















S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 190 status ok range 5.712 m (real 5.330 m, error +0.382 m, calibrated +0.503 m)
WHY IT WAS PICKED: calibrated range is +0.50 m from the real distance




S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 255 status ok range 5.712 m (real 5.330 m, error +0.382 m, calibrated +0.503 m)
WHY IT WAS PICKED: calibrated range is +0.50 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 66 status ok range 5.711 m (real 5.330 m, error +0.381 m, calibrated +0.502 m)
WHY IT WAS PICKED: calibrated range is +0.50 m from the real distance





S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 156 status ok range 5.709 m (real 5.330 m, error +0.379 m, calibrated +0.501 m)
WHY IT WAS PICKED: calibrated range is +0.50 m from the real distance
















S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 217 status ok range 5.708 m (real 5.330 m, error +0.378 m, calibrated +0.499 m)
WHY IT WAS PICKED: calibrated range is +0.50 m from the real distance



S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 205 status ok range 5.707 m (real 5.330 m, error +0.377 m, calibrated +0.498 m)
WHY IT WAS PICKED: calibrated range is +0.50 m from the real distance



S004_Hallway_9x15_p1_001_merged.json | trial 28D8E3B5 | setup S004 'Hallway, 9x15' (Hallway, ECSN, 5.33 m, LOS) | placement 1
exchange 197 status ok range 5.707 m (real 5.330 m, error +0.377 m, calibrated +0.498 m)
WHY IT WAS PICKED: calibrated range is +0.50 m from the real distance

