S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1

Exchanges where a direct-path miss is most likely: 267 of 300 in this trial, the 40 highest shown. Most suspicious first.


page	exchange	score	range	why
3	31	2.2	5.395 m	calibrated range is +0.35 m from the real distance; the messages disagree on the first path: rising edge is poll 10.4, final 11.4 samples after it
4	58	2.2	5.401 m	calibrated range is +0.35 m from the real distance; poll: peak is 23.3 samples after the first path (usually 15.9 in this trial)
5	22	2.2	5.399 m	calibrated range is +0.35 m from the real distance; poll: peak is 19.0 samples after the first path (usually 15.9 in this trial)
6	116	2.2	5.394 m	calibrated range is +0.35 m from the real distance; final: peak is 30.5 samples after the first path (usually 15.9 in this trial)
7	290	2.1	5.387 m	calibrated range is +0.34 m from the real distance; poll: peak is 19.3 samples after the first path (usually 15.9 in this trial)
8	54	2.1	5.382 m	calibrated range is +0.33 m from the real distance; final: peak is 19.6 samples after the first path (usually 15.9 in this trial)
9	256	2.0	5.354 m	calibrated range is +0.31 m from the real distance; final: peak is 19.5 samples after the first path (usually 15.9 in this trial)
10	19	1.4	5.480 m	calibrated range is +0.43 m from the real distance
11	118	1.4	5.476 m	calibrated range is +0.43 m from the real distance
12	128	1.4	5.458 m	calibrated range is +0.41 m from the real distance
13	206	1.4	5.456 m	calibrated range is +0.41 m from the real distance
14	4	1.4	5.456 m	calibrated range is +0.41 m from the real distance
15	178	1.4	5.456 m	calibrated range is +0.41 m from the real distance
16	89	1.3	5.454 m	calibrated range is +0.40 m from the real distance
17	44	1.3	5.453 m	calibrated range is +0.40 m from the real distance
18	95	1.3	5.451 m	calibrated range is +0.40 m from the real distance
19	233	1.3	5.450 m	calibrated range is +0.40 m from the real distance
20	133	1.3	5.448 m	calibrated range is +0.40 m from the real distance
21	34	1.3	5.448 m	calibrated range is +0.40 m from the real distance
22	194	1.3	5.444 m	calibrated range is +0.40 m from the real distance
23	249	1.3	5.444 m	calibrated range is +0.40 m from the real distance
24	195	1.3	5.444 m	calibrated range is +0.40 m from the real distance
25	196	1.3	5.444 m	calibrated range is +0.40 m from the real distance
26	191	1.3	5.443 m	calibrated range is +0.39 m from the real distance
27	12	1.3	5.442 m	calibrated range is +0.39 m from the real distance
28	281	1.3	5.442 m	calibrated range is +0.39 m from the real distance
29	187	1.3	5.441 m	calibrated range is +0.39 m from the real distance
30	299	1.3	5.438 m	calibrated range is +0.39 m from the real distance
31	300	1.3	5.438 m	calibrated range is +0.39 m from the real distance
32	286	1.3	5.434 m	calibrated range is +0.39 m from the real distance

S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1


Exchanges where a direct-path miss is most likely: 267 of 300 in this trial, the 40 highest shown. Most suspicious first.


page	exchange	score	range	why
33	173	1.3	5.433 m	calibrated range is +0.38 m from the real distance
34	33	1.3	5.431 m	calibrated range is +0.38 m from the real distance
35	295	1.3	5.431 m	calibrated range is +0.38 m from the real distance
36	164	1.3	5.431 m	calibrated range is +0.38 m from the real distance
37	91	1.3	5.431 m	calibrated range is +0.38 m from the real distance
38	279	1.3	5.431 m	calibrated range is +0.38 m from the real distance
39	215	1.3	5.429 m	calibrated range is +0.38 m from the real distance
40	216	1.3	5.428 m	calibrated range is +0.38 m from the real distance
41	39	1.3	5.427 m	calibrated range is +0.38 m from the real distance
42	29	1.3	5.427 m	calibrated range is +0.38 m from the real distance


S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 31 status ok range 5.395 m (real 5.170 m, error +0.225 m, calibrated +0.346 m)
WHY IT WAS PICKED: calibrated range is +0.35 m from the real distance; the messages disagree on the first path: rising edge is poll 10.4, final 11.4 samples after it





S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 58 status ok range 5.401 m (real 5.170 m, error +0.231 m, calibrated +0.352 m)
WHY IT WAS PICKED: calibrated range is +0.35 m from the real distance; poll: peak is 23.3 samples after the first path (usually 15.9 in this trial)

















S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 22 status ok range 5.399 m (real 5.170 m, error +0.229 m, calibrated +0.350 m)
WHY IT WAS PICKED: calibrated range is +0.35 m from the real distance; poll: peak is 19.0 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 116 status ok range 5.394 m (real 5.170 m, error +0.224 m, calibrated +0.345 m)
WHY IT WAS PICKED: calibrated range is +0.35 m from the real distance; final: peak is 30.5 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 290 status ok range 5.387 m (real 5.170 m, error +0.217 m, calibrated +0.338 m)
WHY IT WAS PICKED: calibrated range is +0.34 m from the real distance; poll: peak is 19.3 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 54 status ok range 5.382 m (real 5.170 m, error +0.212 m, calibrated +0.333 m)
WHY IT WAS PICKED: calibrated range is +0.33 m from the real distance; final: peak is 19.6 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 256 status ok range 5.354 m (real 5.170 m, error +0.184 m, calibrated +0.305 m)
WHY IT WAS PICKED: calibrated range is +0.31 m from the real distance; final: peak is 19.5 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 19 status ok range 5.480 m (real 5.170 m, error +0.310 m, calibrated +0.431 m)
WHY IT WAS PICKED: calibrated range is +0.43 m from the real distance





S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 118 status ok range 5.476 m (real 5.170 m, error +0.306 m, calibrated +0.427 m)
WHY IT WAS PICKED: calibrated range is +0.43 m from the real distance





S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 128 status ok range 5.458 m (real 5.170 m, error +0.288 m, calibrated +0.410 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance

















S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 206 status ok range 5.456 m (real 5.170 m, error +0.286 m, calibrated +0.407 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 4 status ok range 5.456 m (real 5.170 m, error +0.286 m, calibrated +0.407 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 178 status ok range 5.456 m (real 5.170 m, error +0.286 m, calibrated +0.407 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 89 status ok range 5.454 m (real 5.170 m, error +0.284 m, calibrated +0.405 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 44 status ok range 5.453 m (real 5.170 m, error +0.283 m, calibrated +0.404 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 95 status ok range 5.451 m (real 5.170 m, error +0.281 m, calibrated +0.403 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 233 status ok range 5.450 m (real 5.170 m, error +0.280 m, calibrated +0.401 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 133 status ok range 5.448 m (real 5.170 m, error +0.278 m, calibrated +0.399 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 34 status ok range 5.448 m (real 5.170 m, error +0.278 m, calibrated +0.399 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 194 status ok range 5.444 m (real 5.170 m, error +0.274 m, calibrated +0.396 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 249 status ok range 5.444 m (real 5.170 m, error +0.274 m, calibrated +0.396 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 195 status ok range 5.444 m (real 5.170 m, error +0.274 m, calibrated +0.396 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance





S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 196 status ok range 5.444 m (real 5.170 m, error +0.274 m, calibrated +0.396 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance





S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 191 status ok range 5.443 m (real 5.170 m, error +0.273 m, calibrated +0.394 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance

















S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 12 status ok range 5.442 m (real 5.170 m, error +0.272 m, calibrated +0.393 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 281 status ok range 5.442 m (real 5.170 m, error +0.272 m, calibrated +0.393 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance





S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 187 status ok range 5.441 m (real 5.170 m, error +0.271 m, calibrated +0.392 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance





S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 299 status ok range 5.438 m (real 5.170 m, error +0.268 m, calibrated +0.390 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance



















S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 300 status ok range 5.438 m (real 5.170 m, error +0.268 m, calibrated +0.390 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance



















S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 286 status ok range 5.434 m (real 5.170 m, error +0.264 m, calibrated +0.385 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance



















S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 173 status ok range 5.433 m (real 5.170 m, error +0.263 m, calibrated +0.384 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance

















S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 33 status ok range 5.431 m (real 5.170 m, error +0.261 m, calibrated +0.383 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 295 status ok range 5.431 m (real 5.170 m, error +0.261 m, calibrated +0.383 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 164 status ok range 5.431 m (real 5.170 m, error +0.261 m, calibrated +0.383 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 91 status ok range 5.431 m (real 5.170 m, error +0.261 m, calibrated +0.383 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 279 status ok range 5.431 m (real 5.170 m, error +0.261 m, calibrated +0.383 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance




S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 215 status ok range 5.429 m (real 5.170 m, error +0.259 m, calibrated +0.380 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance



S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 216 status ok range 5.428 m (real 5.170 m, error +0.258 m, calibrated +0.379 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance



S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 39 status ok range 5.427 m (real 5.170 m, error +0.257 m, calibrated +0.378 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance



S006_Hallway_12x12_p1_001_responder.json | trial 9BC86921 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 29 status ok range 5.427 m (real 5.170 m, error +0.257 m, calibrated +0.378 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance

