S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1

Exchanges where a direct-path miss is most likely: 263 of 300 in this trial, the 40 highest shown. Most suspicious first.


page	exchange	score	range	why
3	135	3.3	5.431 m	calibrated range is +0.38 m from the real distance; poll: peak is 19.4 samples after the first path (usually 15.9 in this trial); final: peak is 19.6 samples after the first p...
4	124	3.1	5.372 m	calibrated range is +0.32 m from the real distance; poll: peak is 19.8 samples after the first path (usually 15.9 in this trial); final: peak is 19.9 samples after the first p...
5	146	2.3	5.307 m	final: first path is 1.3 samples earlier than usual on the rising edge; the messages disagree on the first path: rising edge is poll 11.1, final 12.1 samples after it
6	196	2.3	5.430 m	calibrated range is +0.38 m from the real distance; the messages disagree on the first path: rising edge is poll 11.3, final 10.3 samples after it
7	22	2.3	5.430 m	calibrated range is +0.38 m from the real distance; poll: peak is 19.5 samples after the first path (usually 15.9 in this trial)
8	132	2.3	5.430 m	calibrated range is +0.38 m from the real distance; final: peak is 19.2 samples after the first path (usually 15.9 in this trial)
9	137	2.1	5.388 m	calibrated range is +0.34 m from the real distance; final: peak is 19.4 samples after the first path (usually 15.9 in this trial)
10	108	2.1	5.386 m	calibrated range is +0.34 m from the real distance; final: peak is 20.0 samples after the first path (usually 15.9 in this trial)
11	2	2.1	5.381 m	calibrated range is +0.33 m from the real distance; final: peak is 12.5 samples after the first path (usually 15.9 in this trial)
12	74	2.1	5.349 m	calibrated range is +0.30 m from the real distance; the messages disagree on the first path: rising edge is poll 10.4, final 11.5 samples after it
13	107	2.1	5.368 m	calibrated range is +0.32 m from the real distance; final: peak is 12.6 samples after the first path (usually 15.9 in this trial)
14	110	2.1	5.368 m	calibrated range is +0.32 m from the real distance; poll: peak is 20.2 samples after the first path (usually 15.9 in this trial)
15	36	2.0	5.353 m	calibrated range is +0.30 m from the real distance; final: peak is 12.0 samples after the first path (usually 15.9 in this trial)
16	115	2.0	5.343 m	poll: peak is 19.8 samples after the first path (usually 15.9 in this trial); final: peak is 19.2 samples after the first path (usually 15.9 in this trial)
17	296	1.5	5.492 m	calibrated range is +0.44 m from the real distance
18	298	1.4	5.478 m	calibrated range is +0.43 m from the real distance
19	286	1.4	5.475 m	calibrated range is +0.43 m from the real distance
20	217	1.4	5.474 m	calibrated range is +0.42 m from the real distance
21	246	1.4	5.471 m	calibrated range is +0.42 m from the real distance
22	56	1.4	5.470 m	calibrated range is +0.42 m from the real distance
23	215	1.4	5.469 m	calibrated range is +0.42 m from the real distance
24	152	1.4	5.465 m	calibrated range is +0.42 m from the real distance
25	157	1.4	5.462 m	calibrated range is +0.41 m from the real distance
26	255	1.4	5.462 m	calibrated range is +0.41 m from the real distance
27	37	1.4	5.462 m	calibrated range is +0.41 m from the real distance
28	194	1.4	5.457 m	calibrated range is +0.41 m from the real distance
29	44	1.4	5.457 m	calibrated range is +0.41 m from the real distance
30	79	1.4	5.456 m	calibrated range is +0.41 m from the real distance
31	76	1.3	5.454 m	calibrated range is +0.40 m from the real distance
32	6	1.3	5.454 m	calibrated range is +0.40 m from the real distance

S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1


Exchanges where a direct-path miss is most likely: 263 of 300 in this trial, the 40 highest shown. Most suspicious first.

page	exchange	score	range	why
33	125	1.3	5.450 m	calibrated range is +0.40 m from the real distance
34	151	1.3	5.450 m	calibrated range is +0.40 m from the real distance
35	155	1.3	5.450 m	calibrated range is +0.40 m from the real distance
36	260	1.3	5.449 m	calibrated range is +0.40 m from the real distance
37	170	1.3	5.449 m	calibrated range is +0.40 m from the real distance
38	221	1.3	5.446 m	calibrated range is +0.40 m from the real distance
39	7	1.3	5.444 m	calibrated range is +0.40 m from the real distance
40	39	1.3	5.443 m	calibrated range is +0.39 m from the real distance
41	251	1.3	5.443 m	calibrated range is +0.39 m from the real distance
42	142	1.3	5.442 m	calibrated range is +0.39 m from the real distance


S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 135 status ok range 5.431 m (real 5.170 m, error +0.261 m, calibrated +0.383 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance; poll: peak is 19.4 samples after the first path (usually 15.9 in this trial); final: peak is 19.6 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 124 status ok range 5.372 m (real 5.170 m, error +0.202 m, calibrated +0.323 m)
WHY IT WAS PICKED: calibrated range is +0.32 m from the real distance; poll: peak is 19.8 samples after the first path (usually 15.9 in this trial); final: peak is 19.9 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 146 status ok range 5.307 m (real 5.170 m, error +0.137 m, calibrated +0.258 m)
WHY IT WAS PICKED: final: first path is 1.3 samples earlier than usual on the rising edge; the messages disagree on the first path: rising edge is poll 11.1, final 12.1 samples after it




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 196 status ok range 5.430 m (real 5.170 m, error +0.260 m, calibrated +0.382 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance; the messages disagree on the first path: rising edge is poll 11.3, final 10.3 samples after it




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 22 status ok range 5.430 m (real 5.170 m, error +0.260 m, calibrated +0.382 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance; poll: peak is 19.5 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 132 status ok range 5.430 m (real 5.170 m, error +0.260 m, calibrated +0.382 m)
WHY IT WAS PICKED: calibrated range is +0.38 m from the real distance; final: peak is 19.2 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 137 status ok range 5.388 m (real 5.170 m, error +0.218 m, calibrated +0.339 m)
WHY IT WAS PICKED: calibrated range is +0.34 m from the real distance; final: peak is 19.4 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 108 status ok range 5.386 m (real 5.170 m, error +0.216 m, calibrated +0.337 m)
WHY IT WAS PICKED: calibrated range is +0.34 m from the real distance; final: peak is 20.0 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 2 status ok range 5.381 m (real 5.170 m, error +0.211 m, calibrated +0.332 m)
WHY IT WAS PICKED: calibrated range is +0.33 m from the real distance; final: peak is 12.5 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 74 status ok range 5.349 m (real 5.170 m, error +0.179 m, calibrated +0.301 m)
WHY IT WAS PICKED: calibrated range is +0.30 m from the real distance; the messages disagree on the first path: rising edge is poll 10.4, final 11.5 samples after it




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 107 status ok range 5.368 m (real 5.170 m, error +0.198 m, calibrated +0.319 m)
WHY IT WAS PICKED: calibrated range is +0.32 m from the real distance; final: peak is 12.6 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 110 status ok range 5.368 m (real 5.170 m, error +0.198 m, calibrated +0.319 m)
WHY IT WAS PICKED: calibrated range is +0.32 m from the real distance; poll: peak is 20.2 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 36 status ok range 5.353 m (real 5.170 m, error +0.183 m, calibrated +0.304 m)
WHY IT WAS PICKED: calibrated range is +0.30 m from the real distance; final: peak is 12.0 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 115 status ok range 5.343 m (real 5.170 m, error +0.173 m, calibrated +0.295 m)
WHY IT WAS PICKED: poll: peak is 19.8 samples after the first path (usually 15.9 in this trial); final: peak is 19.2 samples after the first path (usually 15.9 in this trial)




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 296 status ok range 5.492 m (real 5.170 m, error +0.322 m, calibrated +0.444 m)
WHY IT WAS PICKED: calibrated range is +0.44 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 298 status ok range 5.478 m (real 5.170 m, error +0.308 m, calibrated +0.430 m)
WHY IT WAS PICKED: calibrated range is +0.43 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 286 status ok range 5.475 m (real 5.170 m, error +0.305 m, calibrated +0.426 m)
WHY IT WAS PICKED: calibrated range is +0.43 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 217 status ok range 5.474 m (real 5.170 m, error +0.304 m, calibrated +0.425 m)
WHY IT WAS PICKED: calibrated range is +0.42 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 246 status ok range 5.471 m (real 5.170 m, error +0.301 m, calibrated +0.423 m)
WHY IT WAS PICKED: calibrated range is +0.42 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 56 status ok range 5.470 m (real 5.170 m, error +0.300 m, calibrated +0.421 m)
WHY IT WAS PICKED: calibrated range is +0.42 m from the real distance





S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 215 status ok range 5.469 m (real 5.170 m, error +0.299 m, calibrated +0.420 m)
WHY IT WAS PICKED: calibrated range is +0.42 m from the real distance





S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 152 status ok range 5.465 m (real 5.170 m, error +0.295 m, calibrated +0.417 m)
WHY IT WAS PICKED: calibrated range is +0.42 m from the real distance

















S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 157 status ok range 5.462 m (real 5.170 m, error +0.292 m, calibrated +0.413 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 255 status ok range 5.462 m (real 5.170 m, error +0.292 m, calibrated +0.413 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 37 status ok range 5.462 m (real 5.170 m, error +0.292 m, calibrated +0.413 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance





S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 194 status ok range 5.457 m (real 5.170 m, error +0.287 m, calibrated +0.408 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance





S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 44 status ok range 5.457 m (real 5.170 m, error +0.287 m, calibrated +0.408 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance

















S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 79 status ok range 5.456 m (real 5.170 m, error +0.286 m, calibrated +0.407 m)
WHY IT WAS PICKED: calibrated range is +0.41 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 76 status ok range 5.454 m (real 5.170 m, error +0.284 m, calibrated +0.405 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 6 status ok range 5.454 m (real 5.170 m, error +0.284 m, calibrated +0.405 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 125 status ok range 5.450 m (real 5.170 m, error +0.280 m, calibrated +0.401 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance





S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 151 status ok range 5.450 m (real 5.170 m, error +0.280 m, calibrated +0.401 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance





S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 155 status ok range 5.450 m (real 5.170 m, error +0.280 m, calibrated +0.401 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance

















S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 260 status ok range 5.449 m (real 5.170 m, error +0.279 m, calibrated +0.400 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 170 status ok range 5.449 m (real 5.170 m, error +0.279 m, calibrated +0.400 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 221 status ok range 5.446 m (real 5.170 m, error +0.276 m, calibrated +0.397 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance




S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 7 status ok range 5.444 m (real 5.170 m, error +0.274 m, calibrated +0.396 m)
WHY IT WAS PICKED: calibrated range is +0.40 m from the real distance



S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 39 status ok range 5.443 m (real 5.170 m, error +0.273 m, calibrated +0.394 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance



S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 251 status ok range 5.443 m (real 5.170 m, error +0.273 m, calibrated +0.394 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance



S006_Hallway_12x12_p1_002_responder.json | trial 70FE548F | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 142 status ok range 5.442 m (real 5.170 m, error +0.272 m, calibrated +0.393 m)
WHY IT WAS PICKED: calibrated range is +0.39 m from the real distance

