S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1

Exchanges where a direct-path miss is most likely: 296 of 300 in this trial, the 40 highest shown. Most suspicious first.


page	exchange	score	range	why
3	69	25.2	8.555 m	calibrated range is +3.51 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.7 samples later th...
4	124	23.1	8.603 m	calibrated range is +3.55 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later th...
5	204	23.1	8.569 m	calibrated range is +3.52 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.0 samples later th...
6	166	21.3	7.808 m	calibrated range is +2.76 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later th...
7	292	21.2	7.806 m	calibrated range is +2.76 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.5 samples ...
8	42	21.1	7.787 m	calibrated range is +2.74 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later th...
9	68	21.1	7.746 m	calibrated range is +2.70 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.4 samples ...
10	44	21.1	7.797 m	calibrated range is +2.75 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.2 samples later th...
11	186	21.1	6.987 m	calibrated range is +1.94 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later th...
12	162	21.1	7.764 m	calibrated range is +2.71 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: peak is 9.0 samples after the first...
13	277	21.1	7.832 m	calibrated range is +2.78 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.5 samples ...
14	113	21.1	8.595 m	calibrated range is +3.55 m from the real distance; poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
15	278	21.0	7.746 m	calibrated range is +2.70 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later th...
16	1	20.1	6.601 m	calibrated range is +1.55 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 9.9 samples later tha...
17	300	20.1	7.750 m	calibrated range is +2.70 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.0 samples ...
18	196	20.1	7.795 m	calibrated range is +2.75 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.7 samples ...
19	215	20.1	6.984 m	calibrated range is +1.94 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later th...
20	281	20.1	7.756 m	calibrated range is +2.71 m from the real distance; poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
21	190	20.1	7.757 m	calibrated range is +2.71 m from the real distance; poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
22	179	20.1	7.773 m	calibrated range is +2.72 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later th...
23	170	20.1	7.849 m	calibrated range is +2.80 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.7 samples later th...
24	235	20.0	7.827 m	calibrated range is +2.78 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later th...
25	160	20.0	7.809 m	calibrated range is +2.76 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.3 samples ...
26	120	20.0	7.778 m	calibrated range is +2.73 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.3 samples ...
27	291	20.0	7.935 m	calibrated range is +2.89 m from the real distance; poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
28	43	20.0	7.757 m	calibrated range is +2.71 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
29	191	20.0	7.020 m	calibrated range is +1.97 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
30	8	19.0	7.792 m	calibrated range is +2.74 m from the real distance; response: first path is 9.7 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (...
31	45	19.0	7.806 m	calibrated range is +2.76 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
32	85	19.0	6.962 m	calibrated range is +1.91 m from the real distance; poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...

S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1


Exchanges where a direct-path miss is most likely: 296 of 300 in this trial, the 40 highest shown. Most suspicious first.

page	exchange	score	range	why
33	161	19.0	7.786 m	calibrated range is +2.74 m from the real distance; response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial ...
34	184	19.0	7.820 m	calibrated range is +2.77 m from the real distance; poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
35	231	19.0	7.768 m	calibrated range is +2.72 m from the real distance; response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial ...
36	260	19.0	7.799 m	calibrated range is +2.75 m from the real distance; poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similar...
37	282	19.0	7.845 m	calibrated range is +2.80 m from the real distance; response: first path is 10.5 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial ...
38	294	19.0	7.739 m	calibrated range is +2.69 m from the real distance; response: first path is 10.1 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial ...
39	193	16.7	6.652 m	calibrated range is +1.60 m from the real distance; response: first path is 2.7 samples later than usual on the rising edge; final: first path is 10.2 samples later than usual...
40	279	16.6	7.114 m	calibrated range is +2.07 m from the real distance; response: first path is 10.4 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial ...
41	77	16.4	6.375 m	calibrated range is +1.33 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: peak is 8.9 samples after the first...
42	76	16.4	6.334 m	calibrated range is +1.29 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: peak is 8.9 samples after the first...


S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 69 status ok range 8.555 m (real 5.170 m, error +3.385 m, calibrated +3.506 m)
WHY IT WAS PICKED: calibrated range is +3.51 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.7 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: peak is 9.1 samples after the first path (usually 15.4 in this trial); response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 124 status ok range 8.603 m (real 5.170 m, error +3.433 m, calibrated +3.555 m)
WHY IT WAS PICKED: calibrated range is +3.55 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.75); final: energy 5 x noise just before the reported




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 204 status ok range 8.569 m (real 5.170 m, error +3.399 m, calibrated +3.521 m)
WHY IT WAS PICKED: calibrated range is +3.52 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.0 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.1 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.72); final: energy 5 x noise just before the reported




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 166 status ok range 7.808 m (real 5.170 m, error +2.638 m, calibrated +2.760 m)
WHY IT WAS PICKED: calibrated range is +2.76 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.74); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.74); the messages disagree on the first path: rising




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 292 status ok range 7.806 m (real 5.170 m, error +2.636 m, calibrated +2.757 m)
WHY IT WAS PICKED: calibrated range is +2.76 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.5 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path:




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 42 status ok range 7.787 m (real 5.170 m, error +2.617 m, calibrated +2.738 m)
WHY IT WAS PICKED: calibrated range is +2.74 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); the messages disagree on the first path: rising




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 68 status ok range 7.746 m (real 5.170 m, error +2.576 m, calibrated +2.697 m)
WHY IT WAS PICKED: calibrated range is +2.70 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.4 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.71); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.70); the messages disagree on the first path:





S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 44 status ok range 7.797 m (real 5.170 m, error +2.627 m, calibrated +2.748 m)
WHY IT WAS PICKED: calibrated range is +2.75 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.0 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); the messages disagree on the first path: rising





S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 186 status ok range 6.987 m (real 5.170 m, error +1.817 m, calibrated +1.939 m)
WHY IT WAS PICKED: calibrated range is +1.94 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72); the messages disagree on the first path: rising edge is poll

















S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 162 status ok range 7.764 m (real 5.170 m, error +2.594 m, calibrated +2.715 m)
WHY IT WAS PICKED: calibrated range is +2.71 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: peak is 9.0 samples after the first path (usually 15.5 in this trial); poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.74); the messages disagree on the first path: rising edge is poll




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 277 status ok range 7.832 m (real 5.170 m, error +2.662 m, calibrated +2.783 m)
WHY IT WAS PICKED: calibrated range is +2.78 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.5 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.74); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path:




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 113 status ok range 8.595 m (real 5.170 m, error +3.425 m, calibrated +3.546 m)
WHY IT WAS PICKED: calibrated range is +3.55 m from the real distance; poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.71); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.70)




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 278 status ok range 7.746 m (real 5.170 m, error +2.576 m, calibrated +2.697 m)
WHY IT WAS PICKED: calibrated range is +2.70 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); the messages disagree on the first path: rising




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1 status ok range 6.601 m (real 5.170 m, error +1.431 m, calibrated +1.552 m)
WHY IT WAS PICKED: calibrated range is +1.55 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 9.9 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.75); final: peak is 11.3 samples after the first path (usually 15.5 in this trial); final: first path is 4.7 samples later than usual on the rising edge; the messages disagree on the first path: rising edge is poll 0.7, response 10.3, final 5.9 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 300 status ok range 7.750 m (real 5.170 m, error +2.580 m, calibrated +2.701 m)
WHY IT WAS PICKED: calibrated range is +2.70 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.0 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.70); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 10.8, response 0.5, final 0.5 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 196 status ok range 7.795 m (real 5.170 m, error +2.625 m, calibrated +2.747 m)
WHY IT WAS PICKED: calibrated range is +2.75 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.7 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.74); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.76); the messages disagree on the first path: rising edge is poll 10.8, response -0.2, final 0.3 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 215 status ok range 6.984 m (real 5.170 m, error +1.814 m, calibrated +1.935 m)
WHY IT WAS PICKED: calibrated range is +1.94 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 0.3, response 10.6, final 0.5 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 281 status ok range 7.756 m (real 5.170 m, error +2.586 m, calibrated +2.707 m)
WHY IT WAS PICKED: calibrated range is +2.71 m from the real distance; poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 0.3, response 0.3, final 11.2 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 190 status ok range 7.757 m (real 5.170 m, error +2.587 m, calibrated +2.708 m)
WHY IT WAS PICKED: calibrated range is +2.71 m from the real distance; poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.74); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.4 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.75); the messages disagree on the first path: rising edge is poll 0.2, response 0.1, final 11.4 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 179 status ok range 7.773 m (real 5.170 m, error +2.603 m, calibrated +2.724 m)
WHY IT WAS PICKED: calibrated range is +2.72 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.74); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.72); the messages disagree on the first path: rising edge is poll 0.2, response 0.3, final 11.0 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 170 status ok range 7.849 m (real 5.170 m, error +2.679 m, calibrated +2.801 m)
WHY IT WAS PICKED: calibrated range is +2.80 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.7 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.74); the messages disagree on the first path: rising edge is poll -0.1, response 0.2, final 10.6 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 235 status ok range 7.827 m (real 5.170 m, error +2.657 m, calibrated +2.778 m)
WHY IT WAS PICKED: calibrated range is +2.78 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.70); the messages disagree on the first path: rising edge is poll 0.1, response 0.3, final 9.7 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 160 status ok range 7.809 m (real 5.170 m, error +2.639 m, calibrated +2.761 m)
WHY IT WAS PICKED: calibrated range is +2.76 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.75); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74); the messages disagree on the first path: rising edge is poll 10.7, response 0.2, final 0.2 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 120 status ok range 7.778 m (real 5.170 m, error +2.608 m, calibrated +2.729 m)
WHY IT WAS PICKED: calibrated range is +2.73 m from the real distance; response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.71); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72); the messages disagree on the first path: rising edge is poll 10.8, response 0.2, final 0.5 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 291 status ok range 7.935 m (real 5.170 m, error +2.765 m, calibrated +2.886 m)
WHY IT WAS PICKED: calibrated range is +2.89 m from the real distance; poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.4 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.70); the messages disagree on the first path: rising edge is poll 0.3, response 0.1, final 8.9 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 43 status ok range 7.757 m (real 5.170 m, error +2.587 m, calibrated +2.708 m)
WHY IT WAS PICKED: calibrated range is +2.71 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); response: energy 5 x noise just before the reported first path (an earlier arrival?); response: first path is 10.0 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); the messages disagree on the first path: rising edge is poll 0.2, response 0.5, final 10.6 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 191 status ok range 7.020 m (real 5.170 m, error +1.850 m, calibrated +1.972 m)
WHY IT WAS PICKED: calibrated range is +1.97 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); final: peak is 9.2 samples after the first path (usually 15.5 in this trial); final: first path is 10.5 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 0.2, response 10.7, final 0.1 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 8 status ok range 7.792 m (real 5.170 m, error +2.622 m, calibrated +2.743 m)
WHY IT WAS PICKED: calibrated range is +2.74 m from the real distance; response: first path is 9.7 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); final: first path is 10.8 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72); the messages disagree on the first path: rising edge is poll 10.4, response 0.8, final -0.2 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 45 status ok range 7.806 m (real 5.170 m, error +2.636 m, calibrated +2.757 m)
WHY IT WAS PICKED: calibrated range is +2.76 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); response: first path is 10.1 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); the messages disagree on the first path: rising edge is poll 0.2, response 0.4, final 10.4 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 85 status ok range 6.962 m (real 5.170 m, error +1.792 m, calibrated +1.913 m)
WHY IT WAS PICKED: calibrated range is +1.91 m from the real distance; poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 0.4, response 11.2, final 0.5 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 161 status ok range 7.786 m (real 5.170 m, error +2.616 m, calibrated +2.737 m)
WHY IT WAS PICKED: calibrated range is +2.74 m from the real distance; response: first path is 10.3 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.72); final: first path is 10.5 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.73); the messages disagree on the first path: rising edge is poll 10.8, response 0.2, final 0.1 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 184 status ok range 7.820 m (real 5.170 m, error +2.650 m, calibrated +2.771 m)
WHY IT WAS PICKED: calibrated range is +2.77 m from the real distance; poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); the messages disagree on the first path: rising edge is poll 0.4, response 0.3, final 10.1 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 231 status ok range 7.768 m (real 5.170 m, error +2.598 m, calibrated +2.720 m)
WHY IT WAS PICKED: calibrated range is +2.72 m from the real distance; response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72); the messages disagree on the first path: rising edge is poll 11.0, response 0.3, final 0.4 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 260 status ok range 7.799 m (real 5.170 m, error +2.629 m, calibrated +2.750 m)
WHY IT WAS PICKED: calibrated range is +2.75 m from the real distance; poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); response: first path is 10.2 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.70); the messages disagree on the first path: rising edge is poll 0.2, response 0.3, final 10.8 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 282 status ok range 7.845 m (real 5.170 m, error +2.675 m, calibrated +2.796 m)
WHY IT WAS PICKED: calibrated range is +2.80 m from the real distance; response: first path is 10.5 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.71); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 10.7, response 0.0, final 0.3 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 294 status ok range 7.739 m (real 5.170 m, error +2.569 m, calibrated +2.690 m)
WHY IT WAS PICKED: calibrated range is +2.69 m from the real distance; response: first path is 10.1 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.72); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.69); the messages disagree on the first path: rising edge is poll 11.1, response 0.4, final 0.1 samples after it




S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 193 status ok range 6.652 m (real 5.170 m, error +1.482 m, calibrated +1.603 m)
WHY IT WAS PICKED: calibrated range is +1.60 m from the real distance; response: first path is 2.7 samples later than usual on the rising edge; final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 10.7, response 7.8, final 0.3 samples after it



S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 279 status ok range 7.114 m (real 5.170 m, error +1.944 m, calibrated +2.065 m)
WHY IT WAS PICKED: calibrated range is +2.07 m from the real distance; response: first path is 10.4 samples later than usual on the rising edge; response: CIR shape unlike the rest of the trial (similarity 0.73); final: first path is 2.6 samples later than usual on the rising edge; the messages disagree on the first path: rising edge is poll 11.8, response 0.1, final 7.9 samples after it



S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 77 status ok range 6.375 m (real 5.170 m, error +1.205 m, calibrated +1.327 m)
WHY IT WAS PICKED: calibrated range is +1.33 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: peak is 8.9 samples after the first path (usually 15.5 in this trial); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); response: peak is 19.4 samples after the first path (usually 15.4 in this trial); the messages disagree on the first path: rising edge is poll 0.3, response 10.5, final 8.7 samples after it



S006_Hallway_12x12_p1_004_merged.json | trial C353093A | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 76 status ok range 6.334 m (real 5.170 m, error +1.164 m, calibrated +1.286 m)
WHY IT WAS PICKED: calibrated range is +1.29 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: peak is 8.9 samples after the first path (usually 15.5 in this trial); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); final: peak is 18.9 samples after the first path (usually 15.5 in this trial); the messages disagree on the first path: rising edge is poll 0.4, response 10.7, final 10.1 samples after it

