S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1

Exchanges where a direct-path miss is most likely: 1441 of 1500 in this trial, the 40 highest shown. Most suspicious first.


page	exchange	score	range	why
3	563	19.8	8.619 m	range +3.00 m from the trial's median: a later path taken as the first?; calibrated range is +3.57 m from the real distance; poll: energy 5 x noise just before the reported fi...
4	746	19.8	8.626 m	range +3.01 m from the trial's median: a later path taken as the first?; calibrated range is +3.58 m from the real distance; poll: energy 5 x noise just before the reported fi...
5	214	19.8	8.561 m	range +2.94 m from the trial's median: a later path taken as the first?; calibrated range is +3.51 m from the real distance; poll: energy 5 x noise just before the reported fi...
6	410	18.9	7.383 m	range +1.76 m from the trial's median: a later path taken as the first?; calibrated range is +2.33 m from the real distance; poll: energy 5 x noise just before the reported fi...
7	1107	18.9	7.206 m	range +1.59 m from the trial's median: a later path taken as the first?; calibrated range is +2.16 m from the real distance; poll: energy 5 x noise just before the reported fi...
8	387	18.8	8.592 m	range +2.97 m from the trial's median: a later path taken as the first?; calibrated range is +3.54 m from the real distance; poll: energy 6 x noise just before the reported fi...
9	915	18.8	7.127 m	range +1.51 m from the trial's median: a later path taken as the first?; calibrated range is +2.08 m from the real distance; poll: energy 6 x noise just before the reported fi...
10	1039	18.8	7.128 m	range +1.51 m from the trial's median: a later path taken as the first?; calibrated range is +2.08 m from the real distance; poll: energy 5 x noise just before the reported fi...
11	1178	18.8	7.128 m	range +1.51 m from the trial's median: a later path taken as the first?; calibrated range is +2.08 m from the real distance; poll: energy 5 x noise just before the reported fi...
12	1198	18.7	7.033 m	range +1.42 m from the trial's median: a later path taken as the first?; calibrated range is +1.98 m from the real distance; poll: energy 6 x noise just before the reported fi...
13	1054	18.7	8.569 m	range +2.95 m from the trial's median: a later path taken as the first?; calibrated range is +3.52 m from the real distance; poll: first path is 10.3 samples later than usual ...
14	1281	18.7	7.141 m	range +1.52 m from the trial's median: a later path taken as the first?; calibrated range is +2.09 m from the real distance; poll: energy 5 x noise just before the reported fi...
15	19	18.7	7.027 m	range +1.41 m from the trial's median: a later path taken as the first?; calibrated range is +1.98 m from the real distance; poll: energy 5 x noise just before the reported fi...
16	1042	18.7	7.102 m	range +1.48 m from the trial's median: a later path taken as the first?; calibrated range is +2.05 m from the real distance; poll: energy 5 x noise just before the reported fi...
17	507	18.7	8.573 m	range +2.95 m from the trial's median: a later path taken as the first?; calibrated range is +3.52 m from the real distance; poll: energy 5 x noise just before the reported fi...
18	787	18.7	7.059 m	range +1.44 m from the trial's median: a later path taken as the first?; calibrated range is +2.01 m from the real distance; poll: energy 5 x noise just before the reported fi...
19	1095	18.6	7.043 m	range +1.42 m from the trial's median: a later path taken as the first?; calibrated range is +1.99 m from the real distance; poll: energy 5 x noise just before the reported fi...
20	160	18.6	7.038 m	range +1.42 m from the trial's median: a later path taken as the first?; calibrated range is +1.99 m from the real distance; poll: energy 5 x noise just before the reported fi...
21	2	18.6	7.072 m	range +1.45 m from the trial's median: a later path taken as the first?; calibrated range is +2.02 m from the real distance; poll: peak is 9.6 samples after the first path (us...
22	1	18.5	8.377 m	range +2.76 m from the trial's median: a later path taken as the first?; calibrated range is +3.33 m from the real distance; poll: peak is 9.8 samples after the first path (us...
23	633	17.7	7.289 m	range +1.67 m from the trial's median: a later path taken as the first?; calibrated range is +2.24 m from the real distance; poll: first path is 10.4 samples later than usual ...
24	178	17.7	7.075 m	range +1.46 m from the trial's median: a later path taken as the first?; calibrated range is +2.03 m from the real distance; poll: first path is 10.4 samples later than usual ...
25	262	17.6	6.996 m	range +1.38 m from the trial's median: a later path taken as the first?; calibrated range is +1.95 m from the real distance; poll: energy 6 x noise just before the reported fi...
26	1202	17.6	7.054 m	range +1.44 m from the trial's median: a later path taken as the first?; calibrated range is +2.01 m from the real distance; poll: energy 5 x noise just before the reported fi...
27	657	17.6	6.984 m	range +1.37 m from the trial's median: a later path taken as the first?; calibrated range is +1.94 m from the real distance; poll: energy 5 x noise just before the reported fi...
28	986	17.6	7.009 m	range +1.39 m from the trial's median: a later path taken as the first?; calibrated range is +1.96 m from the real distance; poll: energy 5 x noise just before the reported fi...
29	1419	17.6	7.006 m	range +1.39 m from the trial's median: a later path taken as the first?; calibrated range is +1.96 m from the real distance; poll: first path is 10.3 samples later than usual ...
30	1442	17.6	7.013 m	range +1.40 m from the trial's median: a later path taken as the first?; calibrated range is +1.96 m from the real distance; poll: energy 5 x noise just before the reported fi...
31	770	17.6	7.018 m	range +1.40 m from the trial's median: a later path taken as the first?; calibrated range is +1.97 m from the real distance; poll: first path is 10.4 samples later than usual ...
32	1226	17.5	6.975 m	range +1.36 m from the trial's median: a later path taken as the first?; calibrated range is +1.93 m from the real distance; poll: energy 5 x noise just before the reported fi...

S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1


Exchanges where a direct-path miss is most likely: 1441 of 1500 in this trial, the 40 highest shown. Most suspicious first.

page	exchange	score	range	why
33	729	17.5	6.982 m	range +1.36 m from the trial's median: a later path taken as the first?; calibrated range is +1.93 m from the real distance; poll: energy 5 x noise just before the reported fi...
34	545	17.5	6.971 m	range +1.35 m from the trial's median: a later path taken as the first?; calibrated range is +1.92 m from the real distance; poll: energy 5 x noise just before the reported fi...
35	716	17.4	7.900 m	range +2.28 m from the trial's median: a later path taken as the first?; calibrated range is +2.85 m from the real distance; final: energy 6 x noise just before the reported f...
36	977	17.3	7.733 m	range +2.12 m from the trial's median: a later path taken as the first?; calibrated range is +2.68 m from the real distance; final: energy 6 x noise just before the reported f...
37	1144	17.3	6.952 m	calibrated range is +1.90 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later th...
38	524	17.3	7.827 m	range +2.21 m from the trial's median: a later path taken as the first?; calibrated range is +2.78 m from the real distance; poll: energy 6 x noise just before the reported fi...
39	727	17.3	7.853 m	range +2.23 m from the trial's median: a later path taken as the first?; calibrated range is +2.80 m from the real distance; final: energy 6 x noise just before the reported f...
40	895	17.3	7.747 m	range +2.13 m from the trial's median: a later path taken as the first?; calibrated range is +2.70 m from the real distance; final: energy 6 x noise just before the reported f...
41	695	17.3	7.780 m	range +2.16 m from the trial's median: a later path taken as the first?; calibrated range is +2.73 m from the real distance; final: energy 6 x noise just before the reported f...
42	352	17.3	7.812 m	range +2.19 m from the trial's median: a later path taken as the first?; calibrated range is +2.76 m from the real distance; poll: energy 6 x noise just before the reported fi...


S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 563 status ok range 8.619 m (real 5.170 m, error +3.449 m, calibrated +3.570 m)
WHY IT WAS PICKED: range +3.00 m from the trial's median: a later path taken as the first?; calibrated range is +3.57 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 746 status ok range 8.626 m (real 5.170 m, error +3.456 m, calibrated +3.577 m)
WHY IT WAS PICKED: range +3.01 m from the trial's median: a later path taken as the first?; calibrated range is +3.58 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 214 status ok range 8.561 m (real 5.170 m, error +3.391 m, calibrated +3.512 m)
WHY IT WAS PICKED: range +2.94 m from the trial's median: a later path taken as the first?; calibrated range is +3.51 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 410 status ok range 7.383 m (real 5.170 m, error +2.213 m, calibrated +2.334 m)
WHY IT WAS PICKED: range +1.76 m from the trial's median: a later path taken as the first?; calibrated range is +2.33 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1107 status ok range 7.206 m (real 5.170 m, error +2.036 m, calibrated +2.157 m)
WHY IT WAS PICKED: range +1.59 m from the trial's median: a later path taken as the first?; calibrated range is +2.16 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 387 status ok range 8.592 m (real 5.170 m, error +3.422 m, calibrated +3.543 m)
WHY IT WAS PICKED: range +2.97 m from the trial's median: a later path taken as the first?; calibrated range is +3.54 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.70)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 915 status ok range 7.127 m (real 5.170 m, error +1.957 m, calibrated +2.078 m)
WHY IT WAS PICKED: range +1.51 m from the trial's median: a later path taken as the first?; calibrated range is +2.08 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1039 status ok range 7.128 m (real 5.170 m, error +1.958 m, calibrated +2.079 m)
WHY IT WAS PICKED: range +1.51 m from the trial's median: a later path taken as the first?; calibrated range is +2.08 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.74); final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1178 status ok range 7.128 m (real 5.170 m, error +1.958 m, calibrated +2.079 m)
WHY IT WAS PICKED: range +1.51 m from the trial's median: a later path taken as the first?; calibrated range is +2.08 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.5 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1198 status ok range 7.033 m (real 5.170 m, error +1.863 m, calibrated +1.984 m)
WHY IT WAS PICKED: range +1.42 m from the trial's median: a later path taken as the first?; calibrated range is +1.98 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1054 status ok range 8.569 m (real 5.170 m, error +3.399 m, calibrated +3.521 m)
WHY IT WAS PICKED: range +2.95 m from the trial's median: a later path taken as the first?; calibrated range is +3.52 m from the real distance; poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1281 status ok range 7.141 m (real 5.170 m, error +1.971 m, calibrated +2.092 m)
WHY IT WAS PICKED: range +1.52 m from the trial's median: a later path taken as the first?; calibrated range is +2.09 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.6 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 19 status ok range 7.027 m (real 5.170 m, error +1.857 m, calibrated +1.979 m)
WHY IT WAS PICKED: range +1.41 m from the trial's median: a later path taken as the first?; calibrated range is +1.98 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.5 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1042 status ok range 7.102 m (real 5.170 m, error +1.932 m, calibrated +2.054 m)
WHY IT WAS PICKED: range +1.48 m from the trial's median: a later path taken as the first?; calibrated range is +2.05 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 507 status ok range 8.573 m (real 5.170 m, error +3.403 m, calibrated +3.524 m)
WHY IT WAS PICKED: range +2.95 m from the trial's median: a later path taken as the first?; calibrated range is +3.52 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 787 status ok range 7.059 m (real 5.170 m, error +1.889 m, calibrated +2.010 m)
WHY IT WAS PICKED: range +1.44 m from the trial's median: a later path taken as the first?; calibrated range is +2.01 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.6 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1095 status ok range 7.043 m (real 5.170 m, error +1.873 m, calibrated +1.994 m)
WHY IT WAS PICKED: range +1.42 m from the trial's median: a later path taken as the first?; calibrated range is +1.99 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 160 status ok range 7.038 m (real 5.170 m, error +1.868 m, calibrated +1.989 m)
WHY IT WAS PICKED: range +1.42 m from the trial's median: a later path taken as the first?; calibrated range is +1.99 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 2 status ok range 7.072 m (real 5.170 m, error +1.902 m, calibrated +2.023 m)
WHY IT WAS PICKED: range +1.45 m from the trial's median: a later path taken as the first?; calibrated range is +2.02 m from the real distance; poll: peak is 9.6 samples after the first path (usually 15.5 in this trial); poll: first path is 10.5 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); final: peak is 9.2 samples after the first path (usually 15.4 in this trial); final: first path is 9.7 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1 status ok range 8.377 m (real 5.170 m, error +3.207 m, calibrated +3.328 m)
WHY IT WAS PICKED: range +2.76 m from the trial's median: a later path taken as the first?; calibrated range is +3.33 m from the real distance; poll: peak is 9.8 samples after the first path (usually 15.5 in this trial); poll: first path is 10.1 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.79); final: first path is 10.6 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 633 status ok range 7.289 m (real 5.170 m, error +2.119 m, calibrated +2.240 m)
WHY IT WAS PICKED: range +1.67 m from the trial's median: a later path taken as the first?; calibrated range is +2.24 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.74); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 178 status ok range 7.075 m (real 5.170 m, error +1.905 m, calibrated +2.027 m)
WHY IT WAS PICKED: range +1.46 m from the trial's median: a later path taken as the first?; calibrated range is +2.03 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.73)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 262 status ok range 6.996 m (real 5.170 m, error +1.826 m, calibrated +1.947 m)
WHY IT WAS PICKED: range +1.38 m from the trial's median: a later path taken as the first?; calibrated range is +1.95 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1202 status ok range 7.054 m (real 5.170 m, error +1.884 m, calibrated +2.006 m)
WHY IT WAS PICKED: range +1.44 m from the trial's median: a later path taken as the first?; calibrated range is +2.01 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 657 status ok range 6.984 m (real 5.170 m, error +1.814 m, calibrated +1.935 m)
WHY IT WAS PICKED: range +1.37 m from the trial's median: a later path taken as the first?; calibrated range is +1.94 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.1 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: first path is 10.0 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 986 status ok range 7.009 m (real 5.170 m, error +1.839 m, calibrated +1.960 m)
WHY IT WAS PICKED: range +1.39 m from the trial's median: a later path taken as the first?; calibrated range is +1.96 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1419 status ok range 7.006 m (real 5.170 m, error +1.836 m, calibrated +1.957 m)
WHY IT WAS PICKED: range +1.39 m from the trial's median: a later path taken as the first?; calibrated range is +1.96 m from the real distance; poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.73)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1442 status ok range 7.013 m (real 5.170 m, error +1.843 m, calibrated +1.965 m)
WHY IT WAS PICKED: range +1.40 m from the trial's median: a later path taken as the first?; calibrated range is +1.96 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 770 status ok range 7.018 m (real 5.170 m, error +1.848 m, calibrated +1.969 m)
WHY IT WAS PICKED: range +1.40 m from the trial's median: a later path taken as the first?; calibrated range is +1.97 m from the real distance; poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); final: energy 5 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.73)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1226 status ok range 6.975 m (real 5.170 m, error +1.805 m, calibrated +1.926 m)
WHY IT WAS PICKED: range +1.36 m from the trial's median: a later path taken as the first?; calibrated range is +1.93 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.72); final: first path is 9.9 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 729 status ok range 6.982 m (real 5.170 m, error +1.812 m, calibrated +1.933 m)
WHY IT WAS PICKED: range +1.36 m from the trial's median: a later path taken as the first?; calibrated range is +1.93 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.73); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.72)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 545 status ok range 6.971 m (real 5.170 m, error +1.801 m, calibrated +1.922 m)
WHY IT WAS PICKED: range +1.35 m from the trial's median: a later path taken as the first?; calibrated range is +1.92 m from the real distance; poll: energy 5 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.2 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.68); final: first path is 10.3 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 716 status ok range 7.900 m (real 5.170 m, error +2.730 m, calibrated +2.851 m)
WHY IT WAS PICKED: range +2.28 m from the trial's median: a later path taken as the first?; calibrated range is +2.85 m from the real distance; final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.1 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74); the messages disagree on the first path: rising edge is poll 9.1, final 0.4 samples after it




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 977 status ok range 7.733 m (real 5.170 m, error +2.563 m, calibrated +2.684 m)
WHY IT WAS PICKED: range +2.12 m from the trial's median: a later path taken as the first?; calibrated range is +2.68 m from the real distance; final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 11.3, final 0.3 samples after it




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 1144 status ok range 6.952 m (real 5.170 m, error +1.782 m, calibrated +1.904 m)
WHY IT WAS PICKED: calibrated range is +1.90 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.70); final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.70)




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 524 status ok range 7.827 m (real 5.170 m, error +2.657 m, calibrated +2.778 m)
WHY IT WAS PICKED: range +2.21 m from the trial's median: a later path taken as the first?; calibrated range is +2.78 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.3 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.71); the messages disagree on the first path: rising edge is poll 0.3, final 10.5 samples after it




S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 727 status ok range 7.853 m (real 5.170 m, error +2.683 m, calibrated +2.804 m)
WHY IT WAS PICKED: range +2.23 m from the trial's median: a later path taken as the first?; calibrated range is +2.80 m from the real distance; final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.75); the messages disagree on the first path: rising edge is poll 10.5, final 0.1 samples after it



S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 895 status ok range 7.747 m (real 5.170 m, error +2.577 m, calibrated +2.699 m)
WHY IT WAS PICKED: range +2.13 m from the trial's median: a later path taken as the first?; calibrated range is +2.70 m from the real distance; final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.4 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74); the messages disagree on the first path: rising edge is poll 11.2, final 0.1 samples after it



S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 695 status ok range 7.780 m (real 5.170 m, error +2.610 m, calibrated +2.731 m)
WHY IT WAS PICKED: range +2.16 m from the trial's median: a later path taken as the first?; calibrated range is +2.73 m from the real distance; final: energy 6 x noise just before the reported first path (an earlier arrival?); final: first path is 10.2 samples later than usual on the rising edge; final: CIR shape unlike the rest of the trial (similarity 0.74); the messages disagree on the first path: rising edge is poll 10.7, final 0.3 samples after it



S006_Hallway_12x12_p1_005_responder.json | trial F4536FC7 | setup S006 'Hallway, 12x12' (ECSN, Hallway, 5.17 m, NLOS) | placement 1
exchange 352 status ok range 7.812 m (real 5.170 m, error +2.642 m, calibrated +2.763 m)
WHY IT WAS PICKED: range +2.19 m from the trial's median: a later path taken as the first?; calibrated range is +2.76 m from the real distance; poll: energy 6 x noise just before the reported first path (an earlier arrival?); poll: first path is 10.4 samples later than usual on the rising edge; poll: CIR shape unlike the rest of the trial (similarity 0.69); the messages disagree on the first path: rising edge is poll 0.1, final 10.6 samples after it

