
S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 2 status ok range 0.815 m (real 1.000 m, error -0.185 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 739.56
peak 741
chip first path 737.45
peak 739
chip first path 744.17
peak 746
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.9 dBm, total -64.8 dBm
around the first path first path -69.7 dBm, total -68.5 dBm
around the first path first path -66.1 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 3 status ok range 0.867 m (real 1.000 m, error -0.133 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 4 status ok range 0.852 m (real 1.000 m, error -0.148 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 5 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 6 status ok range 0.820 m (real 1.000 m, error -0.180 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 7 status ok range 0.828 m (real 1.000 m, error -0.172 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.31
peak 742
chip first path 737.25
peak 739
chip first path 744.09
peak 746
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.9 dBm, total -65.5 dBm
around the first path first path -69.8 dBm, total -68.6 dBm
around the first path first path -66.3 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 8 status ok range 0.823 m (real 1.000 m, error -0.177 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 9 status ok range 0.888 m (real 1.000 m, error -0.112 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 10 status ok range 0.860 m (real 1.000 m, error -0.140 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 11 status ok range 0.822 m (real 1.000 m, error -0.178 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 12 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 13 status ok range 0.867 m (real 1.000 m, error -0.133 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 14 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 15 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 16 status ok range 0.837 m (real 1.000 m, error -0.163 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 17 status ok range 0.866 m (real 1.000 m, error -0.134 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 739.20
peak 741
chip first path 739.14
peak 741
chip first path 742.05
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.2 dBm, total -64.8 dBm
around the first path first path -66.8 dBm, total -65.7 dBm
around the first path first path -66.6 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample


S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 18 status ok range 0.840 m (real 1.000 m, error -0.160 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 738.22
peak 740
chip first path 739.97
peak 742
chip first path 741.03
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.6 dBm, total -65.2 dBm
around the first path first path -70.0 dBm, total -68.4 dBm
around the first path first path -67.3 dBm, total -65.4 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 19 status ok range 0.881 m (real 1.000 m, error -0.119 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 20 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 21 status ok range 0.829 m (real 1.000 m, error -0.171 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 22 status ok range 0.885 m (real 1.000 m, error -0.115 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 23 status ok range 0.884 m (real 1.000 m, error -0.116 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 24 status ok range 0.835 m (real 1.000 m, error -0.165 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 25 status ok range 0.867 m (real 1.000 m, error -0.133 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 26 status ok range 0.882 m (real 1.000 m, error -0.118 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 27 status ok range 0.875 m (real 1.000 m, error -0.125 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 741.59
peak 743
chip first path 737.22
peak 739
chip first path 743.70
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.0 dBm, total -64.9 dBm
around the first path first path -66.9 dBm, total -65.7 dBm
around the first path first path -66.0 dBm, total -64.7 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 28 status ok range 0.879 m (real 1.000 m, error -0.121 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 29 status ok range 0.855 m (real 1.000 m, error -0.145 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 30 status ok range 0.885 m (real 1.000 m, error -0.115 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 31 status ok range 0.862 m (real 1.000 m, error -0.138 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 32 status ok range 0.888 m (real 1.000 m, error -0.112 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 33 status ok range 0.837 m (real 1.000 m, error -0.163 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 34 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 35 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 36 status ok range 0.878 m (real 1.000 m, error -0.122 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 37 status ok range 0.870 m (real 1.000 m, error -0.130 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 38 status ok range 0.862 m (real 1.000 m, error -0.138 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 739.55
peak 741
chip first path 739.45
peak 741
chip first path 741.17
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.2 dBm, total -64.9 dBm
around the first path first path -66.9 dBm, total -65.7 dBm
around the first path first path -66.3 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 39 status ok range 0.895 m (real 1.000 m, error -0.105 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 40 status ok range 0.865 m (real 1.000 m, error -0.135 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 741.00
peak 742
chip first path 738.19
peak 740
chip first path 742.33
peak 744
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.7 dBm, total -64.8 dBm
around the first path first path -66.8 dBm, total -65.5 dBm
around the first path first path -66.1 dBm, total -64.7 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 41 status ok range 0.856 m (real 1.000 m, error -0.144 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 42 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 43 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 44 status ok range 0.876 m (real 1.000 m, error -0.124 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 45 status ok range 0.885 m (real 1.000 m, error -0.115 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 46 status ok range 0.827 m (real 1.000 m, error -0.173 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 47 status ok range 0.857 m (real 1.000 m, error -0.143 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 48 status ok range 0.850 m (real 1.000 m, error -0.150 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 49 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 50 status ok range 0.868 m (real 1.000 m, error -0.132 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 51 status ok range 0.850 m (real 1.000 m, error -0.150 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 52 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 53 status ok range 0.878 m (real 1.000 m, error -0.122 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 54 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 55 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 56 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 57 status ok range 0.889 m (real 1.000 m, error -0.111 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 58 status ok range 0.832 m (real 1.000 m, error -0.168 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 59 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 60 status ok range 0.830 m (real 1.000 m, error -0.170 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 61 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 62 status ok range 0.883 m (real 1.000 m, error -0.117 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 63 status ok range 0.841 m (real 1.000 m, error -0.159 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 64 status ok range 0.878 m (real 1.000 m, error -0.122 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 65 status ok range 0.871 m (real 1.000 m, error -0.129 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 738.06
peak 740
chip first path 741.59
peak 743
chip first path 738.62
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.5 dBm, total -65.3 dBm
around the first path first path -67.4 dBm, total -66.0 dBm
around the first path first path -66.2 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 66 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 67 status ok range 0.885 m (real 1.000 m, error -0.115 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 68 status ok range 0.871 m (real 1.000 m, error -0.129 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 69 status ok range 0.885 m (real 1.000 m, error -0.115 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 737.08
peak 738
chip first path 742.75
peak 744
chip first path 737.50
peak 739
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.7 dBm, total -64.7 dBm
around the first path first path -66.7 dBm, total -65.4 dBm
around the first path first path -66.2 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 70 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 71 status ok range 0.845 m (real 1.000 m, error -0.155 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 72 status ok range 0.884 m (real 1.000 m, error -0.116 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 73 status ok range 0.872 m (real 1.000 m, error -0.128 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 739.03
peak 740
chip first path 740.80
peak 742
chip first path 739.30
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.2 dBm, total -65.3 dBm
around the first path first path -66.7 dBm, total -65.7 dBm
around the first path first path -66.1 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 74 status ok range 0.894 m (real 1.000 m, error -0.106 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 75 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 76 status ok range 0.852 m (real 1.000 m, error -0.148 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 77 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 78 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 79 status ok range 0.863 m (real 1.000 m, error -0.137 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 80 status ok range 0.891 m (real 1.000 m, error -0.109 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 81 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 82 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 83 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 84 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 85 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 86 status ok range 0.850 m (real 1.000 m, error -0.150 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 87 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 88 status ok range 0.810 m (real 1.000 m, error -0.190 m)
FLAGGED: range 0.810 m is -0.056 m from the trial median













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 89 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 90 status ok range 0.840 m (real 1.000 m, error -0.160 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 91 status ok range 0.845 m (real 1.000 m, error -0.155 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 92 status ok range 0.836 m (real 1.000 m, error -0.164 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 93 status ok range 0.835 m (real 1.000 m, error -0.165 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 94 status ok range 0.891 m (real 1.000 m, error -0.109 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 95 status ok range 0.867 m (real 1.000 m, error -0.133 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 96 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 97 status ok range 0.870 m (real 1.000 m, error -0.130 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 98 status ok range 0.858 m (real 1.000 m, error -0.142 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 99 status ok range 0.843 m (real 1.000 m, error -0.157 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 100 status ok range 0.828 m (real 1.000 m, error -0.172 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 101 status ok range 0.843 m (real 1.000 m, error -0.157 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 102 status ok range 0.878 m (real 1.000 m, error -0.122 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 103 status ok range 0.857 m (real 1.000 m, error -0.143 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 104 status ok range 0.883 m (real 1.000 m, error -0.117 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 105 status ok range 0.855 m (real 1.000 m, error -0.145 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 106 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 107 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 108 status ok range 0.891 m (real 1.000 m, error -0.109 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 109 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 110 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 111 status ok range 0.863 m (real 1.000 m, error -0.137 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 112 status ok range 0.829 m (real 1.000 m, error -0.171 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 113 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 114 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 115 status ok range 0.866 m (real 1.000 m, error -0.134 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 116 status ok range 0.867 m (real 1.000 m, error -0.133 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 742.70
peak 744
chip first path 737.59
peak 739
chip first path 742.08
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.7 dBm, total -64.2 dBm
around the first path first path -66.9 dBm, total -65.8 dBm
around the first path first path -66.6 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 117 status ok range 0.850 m (real 1.000 m, error -0.150 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 118 status ok range 0.853 m (real 1.000 m, error -0.147 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 119 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 120 status ok range 0.884 m (real 1.000 m, error -0.116 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 121 status ok range 0.850 m (real 1.000 m, error -0.150 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 122 status ok range 0.841 m (real 1.000 m, error -0.159 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 123 status ok range 0.864 m (real 1.000 m, error -0.136 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 741.00
peak 742
chip first path 739.45
peak 741
chip first path 740.06
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.0 dBm, total -64.9 dBm
around the first path first path -67.1 dBm, total -65.8 dBm
around the first path first path -67.6 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample


S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 124 status ok range 0.841 m (real 1.000 m, error -0.159 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 739.89
peak 741
chip first path 740.34
peak 742
chip first path 739.06
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.6 dBm, total -63.8 dBm
around the first path first path -70.5 dBm, total -68.7 dBm
around the first path first path -67.0 dBm, total -65.1 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 125 status ok range 0.845 m (real 1.000 m, error -0.155 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 126 status ok range 0.824 m (real 1.000 m, error -0.176 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 127 status ok range 0.848 m (real 1.000 m, error -0.152 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 128 status ok range 0.887 m (real 1.000 m, error -0.113 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 742.62
peak 744
chip first path 737.94
peak 739
chip first path 741.77
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.8 dBm, total -64.5 dBm
around the first path first path -67.4 dBm, total -66.0 dBm
around the first path first path -66.8 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 129 status ok range 0.869 m (real 1.000 m, error -0.131 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 130 status ok range 0.851 m (real 1.000 m, error -0.149 m)
poll (received by the responder)
chip first path 739.16
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 741.22
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 738.20
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.2 dBm, total -65.2 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.2 dBm, total -65.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.4 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 131 status ok range 0.847 m (real 1.000 m, error -0.153 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 132 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 133 status ok range 0.876 m (real 1.000 m, error -0.124 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 134 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 135 status ok range 0.851 m (real 1.000 m, error -0.149 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 136 status ok range 0.854 m (real 1.000 m, error -0.146 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 137 status ok range 0.856 m (real 1.000 m, error -0.144 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 138 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 139 status ok range 0.824 m (real 1.000 m, error -0.176 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 140 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 141 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 142 status ok range 0.879 m (real 1.000 m, error -0.121 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 143 status ok range 0.887 m (real 1.000 m, error -0.113 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 144 status ok range 0.900 m (real 1.000 m, error -0.100 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 145 status ok range 0.868 m (real 1.000 m, error -0.132 m)
poll (received by the responder)
chip first path 740.69
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 740.02
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 739.34
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.0 dBm, total -64.7 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -68.2 dBm, total -66.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.1 dBm, total -65.4 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 146 status ok range 0.860 m (real 1.000 m, error -0.140 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 147 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 148 status ok range 0.836 m (real 1.000 m, error -0.164 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 149 status ok range 0.852 m (real 1.000 m, error -0.148 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 150 status ok range 0.841 m (real 1.000 m, error -0.159 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 151 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 152 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 153 status ok range 0.875 m (real 1.000 m, error -0.125 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 154 status ok range 0.842 m (real 1.000 m, error -0.158 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 155 status ok range 0.881 m (real 1.000 m, error -0.119 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 156 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 157 status ok range 0.857 m (real 1.000 m, error -0.143 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 158 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 159 status ok range 0.872 m (real 1.000 m, error -0.128 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 160 status ok range 0.860 m (real 1.000 m, error -0.140 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.42
peak 742
chip first path 740.28
peak 742
chip first path 738.98
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.5 dBm, total -65.2 dBm
around the first path first path -67.2 dBm, total -65.8 dBm
around the first path first path -66.9 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 161 status ok range 0.863 m (real 1.000 m, error -0.137 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 162 status ok range 0.885 m (real 1.000 m, error -0.115 m)
poll (received by the responder)
chip first path 743.09
peak 744
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 737.89
peak 739
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 741.45
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.9 dBm, total -63.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.7 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.6 dBm, total -65.0 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 163 status ok range 0.870 m (real 1.000 m, error -0.130 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 164 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 165 status ok range 0.853 m (real 1.000 m, error -0.147 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 166 status ok range 0.843 m (real 1.000 m, error -0.157 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 167 status ok range 0.832 m (real 1.000 m, error -0.168 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 168 status ok range 0.832 m (real 1.000 m, error -0.168 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 169 status ok range 0.874 m (real 1.000 m, error -0.126 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 170 status ok range 0.867 m (real 1.000 m, error -0.133 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 171 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 172 status ok range 0.837 m (real 1.000 m, error -0.163 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 173 status ok range 0.862 m (real 1.000 m, error -0.138 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 174 status ok range 0.825 m (real 1.000 m, error -0.175 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 175 status ok range 0.860 m (real 1.000 m, error -0.140 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 176 status ok range 0.867 m (real 1.000 m, error -0.133 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 743.61
peak 745
chip first path 737.22
peak 739
chip first path 742.03
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.8 dBm, total -64.4 dBm
around the first path first path -67.8 dBm, total -66.2 dBm
around the first path first path -67.0 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 177 status ok range 0.879 m (real 1.000 m, error -0.121 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 178 status ok range 0.855 m (real 1.000 m, error -0.145 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 179 status ok range 0.882 m (real 1.000 m, error -0.118 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 180 status ok range 0.832 m (real 1.000 m, error -0.168 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 181 status ok range 0.870 m (real 1.000 m, error -0.130 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 182 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 183 status ok range 0.831 m (real 1.000 m, error -0.169 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 184 status ok range 0.870 m (real 1.000 m, error -0.130 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 185 status ok range 0.868 m (real 1.000 m, error -0.132 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 186 status ok range 0.879 m (real 1.000 m, error -0.121 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 741.00
peak 742
chip first path 740.14
peak 742
chip first path 739.02
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.9 dBm, total -64.9 dBm
around the first path first path -67.8 dBm, total -66.2 dBm
around the first path first path -67.2 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 187 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 188 status ok range 0.873 m (real 1.000 m, error -0.127 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 189 status ok range 0.883 m (real 1.000 m, error -0.117 m)
poll (received by the responder)
chip first path 740.02
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 741.12
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 738.08
peak 739
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.3 dBm, total -64.0 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.4 dBm, total -65.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.3 dBm, total -65.2 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 190 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 191 status ok range 0.877 m (real 1.000 m, error -0.123 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 192 status ok range 0.850 m (real 1.000 m, error -0.150 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 193 status ok range 0.858 m (real 1.000 m, error -0.142 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 194 status ok range 0.857 m (real 1.000 m, error -0.143 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 195 status ok range 0.841 m (real 1.000 m, error -0.159 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 196 status ok range 0.870 m (real 1.000 m, error -0.130 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 197 status ok range 0.851 m (real 1.000 m, error -0.149 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 198 status ok range 0.849 m (real 1.000 m, error -0.151 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 199 status ok range 0.891 m (real 1.000 m, error -0.109 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 200 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 201 status ok range 0.855 m (real 1.000 m, error -0.145 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 202 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 203 status ok range 0.876 m (real 1.000 m, error -0.124 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 204 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 205 status ok range 0.866 m (real 1.000 m, error -0.134 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 206 status ok range 0.874 m (real 1.000 m, error -0.126 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.48
peak 742
chip first path 740.75
peak 742
chip first path 738.27
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.1 dBm, total -65.5 dBm
around the first path first path -67.4 dBm, total -66.2 dBm
around the first path first path -66.5 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 207 status ok range 0.888 m (real 1.000 m, error -0.112 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 208 status ok range 0.854 m (real 1.000 m, error -0.146 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 209 status ok range 0.832 m (real 1.000 m, error -0.168 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 210 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 211 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 212 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 213 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 214 status ok range 0.863 m (real 1.000 m, error -0.137 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 215 status ok range 0.863 m (real 1.000 m, error -0.137 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 216 status ok range 0.867 m (real 1.000 m, error -0.133 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 217 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 218 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 219 status ok range 0.867 m (real 1.000 m, error -0.133 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 220 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 221 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 222 status ok range 0.879 m (real 1.000 m, error -0.121 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 223 status ok range 0.854 m (real 1.000 m, error -0.146 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 224 status ok range 0.862 m (real 1.000 m, error -0.138 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 225 status ok range 0.877 m (real 1.000 m, error -0.123 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 226 status ok range 0.889 m (real 1.000 m, error -0.111 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 227 status ok range 0.873 m (real 1.000 m, error -0.127 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 743.25
peak 745
chip first path 738.02
peak 739
chip first path 740.97
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.4 dBm, total -64.9 dBm
around the first path first path -67.3 dBm, total -65.5 dBm
around the first path first path -66.1 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 228 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 229 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 230 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 231 status ok range 0.884 m (real 1.000 m, error -0.116 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 232 status ok range 0.845 m (real 1.000 m, error -0.155 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 233 status ok range 0.847 m (real 1.000 m, error -0.153 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 234 status ok range 0.846 m (real 1.000 m, error -0.154 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 235 status ok range 0.823 m (real 1.000 m, error -0.177 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 236 status ok range 0.891 m (real 1.000 m, error -0.109 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 237 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 238 status ok range 0.876 m (real 1.000 m, error -0.124 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 239 status ok range 0.847 m (real 1.000 m, error -0.153 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 240 status ok range 0.840 m (real 1.000 m, error -0.160 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 241 status ok range 0.851 m (real 1.000 m, error -0.149 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 242 status ok range 0.852 m (real 1.000 m, error -0.148 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 243 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 244 status ok range 0.856 m (real 1.000 m, error -0.144 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 245 status ok range 0.869 m (real 1.000 m, error -0.131 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 246 status ok range 0.869 m (real 1.000 m, error -0.131 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 742.64
peak 744
chip first path 738.80
peak 740
chip first path 740.00
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.8 dBm, total -64.5 dBm
around the first path first path -67.7 dBm, total -66.2 dBm
around the first path first path -67.5 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 247 status ok range 0.858 m (real 1.000 m, error -0.142 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 248 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 249 status ok range 0.850 m (real 1.000 m, error -0.150 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 250 status ok range 0.858 m (real 1.000 m, error -0.142 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 251 status ok range 0.852 m (real 1.000 m, error -0.148 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 252 status ok range 0.848 m (real 1.000 m, error -0.152 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 253 status ok range 0.859 m (real 1.000 m, error -0.141 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 254 status ok range 0.895 m (real 1.000 m, error -0.105 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 743.73
peak 745
chip first path 737.97
peak 739
chip first path 740.94
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.9 dBm, total -64.6 dBm
around the first path first path -67.8 dBm, total -66.5 dBm
around the first path first path -66.2 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 255 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 256 status ok range 0.886 m (real 1.000 m, error -0.114 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 257 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 258 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 259 status ok range 0.838 m (real 1.000 m, error -0.162 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 260 status ok range 0.896 m (real 1.000 m, error -0.104 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 261 status ok range 0.853 m (real 1.000 m, error -0.147 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 262 status ok range 0.901 m (real 1.000 m, error -0.099 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 263 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 264 status ok range 0.834 m (real 1.000 m, error -0.166 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 265 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 266 status ok range 0.859 m (real 1.000 m, error -0.141 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 267 status ok range 0.825 m (real 1.000 m, error -0.175 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 268 status ok range 0.855 m (real 1.000 m, error -0.145 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 269 status ok range 0.899 m (real 1.000 m, error -0.101 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 270 status ok range 0.853 m (real 1.000 m, error -0.147 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 271 status ok range 0.893 m (real 1.000 m, error -0.107 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 272 status ok range 0.855 m (real 1.000 m, error -0.145 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 273 status ok range 0.815 m (real 1.000 m, error -0.185 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 274 status ok range 0.895 m (real 1.000 m, error -0.105 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 275 status ok range 0.839 m (real 1.000 m, error -0.161 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 276 status ok range 0.885 m (real 1.000 m, error -0.115 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 277 status ok range 0.875 m (real 1.000 m, error -0.125 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 743.08
peak 745
chip first path 738.64
peak 740
chip first path 740.02
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.6 dBm, total -65.5 dBm
around the first path first path -67.0 dBm, total -65.8 dBm
around the first path first path -65.9 dBm, total -63.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 278 status ok range 0.898 m (real 1.000 m, error -0.102 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 279 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 280 status ok range 0.833 m (real 1.000 m, error -0.167 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 281 status ok range 0.893 m (real 1.000 m, error -0.107 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 282 status ok range 0.830 m (real 1.000 m, error -0.170 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 283 status ok range 0.884 m (real 1.000 m, error -0.116 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 284 status ok range 0.833 m (real 1.000 m, error -0.167 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 285 status ok range 0.851 m (real 1.000 m, error -0.149 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 286 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 287 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 288 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 289 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 290 status ok range 0.875 m (real 1.000 m, error -0.125 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 291 status ok range 0.896 m (real 1.000 m, error -0.104 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 292 status ok range 0.854 m (real 1.000 m, error -0.146 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 293 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 294 status ok range 0.892 m (real 1.000 m, error -0.108 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 295 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 296 status ok range 0.886 m (real 1.000 m, error -0.114 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 297 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 298 status ok range 0.856 m (real 1.000 m, error -0.144 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 299 status ok range 0.883 m (real 1.000 m, error -0.117 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 300 status ok range 0.853 m (real 1.000 m, error -0.147 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 301 status ok range 0.851 m (real 1.000 m, error -0.149 m)
poll (received by the responder)
chip first path 743.69
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 738.08
peak 739
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 740.25
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.7 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.8 dBm, total -66.0 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.7 dBm, total -65.1 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 302 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 303 status ok range 0.895 m (real 1.000 m, error -0.105 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 304 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 305 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 306 status ok range 0.853 m (real 1.000 m, error -0.147 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 307 status ok range 0.877 m (real 1.000 m, error -0.123 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 737.14
peak 739
chip first path 736.80
peak 738
chip first path 741.70
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.1 dBm, total -65.4 dBm
around the first path first path -67.0 dBm, total -65.8 dBm
around the first path first path -66.3 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 308 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 309 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 310 status ok range 0.863 m (real 1.000 m, error -0.137 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 311 status ok range 0.856 m (real 1.000 m, error -0.144 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 312 status ok range 0.863 m (real 1.000 m, error -0.137 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 313 status ok range 0.880 m (real 1.000 m, error -0.120 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 742.06
peak 743
chip first path 740.06
peak 742
chip first path 738.33
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.0 dBm, total -65.2 dBm
around the first path first path -67.8 dBm, total -66.2 dBm
around the first path first path -66.4 dBm, total -65.1 dBm
I
Q
|I + jQ|
amplitude
accumulator sample


S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 314 status ok range 0.860 m (real 1.000 m, error -0.140 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 739.44
peak 741
chip first path 742.39
peak 744
chip first path 744.00
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.3 dBm, total -64.8 dBm
around the first path first path -67.7 dBm, total -66.3 dBm
around the first path first path -66.7 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 315 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 316 status ok range 0.876 m (real 1.000 m, error -0.124 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 317 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 318 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 319 status ok range 0.877 m (real 1.000 m, error -0.123 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 320 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 321 status ok range 0.848 m (real 1.000 m, error -0.152 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 322 status ok range 0.883 m (real 1.000 m, error -0.117 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 323 status ok range 0.830 m (real 1.000 m, error -0.170 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 324 status ok range 0.874 m (real 1.000 m, error -0.126 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 742.22
peak 744
chip first path 739.88
peak 741
chip first path 738.47
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.3 dBm, total -64.8 dBm
around the first path first path -67.1 dBm, total -66.0 dBm
around the first path first path -66.9 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 325 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 326 status ok range 0.875 m (real 1.000 m, error -0.125 m)




S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 327 status ok range 0.891 m (real 1.000 m, error -0.109 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.42
peak 742
chip first path 741.73
peak 743
chip first path 736.77
peak 738
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.0 dBm, total -64.8 dBm
around the first path first path -67.5 dBm, total -66.3 dBm
around the first path first path -66.1 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 328 status ok range 0.876 m (real 1.000 m, error -0.124 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 329 status ok range 0.862 m (real 1.000 m, error -0.138 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 330 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 331 status ok range 0.834 m (real 1.000 m, error -0.166 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 332 status ok range 0.855 m (real 1.000 m, error -0.145 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 333 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 334 status ok range 0.857 m (real 1.000 m, error -0.143 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 335 status ok range 0.884 m (real 1.000 m, error -0.116 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 336 status ok range 0.857 m (real 1.000 m, error -0.143 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 337 status ok range 0.878 m (real 1.000 m, error -0.122 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 744.05
peak 745
chip first path 738.19
peak 740
chip first path 740.09
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.6 dBm, total -63.6 dBm
around the first path first path -66.4 dBm, total -64.8 dBm
around the first path first path -67.0 dBm, total -65.1 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 338 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 339 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 340 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 341 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 342 status ok range 0.856 m (real 1.000 m, error -0.144 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 343 status ok range 0.863 m (real 1.000 m, error -0.137 m)
poll (received by the responder)
chip first path 743.34
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 738.70
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 755.55
peak 757
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.3 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.8 dBm, total -65.7 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.0 dBm, total -64.7 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 344 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 345 status ok range 0.869 m (real 1.000 m, error -0.131 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 346 status ok range 0.828 m (real 1.000 m, error -0.172 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 738.11
peak 739
chip first path 743.78
peak 746
chip first path 742.17
peak 744
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.5 dBm, total -64.8 dBm
around the first path first path -69.9 dBm, total -68.3 dBm
around the first path first path -66.3 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 347 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 348 status ok range 0.887 m (real 1.000 m, error -0.113 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 349 status ok range 0.839 m (real 1.000 m, error -0.161 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 350 status ok range 0.868 m (real 1.000 m, error -0.132 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 351 status ok range 0.878 m (real 1.000 m, error -0.122 m)
poll (received by the responder)
chip first path 737.81
peak 739
response (received by the initiator)
chip first path 736.44
peak 738
final (received by the responder)
chip first path 741.83
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.5 dBm, total -65.3 dBm
around the first path first path -66.9 dBm, total -65.8 dBm
around the first path first path -66.6 dBm, total -65.2 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 352 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 353 status ok range 0.886 m (real 1.000 m, error -0.114 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 354 status ok range 0.862 m (real 1.000 m, error -0.138 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 355 status ok range 0.871 m (real 1.000 m, error -0.129 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 356 status ok range 0.864 m (real 1.000 m, error -0.136 m)
poll (received by the responder)
chip first path 743.97
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 738.16
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 740.05
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.2 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.0 dBm, total -65.7 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.6 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 357 status ok range 0.846 m (real 1.000 m, error -0.154 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 358 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 359 status ok range 0.878 m (real 1.000 m, error -0.122 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 360 status ok range 0.859 m (real 1.000 m, error -0.141 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 361 status ok range 0.856 m (real 1.000 m, error -0.144 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 362 status ok range 0.832 m (real 1.000 m, error -0.168 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 363 status ok range 0.903 m (real 1.000 m, error -0.097 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 364 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 365 status ok range 0.853 m (real 1.000 m, error -0.147 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 366 status ok range 0.879 m (real 1.000 m, error -0.121 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 367 status ok range 0.882 m (real 1.000 m, error -0.118 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 368 status ok range 0.837 m (real 1.000 m, error -0.163 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 369 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 370 status ok range 0.870 m (real 1.000 m, error -0.130 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 371 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 372 status ok range 0.855 m (real 1.000 m, error -0.145 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 373 status ok range 0.882 m (real 1.000 m, error -0.118 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 741.09
peak 743
chip first path 741.16
peak 743
chip first path 737.16
peak 739
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.2 dBm, total -65.5 dBm
around the first path first path -67.7 dBm, total -66.3 dBm
around the first path first path -67.0 dBm, total -65.4 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 374 status ok range 0.887 m (real 1.000 m, error -0.113 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 375 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 376 status ok range 0.839 m (real 1.000 m, error -0.161 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 377 status ok range 0.849 m (real 1.000 m, error -0.151 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 378 status ok range 0.876 m (real 1.000 m, error -0.124 m)
poll (received by the responder)
chip first path 740.06
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 742.27
peak 744
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 743.92
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.7 dBm, total -65.0 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.3 dBm, total -66.0 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -65.5 dBm, total -64.2 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 379 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 380 status ok range 0.870 m (real 1.000 m, error -0.130 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 381 status ok range 0.840 m (real 1.000 m, error -0.160 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 382 status ok range 0.856 m (real 1.000 m, error -0.144 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 383 status ok range 0.870 m (real 1.000 m, error -0.130 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 744.36
peak 746
chip first path 737.89
peak 739
chip first path 740.28
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.5 dBm, total -65.0 dBm
around the first path first path -66.6 dBm, total -65.5 dBm
around the first path first path -66.7 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 384 status ok range 0.844 m (real 1.000 m, error -0.156 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 385 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 386 status ok range 0.880 m (real 1.000 m, error -0.120 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 387 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 388 status ok range 0.876 m (real 1.000 m, error -0.124 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 389 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 390 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 391 status ok range 0.823 m (real 1.000 m, error -0.177 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 392 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 393 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 394 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 395 status ok range 0.871 m (real 1.000 m, error -0.129 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 396 status ok range 0.889 m (real 1.000 m, error -0.111 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 736.81
peak 738
chip first path 737.75
peak 739
chip first path 740.41
peak 742
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.8 dBm, total -65.5 dBm
around the first path first path -66.7 dBm, total -65.7 dBm
around the first path first path -66.4 dBm, total -65.2 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 397 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 398 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 399 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 400 status ok range 0.822 m (real 1.000 m, error -0.178 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 401 status ok range 0.881 m (real 1.000 m, error -0.119 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 402 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 403 status ok range 0.862 m (real 1.000 m, error -0.138 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 404 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 405 status ok range 0.857 m (real 1.000 m, error -0.143 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 406 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 407 status ok range 0.831 m (real 1.000 m, error -0.169 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 408 status ok range 0.822 m (real 1.000 m, error -0.178 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 409 status ok range 0.849 m (real 1.000 m, error -0.151 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 410 status ok range 0.878 m (real 1.000 m, error -0.122 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 411 status ok range 0.830 m (real 1.000 m, error -0.170 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 412 status ok range 0.892 m (real 1.000 m, error -0.108 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 413 status ok range 0.864 m (real 1.000 m, error -0.136 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 414 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 415 status ok range 0.867 m (real 1.000 m, error -0.133 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 416 status ok range 0.881 m (real 1.000 m, error -0.119 m)
poll (received by the responder)
chip first path 743.73
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 738.89
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 739.12
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.1 dBm, total -65.0 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.7 dBm, total -65.7 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -67.3 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 417 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 418 status ok range 0.868 m (real 1.000 m, error -0.132 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 419 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 420 status ok range 0.858 m (real 1.000 m, error -0.142 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 421 status ok range 0.863 m (real 1.000 m, error -0.137 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 422 status ok range 0.844 m (real 1.000 m, error -0.156 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 423 status ok range 0.866 m (real 1.000 m, error -0.134 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 424 status ok range 0.863 m (real 1.000 m, error -0.137 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 425 status ok range 0.852 m (real 1.000 m, error -0.148 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 426 status ok range 0.856 m (real 1.000 m, error -0.144 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 427 status ok range 0.890 m (real 1.000 m, error -0.110 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.73
peak 742
chip first path 741.98
peak 743
chip first path 744.06
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.1 dBm, total -65.8 dBm
around the first path first path -66.7 dBm, total -65.7 dBm
around the first path first path -67.4 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 428 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 429 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 430 status ok range 0.830 m (real 1.000 m, error -0.170 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 431 status ok range 0.873 m (real 1.000 m, error -0.127 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 432 status ok range 0.869 m (real 1.000 m, error -0.131 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 433 status ok range 0.861 m (real 1.000 m, error -0.139 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 434 status ok range 0.852 m (real 1.000 m, error -0.148 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 435 status ok range 0.877 m (real 1.000 m, error -0.123 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.81
peak 742
chip first path 741.89
peak 743
chip first path 744.02
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.0 dBm, total -65.5 dBm
around the first path first path -66.7 dBm, total -65.5 dBm
around the first path first path -67.2 dBm, total -65.2 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 436 status ok range 0.860 m (real 1.000 m, error -0.140 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 437 status ok range 0.872 m (real 1.000 m, error -0.128 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 438 status ok range 0.818 m (real 1.000 m, error -0.182 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 439 status ok range 0.881 m (real 1.000 m, error -0.119 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 738.59
peak 740
chip first path 744.05
peak 745
chip first path 741.95
peak 743
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.2 dBm, total -64.9 dBm
around the first path first path -67.5 dBm, total -65.9 dBm
around the first path first path -66.0 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 440 status ok range 0.879 m (real 1.000 m, error -0.121 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 441 status ok range 0.870 m (real 1.000 m, error -0.130 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 442 status ok range 0.830 m (real 1.000 m, error -0.170 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.23
peak 742
chip first path 742.16
peak 744
chip first path 743.44
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.2 dBm, total -64.9 dBm
around the first path first path -69.9 dBm, total -68.4 dBm
around the first path first path -66.9 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 443 status ok range 0.844 m (real 1.000 m, error -0.156 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 444 status ok range 0.865 m (real 1.000 m, error -0.135 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 445 status ok range 0.829 m (real 1.000 m, error -0.171 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 741.19
peak 743
chip first path 741.16
peak 743
chip first path 744.45
peak 746
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.6 dBm, total -65.1 dBm
around the first path first path -69.9 dBm, total -68.3 dBm
around the first path first path -66.0 dBm, total -64.8 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 446 status ok range 0.852 m (real 1.000 m, error -0.148 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 447 status ok range 0.886 m (real 1.000 m, error -0.114 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 448 status ok range 0.887 m (real 1.000 m, error -0.113 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 449 status ok range 0.875 m (real 1.000 m, error -0.125 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 450 status ok range 0.837 m (real 1.000 m, error -0.163 m)
poll (received by the responder)
chip first path 739.09
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
response (received by the initiator)
chip first path 743.34
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
final (received by the responder)
chip first path 742.30
peak 744
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.7 dBm, total -64.1 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.7 dBm, total -65.3 dBm
I
Q
|I + jQ|
amplitude
accumulator sample
around the first path first path -66.9 dBm, total -65.4 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 451 status ok range 0.888 m (real 1.000 m, error -0.112 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 452 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 453 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 454 status ok range 0.891 m (real 1.000 m, error -0.109 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 455 status ok range 0.873 m (real 1.000 m, error -0.127 m)
poll (received by the responder)
chip first path 744.08
peak 746
response (received by the initiator)
chip first path 738.66
peak 740
final (received by the responder)
chip first path 739.17
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -67.1 dBm, total -65.3 dBm
around the first path first path -66.7 dBm, total -65.7 dBm
around the first path first path -67.1 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 456 status ok range 0.857 m (real 1.000 m, error -0.143 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 457 status ok range 0.875 m (real 1.000 m, error -0.125 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.58
peak 742
chip first path 742.12
peak 744
chip first path 743.75
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.8 dBm, total -64.5 dBm
around the first path first path -67.6 dBm, total -66.0 dBm
around the first path first path -66.3 dBm, total -65.0 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 458 status ok range 0.886 m (real 1.000 m, error -0.114 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 459 status ok range 0.894 m (real 1.000 m, error -0.106 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 736.92
peak 738
chip first path 737.94
peak 739
chip first path 740.05
peak 741
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -65.8 dBm, total -64.7 dBm
around the first path first path -67.2 dBm, total -66.2 dBm
around the first path first path -67.4 dBm, total -65.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 460 status ok range 0.880 m (real 1.000 m, error -0.120 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 461 status ok range 0.848 m (real 1.000 m, error -0.152 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 462 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 463 status ok range 0.837 m (real 1.000 m, error -0.163 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 464 status ok range 0.891 m (real 1.000 m, error -0.109 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 465 status ok range 0.823 m (real 1.000 m, error -0.177 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 466 status ok range 0.882 m (real 1.000 m, error -0.118 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 467 status ok range 0.883 m (real 1.000 m, error -0.117 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 468 status ok range 0.837 m (real 1.000 m, error -0.163 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 743.31
peak 745
chip first path 739.20
peak 741
chip first path 738.38
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.9 dBm, total -65.5 dBm
around the first path first path -67.3 dBm, total -65.9 dBm
around the first path first path -66.2 dBm, total -64.9 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 469 status ok range 0.887 m (real 1.000 m, error -0.113 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 470 status ok range 0.889 m (real 1.000 m, error -0.111 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 471 status ok range 0.822 m (real 1.000 m, error -0.178 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 472 status ok range 0.854 m (real 1.000 m, error -0.146 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 473 status ok range 0.844 m (real 1.000 m, error -0.156 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 474 status ok range 0.855 m (real 1.000 m, error -0.145 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 475 status ok range 0.854 m (real 1.000 m, error -0.146 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 743.25
peak 745
chip first path 739.41
peak 741
chip first path 738.27
peak 740
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.3 dBm, total -65.0 dBm
around the first path first path -66.8 dBm, total -65.7 dBm
around the first path first path -66.4 dBm, total -65.1 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 476 status ok range 0.825 m (real 1.000 m, error -0.175 m)



S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 477 status ok range 0.885 m (real 1.000 m, error -0.115 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 478 status ok range 0.891 m (real 1.000 m, error -0.109 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 479 status ok range 0.875 m (real 1.000 m, error -0.125 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 480 status ok range 0.893 m (real 1.000 m, error -0.107 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 481 status ok range 0.862 m (real 1.000 m, error -0.138 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 482 status ok range 0.827 m (real 1.000 m, error -0.173 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 483 status ok range 0.830 m (real 1.000 m, error -0.170 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 484 status ok range 0.881 m (real 1.000 m, error -0.119 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 485 status ok range 0.857 m (real 1.000 m, error -0.143 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 486 status ok range 0.853 m (real 1.000 m, error -0.147 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 487 status ok range 0.823 m (real 1.000 m, error -0.177 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 488 status ok range 0.833 m (real 1.000 m, error -0.167 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 489 status ok range 0.878 m (real 1.000 m, error -0.122 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 490 status ok range 0.871 m (real 1.000 m, error -0.129 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 491 status ok range 0.885 m (real 1.000 m, error -0.115 m)














S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 492 status ok range 0.879 m (real 1.000 m, error -0.121 m)
poll (received by the responder)
response (received by the initiator)
final (received by the responder)
chip first path 740.86
peak 742
chip first path 742.03
peak 743
chip first path 743.75
peak 745
|I + jQ|
accumulator sample (about 1 ns each)
around the first path first path -66.4 dBm, total -65.1 dBm
around the first path first path -68.1 dBm, total -66.5 dBm
around the first path first path -65.7 dBm, total -64.5 dBm
I
Q
|I + jQ|
amplitude
accumulator sample

S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 493 status ok range 0.848 m (real 1.000 m, error -0.152 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 494 status ok range 0.848 m (real 1.000 m, error -0.152 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 495 status ok range 0.816 m (real 1.000 m, error -0.184 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 496 status ok range 0.874 m (real 1.000 m, error -0.126 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 497 status ok range 0.883 m (real 1.000 m, error -0.117 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 498 status ok range 0.834 m (real 1.000 m, error -0.166 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 499 status ok range 0.865 m (real 1.000 m, error -0.135 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 500 status ok range 0.855 m (real 1.000 m, error -0.145 m)













S001_Testing_p1_001_merged.json | trial B76ACE6A | setup S001 'Testing' (Room, 1 m, LOS, Nothing, Nothing) | placement 1
exchange 501 status ok range 0.839 m (real 1.000 m, error -0.161 m)