

Pseudo-Accession: _____

KU:Mamm: _____

FN005003

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Neotoma floridana ID by: DMV ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: CHALK136 Trapline ID: Pond BlueCard/Other#: _____
 Collector(s), Coll#: ADH, RSG Coll Date: 24 Jul 2025
DD Month YYYY
 Preparator, Prep#: DMK Prep Date: 12 Dec 2025 Issue by, Date: MLR 24 Jul 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA/Kansas County: Douglas
 Locality: KU Field Station; Fitch Pond
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 291 115 36 26 135g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☐ Adult ☒ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☒ ♂ male External: ☐ Scrotal / ☒ Non-Scrotal Testes = _____ x _____ mm
☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammary: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) | Emb: Y / N (____R, ____L), CR= _____ mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? Y ☒ N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? Y ☒ N By: MAG Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☐ Skin ☐ Skull ☐ Skull+skel ☒ Whole org ^{95% form / frzn} ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks		Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ecots	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ecots	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield							
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Feces	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10% form ☐ Shield				☐ Embryo(s)	☐ 10% form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
 Time of death: 9:36 Time of tissue in LN₂: 9:45
 Elapsed Time: 9 min.

For staff use only: dates of cold chain progression
 _____ dry ice _____ field LN₂ _____ -20C
 _____ -40C _____ -80C _____ install LN₂

REMARKS e.g., body condition, injuries, molt, stomach contents, etc.

PERMANENT ARCHIVAL RECORD - use archival black ink
 Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045

Data entered: _____
 initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005005

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Neotoma floridana ID by: _____ ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: HAWK119 Trapline ID: Pond BlueCard/Other#: _____
 Collector(s), Coll#: DIIV, GRN, CRS Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: _____ Prep Date: _____ Tissue by, Date: GRN 24 July 2025
Initial DD Month YYYY

LOCALITY

Country/State: USA/Kansas County: Douglas
 Locality: KU Field Station, Fitch Pond
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 359 157 41 28 305g Dmk
total (mm) - tail (mm) - hindfoot (mm) - ear (mm) - weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☐ ♂ male External: ☐ Scrotal / ☐ Non-Scrotal Testes = _____ x _____ mm
☒ ♀ female Vagina: ☐ Open / ☒ Closed Mammary: ☒ Enlarged / ☐ Small Lactation: ☐ Lactating / ☒ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) | Emb: ☒ Y N (0 R, 3 L), CR= 13 mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? ☒ Y / N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? ☒ Y / N By: RSG Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☒ Skin ☐ Skull ☒ Skull+skel ☐ Whole org: 10% form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks		Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield				<u>1 botfly</u>	<u>95%</u>		
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos	<u>1</u> Nema ☐ Cest ☐ Trem ☐ Cyst	☒ 80% ☐ mass ☐ LN ₂ ☐ kill		<u>95% Stomach</u>
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	<u>1</u> Nema ☐ Cest ☐ Trem ☐ Cyst	☒ 80% ☐ mass ☐ LN ₂ ☐ kill		<u>S.I.</u>
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	<u>1</u> Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ ☐ kill		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield				<u>Embryo(s)</u>	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
 Time of death: 9:40 Time of tissue in LN₂: 9:58
 Elapsed Time: 18 min.

For staff use only: dates of cold chain progression
 _____ dry ice _____ LN₂ _____ -20C
 _____ -40C _____ -80C _____ install LN₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc. post-lactating

Pseudo-Accession: _____

KU:Mamm: _____

FN005006

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Peromyscus leucopus ID by: DMK ID confidence: ☐ low ☒ med ☐ high
 GPS Waypoint ID: CHALK138 Trapline ID: Pond BlueCard/Other#: _____
 Collector(s), Coll#: ADH, RSG Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: DMK Prep Date: 12 Dec 2025 Tissue by, Date: DIIV 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA/ Kansas County: Douglas
 Locality: KU Field Station, Fitch Pond
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN: _____

ATTRIBUTES

Measurements: 187 85 22 17 24g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☒ ♂ male External: ☒ Scrotal / ☐ Non-Scrotal Testes = 6 x 5 mm
☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammas: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) | Emb: Y / N (____R, ____L), CR=____mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? Y / ☒ N By: DIIV Date: 24 Jul Method: VISUAL
 Endo exam? ☒ Y / N Endo found? Y / ☒ N By: MAG Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☐ Skin ☐ Skull ☐ Skull+skel ☒ Whole org. ^{15%} form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other: _____ DOA: Y / ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks		Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield							
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield				☐ Embryo(s)	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ PoorTime of death: 9:47 Time of tissue in LN₂: 9:55

Elapsed Time: _____ min.

For staff use only: dates of cold chain progression

_____ dry ice _____ LN₂ _____ -20C
 _____ -40C _____ -80C _____ install
 _____ LN₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc. _____

PERMANENT ARCHIVAL RECORD - use archival black ink
 Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045

Data entered: _____
 initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005007

KU DIVISION OF MAMMALOGY

ID / AGENT

Species: Sigmodon hispidus ID by: _____ ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: CHALK137 Trapline ID: Pond BlueCard/Other#: _____
 Collector(s), Coll#: ADH, RSG Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: RMA Prep Date: 8/29/25 Tissue by, Date: BJW 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA/Kansas County: Douglas
 Locality: KU Field Station, Fitch Pond
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 257 95 30 20 129 Dmk
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by
 Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☒ ♂ male External: ☒ Scrotal / ☐ Non-Scrotal Testes = 19 x 12 mm
☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammary: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) | Emb: Y / N (____R, ____L), CR=____mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? Y / ☒ N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? ☒ Y / N By: MAG Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☒ Skin ☐ Skull ☒ Skull+skel ☐ Whole org: 10% form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks	Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ Other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ Other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield						
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			☐ Nema ☐ Cest <u>3</u> Trem ☐ Cyst	☒ 80% ☐ mass ☐ LN ₂ kill		S.I.
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			<u>10+</u> Nema ☐ Cest ☐ Trem ☐ Cyst	☒ 80% ☐ mass ☐ LN ₂ kill		Stomach
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			<u>10+</u> Nema ☐ Cest ☐ Trem ☐ Cyst	☒ 80% ☐ mass ☐ LN ₂ kill		hel: gnosome S.I.
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield			☐ Embryo(s)	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
 Time of death: 9:54 Time of tissue in LN₂: 10:03
 Elapsed Time: 9 min.

For staff use only: dates of cold chain progression
 _____ dry ice _____ LN₂ _____ -20C
 _____ -40C _____ -80C _____ install
 _____ LN₂

REMARKS e.g., body condition, injuries,
 molt, stomach contents, etc.

Pseudo-Accession: _____

KU:Mamm: _____

FN005008

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Peromyscus leucopus ID by: _____ ID confidence: ☐ low ☐ med ☐ highGPS Waypoint ID: CHALK 135 Trapline ID: Pond BlueCard/Other#: _____Collector(s), Coll#: ADH, RSG Coll Date: 24 July 2025
DD Month YYYYPreparator, Prep#: DMK Prep Date: 12 Dec 2025 Tissue by, Date: MLR 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA / Kansas County: DouglasLocality: KU Field Station, Fitch Pond

Lat: _____ Long: _____ Altitude (m): _____

Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 187 82 24 18 23g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____☒ ♂ male External: ☐ Scrotal / ☒ Non-Scrotal Testes = 9 x 5 mm☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammary: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating

Placental scars(plsc): Y / N (____R, ____L) | Emb: Y / N (____R, ____L), CR=____mm

☐ sex unknown ☐ sex not examinedEcto exam? ☒ Y / N Ecto found? Y ☒ N By: JPC Date: 24 July Method: visualEndo exam? ☒ Y / N Endo found? Y ☒ N By: MLR Date: 24 July Method: visualPrep types(s): ☐ Skin ☐ Skull ☐ Skull+skel ☒ Whole org 95% form / frzn ☐ Tissue only ☐ Other: _____Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

PREPARATIONS / PARTS

Tissues	Pres. at time of tissuing	Barcode	Remarks		Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield							
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield				☐ Embryo(s)	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ PoorTime of death: 10:00 Time of tissue in LN₂: 10:05Elapsed Time: 5 min.

For staff use only: dates of cold chain progression

_____ dry ice	_____ field LN ₂	_____ -20C install
_____ -40C	_____ -80C	_____ LN ₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc. _____PERMANENT ARCHIVAL RECORD - use archival black ink
Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045Data entered: _____
initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005009

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Peromyscus leucopus ID by: _____ ID confidence: ☐ low ☒ med ☐ high
 GPS Waypoint ID: HAWK 118 Trapline ID: Pond BlueCard/Other#: _____
 Collector(s), Coll#: DIIV, GRN, CRS Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: DMK Prep Date: 12 Dec 2025 Tissue by, Date: DIIV 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA / Kansas County: Douglas
 Locality: KU Field Station, Fitch Pond
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 166 71 22 17 21g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☒ ♂ male External: ☐ Scrotal / ☒ Non-Scrotal Testes = 6 x 3 mm
☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammary: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) | Emb: Y / N (____R, ____L), CR=____mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? Y / ☒ N By: 24 July Date: JPC Method: visual
 Endo exam? ☒ Y / N Endo found? Y / ☒ N By: 24 July Date: ADH Method: visual

PREPARATIONS / PARTS

Prep types(s): ☐ Skin ☐ Skull ☐ Skull+skel ☒ Whole org ^{95%} form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks		Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield							
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ kill		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield				☐ Embryo(s)	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ PoorTime of death: 10:04 Time of tissue in LN₂: 10:13

Elapsed Time: _____ min.

For staff use only: dates of cold chain progression

_____ dry ice _____ field LN₂ _____ -20C
 _____ -40C _____ -80C _____ install LN₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc.

PERMANENT ARCHIVAL RECORD - use archival black ink
 Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045

Data entered: _____
 initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005010

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Sigmodon hispidus ID by: DMK ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: ROCK 119 Trapline ID: Prairie BlueCard/Other#: _____
 Collector(s), Coll#: MAG, MLR, Jasmine, ~~William~~ N. Newton Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: _____ Prep Date: _____ Tissue by, Date: MLR 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA/Kansas County: Jefferson
 Locality: KU ~~Burn~~ Field Station, ~~Myers~~ Nesa Prairie
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 254 93 31 19 111g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by
 Bats: forearm (mm) tragus (mm)
 Age class: ☐ Adult ☒ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☐ ♂ male External: ☐ Scrotal / ☐ Non-Scrotal Testes = _____ x _____ mm
☒ ♀ female Vagina: ☐ Open / ☒ Closed Mammary: ☐ Enlarged / ☒ Small Lactation: ☐ Lactating / ☒ Not lactating
 Placental scars(plsc): Y / N (____ R, ____ L) Emb: (Y) N (3 R, 2 L), CR = 9 mm
☐ sex unknown ☐ sex not examined
 Ecto exam? (Y) / N Ecto found? (Y) / N By: JPC Date: 24 July Method: visual
 Endo exam? (Y) / N Endo found? (Y) / N By: DIIV Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☐ Skin ☐ Skull ☒ Skull+skel ☐ Whole org: 10% form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y (N)

Tissues	Pres. at time of tissuing	Barcode	Remarks		Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	<u>Flea</u> <u>10+</u> Mite <u>Tick</u> <u>Lice</u>	☐ 80% ☒ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos	<u>Flea</u> <u>Mite</u> <u>Tick</u> <u>Lice</u>	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield							
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos	<u>2</u> Nema <u>Cest</u> <u>Trem</u> <u>Cyst</u>	☒ 80% ☐ mass ☐ LN ₂ ☐ kill		<u>stomach</u>
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	<u>Nema</u> <u>1</u> <u>Cest</u> <u>Trem</u> <u>Cyst</u>	☒ 80% ☐ mass ☐ LN ₂ ☐ kill		<u>S.I.</u>
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos	<u>Nema</u> <u>Cest</u> <u>Trem</u> <u>Cyst</u>	☐ 80% ☐ mass ☐ LN ₂ ☐ kill		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield				<u>Embryo(s)</u>	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
 Time of death: 10:10 Time of tissue in LN₂: 10:16
 Elapsed Time: 6 min.

For staff use only: dates of cold chain progression
 _____ dry ice _____ field LN₂ _____ -20C
 _____ -40C _____ -80C _____ install LN₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc.

PERMANENT ARCHIVAL RECORD - use archival black ink
 Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045

Data entered: _____
 initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005011

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Sigmodon hispidus ID by: Dmk ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: Rock 120 Trapline ID: Prairie BlueCard/Other#: _____
 Collector(s), Coll#: MAG, M.L.R. Jasmine, BJW Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: Murray E. Krasner Prep Date: 24 July 2025 Tissue by, Date: BJW 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA / Kansas County: Jefferson
 Locality: KU Field Station, NEA Prairie
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 276 109 32 19 136g Dmk
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☐ ♂ male External: ☐ Scrotal / ☐ Non-Scrotal Testes = _____ x _____ mm
☒ ♀ female Vagina: ☐ Open / ☒ Closed Mammary: ☐ Enlarged / ☒ Small Lactation: ☐ Lactating / ☒ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) Emb: ☒ N (4 R, 1 L), CR= 22 mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? ☒ Y / N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? ☒ Y / N By: RSG Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☒ Skin ☐ Skull ☒ Skull+skel ☐ Whole org: 10% form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks	Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			<u>5</u> Flea <u>100+</u> Mite ____ Tick ____ Lice	☐ 80% ☒ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			____ Flea ____ Mite ____ Tick ____ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield						
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			<u>5</u> Nema ____ Cest ____ Trem ____ Cyst	☒ 80% ☐ mass kill ☐ LN ₂		<u>Stomach</u>
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			____ Nema <u>1</u> Cest ____ Trem ____ Cyst	☒ 80% ☐ mass kill ☐ LN ₂		<u>S.I.</u>
Feces	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			____ Nema ____ Cest ____ Trem ____ Cyst	☐ 80% ☐ mass kill ☐ LN ₂		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10% form ☐ Shield			<u>5</u> Embryo(s)	☐ 10% form ☒ 95% ☒ LN ₂ ☐ Shield		<u>1 tube w/ EtOH in LN₂</u>

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ PoorTime of death: 10:05 Time of tissue in LN₂: 10:24Elapsed Time: 10 min.

For staff use only: dates of cold chain progression

____ dry ice ____ LN₂ ____ -20C
 ____ -40C ____ -80C ____ LN₂
field install

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc.skindiscard two feet in skel

PERMANENT ARCHIVAL RECORD - use archival black ink

Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045

Data entered: _____

initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005012

KU DIVISION OF MAMMALOGY

ID / AGENT

Species: Reithrodontomys megalotis ID by: _____ ID confidence: ☐ low ☐ med ☐ high
 GPS Waypoint ID: Rock 121 Trapline ID: Prairie BlueCard/Other#: _____
 Collector(s), Coll#: MAG, MLR, JNN, BJW Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: DMK Prep Date: 12 Dec 2025 Tissue by, Date: DMV 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA / Kansas County: Jefferson
 Locality: KU Field Station, NESA Prairie
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 141 65 16 15 11g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☒ ♂ male External: ☒ Scrotal / ☐ Non-Scrotal Testes = 7 x 8 mm
☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammary: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) | Emb: Y / N (____R, ____L), CR=____mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? Y / ☒ N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? ☒ N By: DMK Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☐ Skin ☐ Skull ☐ Skull+skel ☒ Whole org. 95% form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks	Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos Flea Mite 3 Tick Lice	☐ 80% ☒ 95% ☐ LN ₂ ☐ Other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos Flea Mite Tick Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ Other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield						
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos Nema Cest Trem Cyst	☐ 80% ☐ mass kill ☐ LN ₂		
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			Endos Nema Cest Trem Cyst	☐ 80% ☐ mass kill ☐ LN ₂		
Feces	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			Endos Nema Cest Trem Cyst	☐ 80% ☐ mass kill ☐ LN ₂		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10% form ☐ Shield			Embryo(s)	☐ 10% form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ PoorTime of death: 10:19 Time of tissue in LN₂: 10:26

Elapsed Time: _____ min.

For staff use only: dates of cold chain progression

_____ dry ice _____ LN₂ _____ -20C
 _____ -40C _____ -80C _____ LN₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc. _____

PERMANENT ARCHIVAL RECORD - use archival black ink
 Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045

Data entered: _____
 Initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005013

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Symmodon hispidus ID by: _____ ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: Jay 133 Trapline ID: Prairie BlueCard/Other#: _____
 Collector(s), Coll#: MAG, MLR, BJW, Jasmine ^{JNN} ~~Hamilton~~ N. Newton Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: APH Prep Date: 29 August 2025 Tissue by, Date: GRN 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA/ Kansas County: Jefferson
 Locality: KU Field Station, NESEA Prairie
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 287 111 32 20 125g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☐ ♂ male External: ☐ Scrotal / ☐ Non-Scrotal Testes = _____ x _____ mm
☒ ♀ female Vagina: ☐ Open / ☒ Closed Mammas: ☒ Enlarged / ☐ Small Lactation: ☐ Lactating / ☒ Not lactating
 Placental scars(plsc): Y ☒ N (____R, ____L) | Emb: Y / N (____R, ____L), CR= _____ mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? ☒ Y / N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? ☒ Y / N By: BJW Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☒ Skin ☐ Skull ☒ Skull+skel ☐ Whole org: 10% form / frzn ☐ Tissue only ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks	Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos ____ Flea ☒ 100+Mite ____ Tick ____ Lice	☐ 80% ☒ 95% ☐ LN ₂ ☐ Other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos ____ Flea ____ Mite ____ Tick ____ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ Other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield						
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos <u>10</u> Nema ____ Cest ____ Trem ____ Cyst	☒ 80% ☐ mass kill ☐ LN ₂		<u>Stomach</u>
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos ____ Nema ____ Cest ____ Trem ____ Cyst	☐ 80% ☐ mass kill ☐ LN ₂		
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			Endos ____ Nema ____ Cest ____ Trem ____ Cyst	☐ 80% ☐ mass kill ☐ LN ₂		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield			____ Embryo(s)	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ PoorTime of death: 10:24 Time of tissue in LN₂: 10:53Elapsed Time: 29 min.

For staff use only: dates of cold chain progression

____ dry ice ____ field LN₂ ____ -20C
 ____ -40C ____ -80C ____ install LN₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc.

PERMANENT ARCHIVAL RECORD - use archival black ink

Return to: KU Biodiversity Institute Division of Mammals, 1345 Jayhawk Blvd, Lawrence, KS 66045

Data entered: _____

Initial when completed

Pseudo-Accession: _____

KU:Mamm: _____

FN005014

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Sigmodon hispidus ID by: DMK ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: Jay 132 Trapline ID: Prairie BlueCard/Other#: _____
 Collector(s), Coll#: MAG, MLR, BJW, Jasmine N. Newton Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: S.E.K.S. Prep Date: 29 08 2025 Tissue by, Date: MLR 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA/KANSAS County: Jefferson
 Locality: KU Field Station, NESA prairie
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: 320 110 33 20 200g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tarsus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☒ ♂ male External: ☒ Scrotal / ☐ Non-Scrotal Testes = 15 x 12 mm
☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammary: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating
 Placental scars(plsc): Y / N (R, L) | Emb: Y / N (R, L), CR = mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? Y / ☒ N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? ☒ Y / N By: MAG Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☒ Skin ☐ Skull ☒ Skull+skel | ☐ Whole org: 10% form / frzn | ☐ Tissue only | ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks	Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos ____ Flea ____ Mite ____ Tick ____ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			Ectos ____ Flea ____ Mite ____ Tick ____ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield						
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			Endos <u>10+</u> Nema ____ Cest ____ Trem ____ Cyst	☒ 80% ☐ mass kill ☐ LN ₂		<u>Stomach</u>
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			Endos ____ Nema <u>5</u> Cest ____ Trem ____ Cyst	☒ 80% ☐ mass kill ☐ LN ₂		<u>S.I.</u>
Feces	☐ -20C ☐ LN ₂ ☐ 10% form ☐ Shield			Endos ____ Nema ____ Cest ____ Trem ____ Cyst	☐ 80% ☐ mass kill ☐ LN ₂		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10% form ☐ Shield			____ Embryo(s)	☐ 10% form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
 Time of death: 10:30 Time of tissue in LN₂: 10:43
 Elapsed Time: 13 min.

For staff use only: dates of cold chain progression
 _____ dry ice _____ LN₂ _____ -20C
field install
 _____ -40C _____ -80C _____ LN₂

REMARKS e.g., body condition, injuries,
molt, stomach contents, etc.

Pseudo-Accession: _____

KU:Mamm: _____

FN005015

KU DIVISION OF MAMMALOLOGY

ID / AGENT

Species: Sigmodon hispidus ID by: DMK ID confidence: ☐ low ☐ med ☒ high
 GPS Waypoint ID: Rock 122 Trapline ID: Prairie BlueCard/Other#: _____
 Collector(s), Coll#: MAG, MLR, BJW, Jasmine N. Newton Coll Date: 24 July 2025
DD Month YYYY
 Preparator, Prep#: AMH Prep Date: 29 Aug, 2025 Tissue by, Date: DMV 24 July 2025
DD Month YYYY Initial DD Month YYYY

LOCALITY

Country/State: USA / KANSAS County: Jefferson
 Locality: KU Field Station, NESA Prairie
 Lat: _____ Long: _____ Altitude (m): _____
 Error (m): _____ Source: _____ Locality same as FN _____

ATTRIBUTES

Measurements: [258] [56] 34 20 201g DMK
total (mm) tail (mm) hindfoot (mm) ear (mm) weight (g) Measured by Bats: forearm (mm) tragus (mm)
 Age class: ☒ Adult ☐ Sub ☐ Juv ☐ Emb ☐ Unk Relationship: _____ of # _____
☒ ♂ male External: ☒ Scrotal / ☐ Non-Scrotal Testes = 20 x 11 mm
☐ ♀ female Vagina: ☐ Open / ☐ Closed Mammary: ☐ Enlarged / ☐ Small Lactation: ☐ Lactating / ☐ Not lactating
 Placental scars(plsc): Y / N (____R, ____L) | Emb: Y / N (____R, ____L), CR= _____ mm
☐ sex unknown ☐ sex not examined
 Ecto exam? ☒ Y / N Ecto found? ☒ Y / ☐ N By: JPC Date: 24 July Method: visual
 Endo exam? ☒ Y / N Endo found? ☒ Y / ☐ N By: MAG Date: 24 July Method: visual

PREPARATIONS / PARTS

Prep types(s): ☒ Skin ☐ Skull ☒ Skull+skel | ☐ Whole org: 10% form / frzn | ☐ Tissue only | ☐ Other: _____
 Coll: ☒ Sherm. ☐ Snap ☐ Rat ☐ Gphr ☐ Pit ☐ Net ☐ Gun ☐ Salvage ☐ Toma. ☐ Other _____ DOA: Y ☒ N

Tissues	Pres. at time of tissuing	Barcode	Remarks	Parasites	Preserved	LOT	Location in host / Remarks
Heart, Lung	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			☐ Flea ☐ Mite ☐ Tick ☐ Lice	☐ 80% ☐ 95% ☐ LN ₂ ☐ other		
Kidney, Spleen	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield			☐ Flea ☒ Mite ☐ Tick ☐ Lice	☐ 80% ☒ 95% ☐ LN ₂ ☐ other		
Liver	☐ -20C ☒ LN ₂ ☐ -80C ☐ Shield						
Muscle	☐ -20C ☐ LN ₂ ☐ -80C ☐ Shield			☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☒ 80% ☐ mass ☐ LN ₂ ☐ kill		S.I.
GI / LI / colon	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			☒ 15+ Nema ☐ Cest ☐ Trem ☐ Cyst	☒ 80% ☐ mass ☐ LN ₂ ☐ kill		Stomach
Feces	☐ -20C ☐ LN ₂ ☐ 10%form ☐ Shield			☐ Nema ☐ Cest ☐ Trem ☐ Cyst	☐ 80% ☐ mass ☐ LN ₂ ☐ kill		
Blood	☒ Nobuto ☐ LN ₂ ☐ 10%form ☐ Shield			☐ Embryo(s)	☐ 10%form ☐ 95% ☐ LN ₂ ☐ Shield		

Tiss. Quality: ☒ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
 Time of death: 10:35 Time of tissue in LN₂: 10:41
 Elapsed Time: _____ min.

For staff use only: dates of cold chain progression
 _____ dry ice _____ field LN₂ _____ -20C
 _____ -40C _____ -80C _____ LN₂ install

REMARKS e.g., body condition, injuries, molt, stomach contents, etc. docked tail