

Account for Atea IRT


Atea IRT wants to have an account in Entra to be able to react to events in the customer's environment. Below is the setup of a standard IRT account.

In short, this is an account with the rights we usually need in events, which can only be logged in from Atea's operating network. In addition, it will be protected with a third-party MFA service. This logs who in Atea IRT retrieves MFA codes, so that we can always monitor the use of the account. If you have any questions, please contact your IRT contact person.

1. Create an account as usual. Provide a password. Give the account the roles as described.

Role	Reason
Application Administrator	Delete/check enterprise applications
Authentication Policy Administrator	Release users from smart lockout
Compliance Administrator	Check events in compliance center
Exchange Administrator	Search mail flow
Global Reader	Read all settings in M365
Privileged Authentication Administrator	Delete attackers MFA
Security Administrator	View alerts and incidents in Security center.
User Administrator	Reset users passwords. Revoke sessions.
Data Investigator (Configured in Purview Portal -> Settings -> Roles and Scopes -> Role Groups)	View and delete malicious emails.

2. Make sure that "Third-party software OATH tokens" is active for the account.
 - a. Go to entra.microsoft.com
Expand Protection and select Authentication Methods.
 - b. Select "Third-party software OATH tokens settings"



c. Select Enable.

If you do not want to enable this for all employees, it can only be done against a group (nothing happens if you activate, other than that users can use other OTP services than Microsoft Authenticator.)

3. Limit login to Atea's networks

a. From Entra.microsoft.com

Expand Protection and select Conditional Access.

Select "Named Locations". Create location "Atea IRT" with IP 88.151.167.45/32. and 89.248.2.67/32.

New location (IP ranges)

[↑ Upload](#)
[↓ Download](#)

Configure named location IPv4 and IPv6 ranges. [Learn more](#)

Name *

Atea IRT

☐ Mark as trusted location

+

2 IP ranges found

88.151.167.45/32	✕
89.248.2.67/32	✕

- b. **Note: If you already have a policy that forces MFA at login for all accounts, you don't need to create the following policy.**


If not, create a Conditional Access policy with

Users: IRT user

Resources: All Cloud Apps.

Grant: Require multifactor authentication

Session: Sign-in frequency 8 hours.



Name *

Force MFA Atea IRT

Assignments

Users ⓘ

Specific users included

Target resources ⓘ

All cloud apps

Conditions ⓘ

0 conditions selected

Access controls

Grant ⓘ

1 control selected

Session ⓘ


Sign-in frequency - 8 hours

- c. Create a Conditional Access policy that requires the IRT user to only be able to log in from Atea IRT:

- d. Resources: All Cloud Apps

Conditions, Include: Any location, Exclude: Atea IRT (as made above).

Grant: Block Access



Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

IRT Only allow M01 ✓

Assignments

Users ⓘ

Specific users included

Target resources ⓘ

All cloud apps

Conditions ⓘ

1 condition selected

Access controls

Grant ⓘ

Block access

Session ⓘ

0 controls selected

Control access based on signals from conditions like risk, device platform, location, client apps, or device state. [Learn more](#)

User risk ⓘ

Not configured

Sign-in risk ⓘ

Not configured

Device platforms ⓘ

Not configured

Locations ⓘ

Any location and 1 excluded

Client apps ⓘ

Not configured

Filter for devices ⓘ

Not configured

Control user access based on their physical location. [Learn more](#)

Configure ⓘ

Yes No

Include Exclude

Select the locations to exempt from the policy

☐ All trusted locations

☒ Selected locations

Select

Atea M01

Atea M01 ...