Default test TESTNG RESULTS

Mon Dec 28 20:19:57 ART 2020

FAILED TESTS			
Class	Method	Time (ms)	Exception

	1		
[TestClass	PDFmail.pruebaA()[pri	92	org.openqa.selenium.l
name=class testNG Listeners Rep	:0, instance:testNG_Liste		nvalidArgumentExcept ion: invalid argument
ortes.PDFmail]	ners_Reportes.PDFm		(Session info:
_	ail@63c5efee]		MicrosoftEdge=87.0.6
			64.66)
			Build info: version: '3.141.59', revision:
			'e82be7d358', time:
			'2018-11-14T08:25:48'
			System info: host:
			'AXEL-HP', ip:
			'192.168.54.98', os.name: 'Windows
			10', os.arch: 'amd64',
			os.version: '10.0',
			java.version: '14.0.2'
			Driver info:
			org.openqa.selenium. edge.EdgeDriver
			Capabilities
			{acceptInsecureCerts:
			false, browserName:
			msedge, browserVersion:
			87.0.664.66,
			javascriptEnabled:
			true, ms:edgeOptions:
			{debuggerAddress: localhost:54347},
			msedge:
			{msedgedriverVersion:
			87.0.664.60
			(23fbc5c433ca16, userDataDir:
			C:\Users\axelp\AppDa
			ta\Loca},
			networkConnectionEn
			abled: false,
			pageLoadStrategy: normal, platform:
			WINDOWS,
			platformName:
			WINDOWS, proxy: Proxy(),
			setWindowRect: true,
			strictFileInteractability:
			false, timeouts:
			{implicit: 0, pageLoad:
			300000, script: 30000},
			unhandledPromptBeh
			avior: dismiss and
			notify,
			webauthn:virtualAuthe nticators: true}
			Session ID:
			09646c10c426c688ae
			3654ca67c66bbc[SCR
			EENSHOT]

[TestClass	PDFmail.pruebaB()[pri	69	org.openqa.selenium.l
name=class	:0,		nvalidArgumentExcept
testNG_Listeners_Rep ortes.PDFmail]	ners_Reportes.PDFm		ion: invalid argument (Session info:
orteo.r Dr manj	ail@63c5efee]		MicrosoftEdge=87.0.6
			64.66)
			Build info: version:
			'3.141.59', revision: 'e82be7d358', time:
			2018-11-14T08:25:48
			System info: host:
			'AXEL-HP', ip:
			'192.168.54.98', os.name: 'Windows
			10', os.arch: 'amd64',
			os.version: '10.0',
			java.version: '14.0.2'
			Driver info: org.openga.selenium.
			edge.EdgeDriver
			Capabilities
			{acceptInsecureCerts:
			false, browserName: msedge,
			browserVersion:
			87.0.664.66,
			javascriptEnabled:
			true, ms:edgeOptions: {debuggerAddress:
			localhost:54347},
			msedge:
			{msedgedriverVersion: 87.0.664.60
			(23fbc5c433ca16,
			ùserDataDir:
			C:\Users\axelp\AppDa
			ta\Loca}, networkConnectionEn
			abled: false,
			pageLoadStrategy:
			normal, platform:
			WINDOWS, platformName:
			WINDOWS, proxy:
			Proxy(),
			setWindowRect: true, strictFileInteractability:
			false, timeouts:
			{implicit: 0, pageLoad:
			300000, script:
			30000}, unhandledPromptBeh
			avior: dismiss and
			notify,
			webauthn:virtualAuthe
			nticators: true} Session ID:
			09646c10c426c688ae
			3654ca67c66bbc[SCR
			EENSHOT]

FT (0)	DDE "		
[TestClass	PDFmail.pruebaC()[pri	23	org.openqa.selenium.l
name=class]:0,		nvalidArgumentExcept
testNG_Listeners_Rep			ion: invalid argument
ortes.PDFmail]	ners_Reportes.PDFm		(Session info:
	ail@63c5efee]		MicrosoftEdge=87.0.6
			64.66)
			Build info: version:
			'3.141.59', revision:
			'e82be7d358', time:
			'2018-11-14T08:25:48'
			System info: host:
			'AXEL-HP', ip:
			192.168.54.98',
			os.name: 'Windows
			10', os.arch: 'amd64',
			os.version: '10.0',
			java.version: '14.0.2'
			Driver info:
			org.openqa.selenium.
			edge.EdgeDriver
			Capabilities
			{acceptInsecureCerts: false, browserName:
			1 '
			msedge,
			browserVersion:
			87.0.664.66,
			javascriptEnabled:
			true, ms:edgeOptions:
			{debuggerAddress:
			localhost:54347},
			msedge:
			{msedgedriverVersion:
			87.0.664.60
			(23fbc5c433ca16,
			userDataDir:
			C:\Users\axelp\AppDa
			ta\Loca},
			networkConnectionEn
			abled: false,
			pageLoadStrategy:
			normal, platform:
			WINDOWS,
			platformName:
			WINDOWS, proxy:
			Proxy(),
			setWindowRect: true,
			strictFileInteractability:
			false, timeouts:
			{implicit: 0, pageLoad:
			300000, script:
			30000},
			unhandledPromptBeh
			avior: dismiss and
			notify,
			webauthn:virtualAuthe
			nticators: true}
			Session ID:
			09646c10c426c688ae
			3654ca67c66bbc[SCR
			EENSHOT]

EXCEPTIONS SUMMARY

org.openga.selenium.InvalidArgumentException: invalid argument

(Session info: MicrosoftEdge=87.0.664.66)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:48'

System info: host: 'AXEL-HP', ip: '192.168.54.98', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '14.0.2'

Driver info: org.openqa.selenium.edge.EdgeDriver

Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion:

87.0.664.66, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress:

localhost:54347}, msedge: {msedgedriverVersion: 87.0.664.60 (23fbc5c433ca16...,

userDataDir: C:\Users\axelp\AppData\Loca...}, networkConnectionEnabled: false,

pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),

setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:

300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,

webauthn:virtualAuthenticators: true}

Session ID: 09646c10c426c688ae3654ca67c66bbc

java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)

java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)

org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav a:122)

org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav a:49)

org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)

org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)

testNG_Listeners_Reportes.PDFmail.pruebaB(PDFmail.java:19)

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:6 2)

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

java.base/java.lang.reflect.Method.invoke(Method.java:564)

```
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132)
org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599)
org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174)
org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)
org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:822)
org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:147)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)
java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
org.testng.TestRunner.privateRun(TestRunner.java:764)
org.testng.TestRunner.run(TestRunner.java:585)
org.testng.SuiteRunner.runTest(SuiteRunner.java:384)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:337)
org.testng.SuiteRunner.run(SuiteRunner.java:286)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1218)
org.testng.TestNG.runSuitesLocally(TestNG.java:1140)
org.testng.TestNG.runSuites(TestNG.java:1069)
org.testng.TestNG.run(TestNG.java:1037)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)
org.openqa.selenium.InvalidArgumentException: invalid argument
(Session info: MicrosoftEdge=87.0.664.66)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:48'
System info: host: 'AXEL-HP', ip: '192.168.54.98', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '14.0.2'
Driver info: org.openqa.selenium.edge.EdgeDriver
Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion:
87.0.664.66, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress:
localhost:54347}, msedge: {msedgedriverVersion: 87.0.664.60 (23fbc5c433ca16...,
userDataDir: C:\Users\axelp\AppData\Loca...}, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),
setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,
webauthn:virtualAuthenticators: true}
Session ID: 09646c10c426c688ae3654ca67c66bbc
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAcce
ssorImpl.java:62)
```

```
java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstru
ctorAccessorImpl.java:45)
java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseC
odec.java:187)
org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav
a:122)
org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav
a:49)
org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.j
ava:83)
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)
testNG_Listeners_Reportes.PDFmail.pruebaC(PDFmail.java:25)
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:6
2)
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorI
mpl.java:43)
java.base/java.lang.reflect.Method.invoke(Method.java:564)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132)
org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599)
org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174)
org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)
org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:822)
org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:147)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)
java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
org.testng.TestRunner.privateRun(TestRunner.java:764)
org.testng.TestRunner.run(TestRunner.java:585)
org.testng.SuiteRunner.runTest(SuiteRunner.java:384)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:337)
org.testng.SuiteRunner.run(SuiteRunner.java:286)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1218)
org.testng.TestNG.runSuitesLocally(TestNG.java:1140)
```

```
org.testng.TestNG.runSuites(TestNG.java:1069)
org.testng.TestNG.run(TestNG.java:1037)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)
org.openga.selenium.InvalidArgumentException: invalid argument
(Session info: MicrosoftEdge=87.0.664.66)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:48'
System info: host: 'AXEL-HP', ip: '192.168.54.98', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '14.0.2'
Driver info: org.openga.selenium.edge.EdgeDriver
Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion:
87.0.664.66, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress:
localhost:54347}, msedge: {msedgedriverVersion: 87.0.664.60 (23fbc5c433ca16...,
userDataDir: C:\Users\axelp\AppData\Loca...}, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),
setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,
webauthn:virtualAuthenticators: true}
Session ID: 09646c10c426c688ae3654ca67c66bbc
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAcce
ssorImpl.java:62)
java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstru
ctorAccessorImpl.java:45)
java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseC
odec.java:187)
org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav
a:122)
org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav
a:49)
org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.j
ava:83)
org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)
testNG_Listeners_Reportes.PDFmail.pruebaA(PDFmail.java:13)
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:6
2)
```

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorI mpl.java:43) java.base/java.lang.reflect.Method.invoke(Method.java:564) org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:822) org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:147) org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) java.base/java.util.ArrayList.forEach(ArrayList.java:1511) org.testng.TestRunner.privateRun(TestRunner.java:764) org.testng.TestRunner.run(TestRunner.java:585) org.testng.SuiteRunner.runTest(SuiteRunner.java:384) org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) org.testng.SuiteRunner.run(SuiteRunner.java:286) org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) org.testng.TestNG.runSuitesSequentially(TestNG.java:1218) org.testng.TestNG.runSuitesLocally(TestNG.java:1140) org.testng.TestNG.runSuites(TestNG.java:1069) org.testng.TestNG.run(TestNG.java:1037)

org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)

org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)

org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)