australian longitudinal study on women's health

women's health australia

29 July 2016

Data Availability and Use

Productivity Commission

GPO Box 1428

Canberra City ACT 2601

Dear Commissioners,

Thank you for the opportunity to make a submission to the Public Inquiry into Data Availability and

Use. The Australian Longitudinal Study on Women's Health (ALSWH) is a longitudinal survey

examining the health of around 60,000 Australian women in four age cohorts: women born 1921-26,

1946-51, 1973-78, and 1989-95. Since it began in 1996, ALSWH data has informed federal and state

government policies across a wide range of issues. Information on ALSWH surveys, data, and research

outcomes, as well as details of how to access the data can be found on the Study website

http://www.alswh.org.au/

ALSWH strongly supports the use of linked data in health services research to provide evidence for

evaluation of the use and impact of health services. Study data is currently linked with data from

national administrative datasets (e.g., Medicare Benefits Schedule, Pharmaceutical Benefits Scheme,

National Death Index, and Aged Care) as well as state/territory datasets (e.g., hospital admissions,

perinatal data, and cancer registries). Details of outcomes of ALSWH research using linked data are

attached.

After negotiation with relevant Data Custodians and Ethics Committees, ALSWH has been able to

streamline procedures required to provide data users with access to linked datasets. However,

administrative management of linked datasets still requires substantial record keeping and

documentation, and streamlining of application and approval process across sectors and jurisdictions

would greatly increase efficiency. Increased investment in infrastructure to provide secure data

australian longitudinal study on women's health

women's health australia

access and analysis environments, such as the Sax Institute's Secure Unified Research Environment (SURE), would also help facilitate greater use of linked data, provide consistent environments for collaborators from different institutions, ensure best practice in the management of linked data, and

reduce the administrative burden of monitoring and compliance.

The capacity to capture, act as custodians of, and provide access to, linked data is an important

component of ALSWH's purpose to act as a national resource for policy relevant research. We look

forward to the outcomes of the Inquiry, and are happy to provide additional information if required.

Yours sincerely,

Professor Gita Mishra and Professor Julie Byles

Directors, Australian Longitudinal Study on Women's Health

Internet: http://www.alswh.org.au

ALSWH LINKED DATA PUBLICATIONS (to June 2016)

Journal Articles

2007

Byles J, Young A & Wheway V. (2007). Annual health assessments for older
 Australian women: Uptake and equity. Australian and New Zealand Journal of Public
 Health, 31(2); 170-173.

2011

- Byles JE, Dolja-Gore X, Loxton D, Parkinson L & Stewart Williams J. (2011). Women's uptake of Medicare Benefits Schedule mental health items for general practitioners, psychologists and other allied mental health professionals. *Medical Journal of Australia*, 194 (4); 175-179.
- Dolja-Gore X, Byles J, Loxton D, Hockey R & Dobson A. (2011). Increased bulk-billing for general practice consultations and reduced inequity in regional and remote areas, 2002-2008. *Medical Journal of Australia*, 195 (4); 203-204.
- Parkinson L, Dolja-Gore X, Gibson R, Doran E, Notley L, Stewart Williams J, Kowal P & Byles J. (2011). An observational study of the discrediting of COX-2 NSAIDs in Australia: Vioxx or class effect? BMC Public Health, 11; 892.

2012

- Tooth L, Hockey R, Treloar S, McClintock C & Dobson A. (2012). Does Government subsidy for costs of medical and pharmaceutical services result in higher service utilization by older widowed women in Australia? *BMC Health Services Research*, 12(179), 1-7.
- Herbert D, Lucke J & Dobson A. (2012). Agreement between self-reported use of in vitro fertilisation or ovulation induction, and medical insurance claims in Australian women aged 28-36 years. *Human Reproduction*, *27*(9); 2823-2828.

2013

- Parkinson L, Curryer C, Gibberd A, Cunich M & Byles J. (2013). Good agreement between self-report and centralised hospitalisations data for arthritis related surgeries. *Journal of Clinical Epidemiology*, 66(10), 1128-1134.
- Dolja-Gore X, Pit S, Parkinson L, Young A & Byles J. (2013). Accuracy of self-reported medicines use compared to pharmaceutical claims data amongst a national sample of older Australian women. *Open Journal of Epidemiology*, 2013, 3(1), 25-32.
- Stewart Williams J, Wallick C, Byles J & Doran C. (2013). Assessing Patterns of Use of Cardio-Protective Polypill Component Medicines in Australian Women. *Drugs and Ageing*, 30(3), 193-203.

2014

- Dolja-Gore X, Loxton D, D'Este C & Byles J. (2014). Mental health service use: Is there a difference between rural and Non-rural women in service uptake? *The Australian Journal of Rural Health*, 22(3); 92-100.
- Jackson CA, Jones M & Mishra GD. (2014). Educational and homeownership inequalities in stroke incidence: A population-based longitudinal study of mid-aged women. *European Journal of Public Health*, 24(2); 231-236.
- Leung J, McKenzie S, Martin J, Dobson A & McLaughlin D. (2014). Longitudinal patterns of breast cancer screening: Mammography, clinical, and breast self-examinations in a rural and urban setting. *Womens Health Issues*, 24(1), e139-e146.
- Peeters G, Tett S, Duncan E, Mishra G & Dobson A. (2014). Osteoporosis medication dispensing for older Australian women from 2002 to 2010: influences of publications, guidelines, marketing activities and policy. *Pharmacoepidemiology & Drug Safety*, 23(12); 1303-1311.
- Peeters G, Mishra G, Dobson A & Brown W. (2014). Health care costs associated with prolonged sitting and inactivity. *American Journal of Preventive Medicine*, 46, (3); 265-272.
- van den Berg MJ, Mishra GD, van der Schouw YT, Herber-Gast GC. (2014). Vasomotor menopausal symptoms are not associated with incidence of breast cancer in a population-based cohort of mid-aged women. *European Journal of Cancer*, 50(4): 824-830.
- van den Berg MJ, Mishra GD, van der Schouw YT, Herber-Gast GC. (2014). Vasomotor menopausal symptoms are not associated with incidence of breast cancer in a population-based cohort of mid-aged women. *European Journal of Cancer*, 50(4): 824-830.

2015

- Gresham E, Forder P, Chojenta C, Byles J, Loxton D & Hure A. (2015). Agreement between self-reported perinatal outcomes and administrative data in New South Wales, Australia. *BMC Pregnancy and Childbirth*, 15; 161.
- Harris ML, Dolja-Gore X, Kendig H & Byles JE. (2016). First incident hospitalisation for Australian women aged 70 and beyond: a 10 year examination using competing risks. Archives of Gerontology and Geriatrics, 64; 29-37.
- Herber-Gast G, Brown W & Mishra G. (2015). Hot flushes and night sweats are associated with coronary heart disease risk in midlife: a longitudinal study. *BJOG*, 122 (11); 1560-1567.
- Hure A, Chojenta C, Powers J, Byles J & Loxton D. (2015). Validity and Reliability of Stillbirth Data Using Linked Self-Reported and Administrative Datasets. *Journal of Epidemiology*, 25(1); 30-37.
- Jackson CA, Mishra G, Byles J, Tooth L, Dobson A. (2015). Moderate agreement between self-reported stroke and hospital-recorded stroke in two cohorts of Australian women: a validation study. *BMC Medical Methodology Research*, 15(7); 1-10.

- Lai JS, Oldmeadow C, Hure AJ, McEvoy M, Byles J, Attia J. (2015). Longitudinal Diet Quality is Not Associated with Depressive Symptoms in a Cohort of Mid-Aged Australian Women. *British Journal of Nutrition*, 1115 (5); 842-850.
- Lazarevic N, Dobson AJ, Barnett AG & Knibbs, LD. (2015). Long-term ambient air pollution exposure and self-reported morbidity in the Australian Longitudinal Study on Women's Health: a cross-sectional study. *BMJ Open*, *5*(10); e008714.
- Leigh L, Hudson I & Byles J. (2015). Sleeping difficulty, disease and mortality in older women: A latent class analysis and distal survival analysis. *Journal of Sleep Research*, 24(6); 648-657.
- Leung J, Martin J, McLaughlin D. (2016). Rural-urban disparities in stage of breast cancer at diagnosis in Australian women. *Aust J Rural Health*
- Lo TKT, Parkinson L, Cunich M & Byles J. (2015). Factors associated with higher healthcare cost in individuals living with arthritis: evidence from the quantile regression approach. *Expert Rev Pharmacoecon Outcomes Res.*, 15 (5); 833-841.
- Lo T, Parkinson L. (2015). A 6-year trend of the healthcare costs of arthritis in a population-based cohort of older women. *Expert Review of Pharmacoeconomics & Outcomes Research Journal*, *2*, 1-9.

<u>2016</u>

- Lo TKT, Parkinson L, Cunich M & Byles J. (2016). Factors associated with the healthcare cost in older Australian women with arthritis: an application of the Andersen's Behavioural Model of Health Services Use. *Public Health*
- Navin TJ, Stewart-Williams J, Parkinson L, Sibbritt D & Byles JE. (2016). The identification of diabetes, heart disease, hypertension and stroke in mid- and olderaged women: comparing self-report and administrative hospital data records. *Geriatrics & Gerontology International*, 16(1); 95-102.
- Parkinson L, Magin P Thomson, A, Byles J, Caughey, G, Etherton-Beer C, Gnjidic D, Hilmer S, Lo T, McCowan C, Moorin, R & Pond D. (2015). Anticholinergic burden in older women: Not seeing the wood for the trees? *Medical Journal of Australia*, 202 (2); 91-94.
- Peeters G, Tett S, Hollingworth S, Gnjidic D, Hilmer S, Dobson A & Hubbard R. (2016)
 Associations of guideline recommended medications for acute coronary syndromes
 with fall-related hospitalizations and cardiovascular events in older women with
 ischemic heart disease. *Journals of Gerontology, Series A: Biological Sciences and
 Medical Sciences*.
- van Boheemen L, Tett S, Sohl E, Hugtenburg J, van Schoor N & Peeters G. (2016).
 Associations between statin use and physical function in older adults from The Netherlands and Australia: Longitudinal Aging Study Amsterdam and Australian Longitudinal Study on Women's Health. *Drugs & Aging*, 33 (6); 437-445.
- van der Hoorn M, Tett S, de Vries O, Dobson A & Peeters G. (2015). The effect of dose and type of proton pump inhibitor use on risk of fractures an23 sincd osteoporosis treatment in older Australian women: a prospective cohort study. *Bone*, *81*; 675-682.

Major Reports

- Chronic conditions, physical function and health care use: Findings from the Australian Longitudinal Study on Women's Health. Byles J, Hockey R, McLaughlin D, Dobson A, Brown W, Loxton D and Mishra G. Report prepared for the Australian Government Department of Health, June 2015.
- Use and costs of medications and other health care resources: Findings from the
 <u>Australian Longitudinal Study on Women's Health.</u>
 Byles J, Loxton D, Berecki J, Dolja Gore X, Gibson R, Hockey R, Robinson I, Parkinson L, Adamson L, Lucke J, Powers J,
 Young A & Dobson A. Report prepared for Australian Government Department of
 Health & Ageing, June 2008.

Other reports

- Tooth L, Hockey R, Dobson A, Treloar S & McClintock C. <u>Needs of spouse carers of World War II veterans before and after widowhood</u>. Report prepared for Department of Veterans Affairs, May 2011.
- Trinh L, Broadbent A & Reynolds A. Diabetes and poor mental health and wellbeing Report prepared for Australian Institute of Health and Welfare, June 2011.