Numerical prediction ($g_0 = 75$, $\rho = 0.25$, $\theta = 0.25$)




Figure 1: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagules $g_0 = 75$, synchrony probability $\rho = 0.25$, omnivory $\theta = 0.25$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.

Numerical prediction ($g_0 = 150, \rho = 0.25, \theta = 0.25$)




Figure 2: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagules $g_0 = 150$, synchrony probability $\rho = 0.25$, omnivory $\theta = 0.25$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.

Numerical prediction ($g_0 = 75, \rho = 0.5, \theta = 0.25$)




Figure 3: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagales $g_0 = 75$, synchrony probability $\rho = 0.5$, omnivory $\theta = 0.25$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.

Numerical prediction ($g_0 = 150, \rho = 0.5, \theta = 0.25$)




Figure 4: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagules $g_0 = 150$, synchrony probability $\rho = 0.5$, omnivory $\theta = 0.25$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.

Numerical prediction ($g_0 = 75, \, \rho = 0.25, \, \theta = 0.5$)




Figure 5: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagules $g_0 = 75$, synchrony probability $\rho = 0.25$, omnivory $\theta = 0.5$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.

Numerical prediction ($g_0 = 150, \ \rho = 0.25, \ \theta = 0.5$)




Figure 6: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagules $g_0 = 150$, synchrony probability $\rho = 0.25$, omnivory $\theta = 0.5$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.

Numerical prediction ($g_0 = 75, \rho = 0.5, \theta = 0.5$)




Figure 7: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagales $g_0 = 75$, synchrony probability $\rho = 0.5$, omnivory $\theta = 0.5$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.

Numerical prediction ($g_0 = 150, \ \rho = 0.5, \ \theta = 0.5$)




Figure 8: Heatmap of FCL as a function of ecosystem size (river length, L) and complexity (branching rate, λ_b), with rows and columns displaying different combinations of resource supply (r_0) , disturbance regime $(\mu^{(0)})$, predation effect $(\mu^{(c)})$, and prey effect $(\mu^{(p)})$. Each cell represents the average FCL of five food webs. Additional parameter values are: number of gross propagules $g_0 = 150$, synchrony probability $\rho = 0.5$, omnivory $\theta = 0.5$, habitat density h = 2.5, dispersal capability $\delta_0 = 0.5$, and scaling exponent $\psi = 0.5$.