UGPAYMENTS – DIRECT REBILLING

TABLE OF CONTENTS

Revision History 2
Overview 3
What is REBILLING? 3
Required information 3
Software Requirements 3
Sale Rebill 3
Sale Rebill request 3
Sale Rebill Response 4
Confirm page 4
REFUND Transactions 5
Refund Transactions 5
Appendix A – Transaction State Types 6
Appendix B – Transaction Status Types 7
Appendix C – Validation errors 7
Appendix D – Scrub Messages 9
Appendix e – Error message 10

REVISION HISTORY

Date	Revision	Description	Author
7/29/2025	1	First Revision	Unicorn

OVERVIEW

WHAT IS REBILLING?

Rebill your customers with the recurring endpoint, using just the original transaction ID.

REQUIRED INFORMATION

Before you will be able to submit transactions to UnicornPayment, you will need an UnicornPayment merchant account for your website. Once you have a merchant account established, UnicornPayment will supply you with:

1. Merchant Id
2. Site Id
3. OAuth Bearer Token

These IDs uniquely identify your websites, customers, and payments.

SOFTWARE REQUIREMENTS

To implement the JSON interface for standard card processing, the following requirements must be met:

- Working knowledge of JSON
- SSL server supporting 128-bit (or stronger) encryption

SALE REBILL

If you wish to rebill a previously authenticated transaction, you can use the /recurringtransactions endpoint. You must use the Sale Transaction ID returned from the /ThreeDSaleTransactions endpoint.

SALE REBILL REQUEST

The following table lists the elements for rebilling 3D transactions:

Parameter Name	Description	Example
TransactionID	The identifier of the sale transaction	123456
Amount	The amount of the transaction you wish to charge again	2.45
Currency	The currency of the transaction. This must match the original sale transaction currency	USD

SALE REBILL RESPONSE

The result is in JSON format with the following elements:

Parameter Name	Description	Example
Id	The id of the rebilled transaction	171888
Message	Message from bank response	APPROVED
State	The type of transaction. Please refer to Appendix A for detail.	Recurring
Status	The transaction status. Please refer to Appendix B for detail.	Successful

Example Response JSON:


```
{
  "state": "Recurring",
  "status": "Successful",
  "message": "Approved",
  "id": “171888"
}
```


CONFIRM PAGE

When a customer has successfully completed a transaction, UnicornPayment will send an HTTP POST with the transaction details back to a designated page on your site. This page should validate and store the transaction information in your database. The confirm page provides communication between UnicornPayment and your application and does not need to provide user functionality.
Information is posted to the confirm page as standard HTTP POST name-value pairs (NVP) separated by ampersands (&). An example confirm post would be:
Amount=17.99&MerchantReference=abc123&PayReferenceID=b9ab260b-d690-4507-8d56-8bd92c4c132a&TransactionID=4cfdefc3-6ad2-49de-a25b-5d0f41e8cd1a

The following fields are transmitted by UnicornPayment in a transaction to the ConfirmURL specified by you:

[TrackingId] => Reference Number for the Merchant’s Records (Limit 100 characters)

[MerchantReference] => Reference Number for the Merchant’s Records (Limit 100 characters)

[CurrencyID] => ISO Currency Code
[Key] => key supplied from portal from UnicornPayment

[Amount] => Amount of Transaction (Money/Numeric/Decimal)

[TransactionID] => Identity Number for the Transaction (Numeric)

[CardMask] => Characters used to mask the card number

[TransactionState] => State of Transaction (Appendix A)

[TransactionStatus] => State of Transaction (Appendix B)

[ShippingFirstName] => First Name for Shipping Address (Limit 50 characters)

[ShippingLastName] => Last Name for Shipping Address (Limit 50 characters)

[ShippingAddress1] => Address Line 1 for Shipping Address (Limit 100 characters)

[ShippingAddress2] => Address Line 2 for Shipping Address (Limit 100 characters)

[ShippingCity] => City for Shipping Address (Limit 50 characters)

[ShippingState] => State for Shipping Address (Limit 50 characters)

[ShippingCountry] => Country for Shipping Address

[ShippingPostalCode] => Postal Code for Shipping Address (Limit 20 characters)

[CustomerEmail] => mailto:mail@mail.com Email for the Customer (Limit 50 characters)

[CustomerFirstName] => First Name of Customer (Limit 50 characters)

[CustomerLastName] => Last name of Customer (Limit 50 characters)

[CustomerAddress1] => Address Line 1 for Customer Address (Limit 100 characters)

[CustomerAddress2] => Address Line 2 for Customer Address (Limit 100 characters)

[CustomerCity] => City for Customer Address (Limit 50 characters)

[CustomerState] => State for Customer Address (Limit 50 characters)

[CustomerCountry] => Country for Customer Address

[CustomerPostalCode] => Postal Code for Customer Address (Limit 20 characters)

[CustomerPhone] => Customer's Phone (Limit 20 characters)

[SiteID] => Site Id for the Merchant's Site (Numeric)

REFUND TRANSACTIONS

REFUND TRANSACTIONS

URL: https://api.ugpayments.ch/merchants/[MerchantId]/refundtransactions
Only sale and capture transactions can be refunded.

JSON REQUEST PARAMETERS

Parameter Name	Description	Example
referencetransactionid	The transaction id returned by the sale transaction or the capture transaction. String, mandatory	123456

amount	The amount to refund, not to exceed original transaction amount. Decimal/Number, mandatory	123.45

JSON RESPONSE PARAMETERS

Parameter Name	Description	Example
State	String, state of transaction, example Sale, Auth, Refund	Sale
Status	String, Status of transaction	Approved
message	String, message regarding the transaction	The operation was successfully processed.
trackingId	String, passed from request	YourID
id	String, transactionID from UnicornPayment	transactionID
reasonCode	String, Response From bank ONLY if transaction reached bank.	00 - Approved

HTTP REQUEST EXAMPLE

```
{
        "referenceTransactionId": "123456",
        "amount": 123.45
}
```

HTTP RESPONSE EXAMPLE

```
{
        "id": "123456",
        "message": "Success",
        "state": "Refund",
        "status": "Successful"
        "reasoncode": "00-approved"

}
```

APPENDIX A – TRANSACTION STATE TYPES

Sale
Authorize
Capture
Void
Refund

APPENDIX B – TRANSACTION STATUS TYPES

Successful
Error
Declined
Pending
Scrubbed
Fraud
Unconfirmed

APPENDIX C – VALIDATION ERRORS

ACS Verification Id is required when supplying ECI or XID.
Address Line1' can not contain a credit card number.
Address Line1' must be between 0 and 100 characters. You entered <char> characters.
Address Line1' must be between 1 and 100 characters.
Address Line2' can not contain a credit card number.
Address Line2' must be between 0 and 100 characters. You entered <char> characters.
Address Line2' must be between 1 and 100 characters.
Amount' must be greater than '0'.
Amount' must be greater than or equal to '0'.
Authorize Transaction Id' is not valid.
Bank Identifier' should not be empty.
Card Number' is not valid.
City' can not contain a credit card number.
City' must be between 0 and 50 characters. You entered <char> characters.
City' must be between 1 and 50 characters
Country Id' is not valid.
Country Id' must be not be empty.
'Currency' can not contain a credit card number.

Currency' is not valid.
'CVV code' is not valid.
ECI is required when supplying ACS Verification Id or XID.
Email' must be between 0 and 100 characters. You entered <char> characters.
Email' must be between 1 and 100 characters. You entered <char> characters.
Email' should not be empty.
Email' can not contain a credit card number.
Expiration date' is not valid.
First Name' can not contain a credit card number.
First Name' must be between 1 and 50 characters. You entered <char> characters.
First Name' should not be empty.
IP Address' can not contain a credit card number.
IP Address' must be between 0 and 20 characters. You entered <char> characters.
Last Name' can not contain a credit card number.
Last Name' must be between 1 and 50 characters. You entered <char> characters.
Last Name' should not be empty.
Merchant Referrer Url' must be between 0 and 100 characters. You entered <char> characters.
Name On Card' can not contain a credit card number.
Phone' must be between 0 and 20 characters. You entered <char> characters.
Phone' must be between 1 and 20 characters. You entered <char> characters.
Phone' should not be empty.
Postal Code' must be between 0 and 20 characters. You entered <char> characters.
Postal Code' must be between 1 and 20 characters in length.
Reason Id' is not valid.
Reference Transaction Id' is not valid.
Return Url' should not be empty.
'Sale Transaction Id' is not valid.
Shipping Address Line1' can not contain a credit card number.
Shipping Address Line1' must be between 0 and 100 characters. You entered <char> characters.
Shipping Address Line2' can not contain a credit card number.
Shipping Address Line2' must be between 0 and 100 characters. You entered <char> characters.

Shipping City' can not contain a credit card number.
Shipping City' must be between 0 and 50 characters. You entered <char> characters.
Shipping Country Id' can not contain a credit card number.
Shipping Country Id' is not valid.
Shipping First Name' can not contain a credit card number.
Shipping First Name' must be between 0 and 50 characters. You entered <char> characters.
Shipping Last Name' can not contain a credit card number.
Shipping Last Name' must be between 0 and 50 characters. You entered <char> characters.
Shipping Phone' must be between 0 and 20 characters. You entered <char> characters.
Shipping Postal Code' can not contain a credit card number.
Shipping Postal Code' must be between 0 and 20 characters. You entered <char> characters.
Shipping State' can not contain a credit card number.
Shipping State' must be between 0 and 50 characters. You entered <char> characters.
Site Id' can not contain a credit card number.
'Site Id' is not valid.
'State' can not contain a credit card number.
State' must be between 0 and 50 characters. You entered <char> characters.
State' must be between 1 and 50 characters.
Subscription plan id' is not valid.
Token Id' is not valid.
Tracking Id' must be between 0 and 100 characters. You entered <char> characters.
Validation error for input parameters.
Verify Transaction Id' is not valid.
XID is required when supplying ECI or ACS Verification Id.

APPENDIX D – SCRUB MESSAGES

Amount Limit
Approved Refferer Url Required
Card Bank ID Number IP Address
Card Decline Limiting
Card Holder Name
Card Limit

Country Black List
Credit Card Name and Customer Name Match
CVV2 Required
CyberSource
Email Limit
Email Required
Expired Credit Card
IP Address Bill
IP Black List
Name Credit Card Match
Name Declined Limit
Name Limit
Non US Customer
Phone Required
Price Limit
Price Minimum/Maximum
Refund Limit
Region Black List

APPENDIX E – ERROR MESSAGE

3D security is not enabled for this merchant.
Account associated with token is either deleted or disabled.
An address is required for this transaction.
An internal exception has occurred. Please refer to Error Id - <errorid>
Authorization headers not contained in the request.
Cannot do a full charge back for this transaction. Only partial charge back is allowed.
Cannot do a full refund for this transaction. Only partial refund is allowed.
Cannot do a full retrieval for this transaction. Only partial retrieval is allowed.
Capture amount is greater than the remaining authorization amount to be captured.
Capture is not enabled.

Cascade set up not valid for this transaction.
Client is not valid.
Credit card token used for transaction is no longer valid.
Critical error. Contact Unicorn.
Direct integration is not enabled.
Forced capture must have a bank reference as well.
Forced refund must have a bank reference as well.
Invalid Permissions.
Invalid principal identity.
Invalid transaction parameter(s).
Merchant does not exist or is no longer active.
Not a valid user.
Not able to capture. The transaction might be voided or already captured.
Not able to refund. The transaction might have CBK1 record or is already refunded.
Not authorized to access this resource.
Not authorized to execute this method.
Null Reason Code or specified Reason Code does not match the Card and Transaction Type thus cannot be authorized.
Partial charge back amount is greater than the remaining amount to be charged back.
Partial refund amount is greater than the remaining amount to be refunded.
Partial retrieval amount is greater than the remaining amount to be retrieved.
Rates not available for credit card and currency type.
Refund is not enabled.
Request is not in correct format.
Service connection failed.
Site does not belong to the merchant.
Site does not exist or is no longer active.
Subscription plan is not valid.
Test card is not enabled.
The authenticaiton token in no longed valid.
The credit card number is blacklisted.

The site is missing required bank parameter.
The specified transaction is not valid for Blacklisting.
The specified transaction is not valid for CBK1 Credit.
The specified transaction is not valid for Charge back.
The specified transaction is not valid for Dispute.
The specified transaction is not valid for Void.
The specified transaction is not valid for Whitelisting.
The volume limit for transactions have been exceeded.
This account is currently disabled, please contact risk@unicornpayment.com with any questions.
This function is not supported by the bank.
This transaction has already been captured.
This transaction is already been charged back.
This transaction is already been initiated for retrieval.
This transaction is already been refunded.
This transaction is already been voided.
Time period to capture this transaction has expired.
Transaction id is not valid.
Transaction is declined for failed 3D authentication. 3D authentication is required for this merchant.
Unable to locate successful transaction details.
User is disabled or is no longer active.
User not mapped to any account.
Virtual terminal is not enabled.