PROCEDURE

1. Created a folder named FSDL and initialized a local Git repository using git init.
2. Created sample files file1.txt and file2.txt.
3. Checked status using git status, which showed untracked files.
4. Added files to the staging area using git add ..
5. Committed the files to the local repository using git commit -m.
6. Created a public repository on GitHub and connected it using git remote add origin.
7. Pushed the local repository to GitHub using git push -u origin main.
8. Created a new branch named Branch1 using git checkout -b Branch1.
9. Added a new file branch.txt in Branch1 and committed the changes.
10. Pushed Branch1 to the remote repository using git push origin Branch1.
11. Switched back to the main branch using git checkout main.
12. Merged Branch1 into main using git merge Branch1.
13. Pushed the merged changes to GitHub using git push origin main.
14. Pulled the latest changes from the remote repository using git pull origin main.

Step	Command	Description
1	git init	Initialize local repository
2	git status	Check file status
3	git add .	Add files to staging area
4	git commit -m “message”	Commit files to local repo
5	git branch -M main	Rename branch to main
6	git remote add origin <url>	Link local to remote repo
7	git push -u origin main	Push local repo to GitHub
8	git checkout -b Branch1	Create new branch
9	git commit -m “message”	Commit changes in branch
10	git push origin Branch1	Push branch to remote
11	git checkout main	Switch to main branch
12	git merge Branch1	Merge branch into main
13	git push origin main	Push merged code
14	git pull origin main	Pull latest changes

```
Last login: Mon Feb 16 10:36:52 on console
atharva_hemade@Atharvas-MacBook-Air ~ % git --version
git version 2.52.0
atharva_hemade@Atharvas-MacBook-Air ~ % mkdir FSDL
cd FSDL
atharva_hemade@Atharvas-MacBook-Air FSDL % git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to "main" in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:
hint:      git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:      git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /Users/atharva_hemade/FSDL/.git/
atharva_hemade@Atharvas-MacBook-Air FSDL % [200~echo "File 1" > file1.txt
zsh: bad pattern: [200~echo
atharva_hemade@Atharvas-MacBook-Air FSDL % echo "File 2" > file2.txt
atharva_hemade@Atharvas-MacBook-Air FSDL % touch file1.txt
git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      file1.txt
      file2.txt

nothing added to commit but untracked files present (use "git add" to track)

atharva_hemade@Atharvas-MacBook-Air FSDL % git add .
git status
On branch master

No commits yet

Changes to be committed:
```

```
  (use "git rm --cached <file>..." to unstage)
      new file:   file1.txt
      new file:   file2.txt

atharva_hemade@Atharvas-MacBook-Air FSDL % git commit -m "Initial commit - local repository"
[master (root-commit) 776f6f2] Initial commit - local repository
 2 files changed, 1 insertion(+)
 create mode 100644 file1.txt
 create mode 100644 file2.txt
atharva_hemade@Atharvas-MacBook-Air FSDL % git branch -M main
git remote add origin https://github.com/atharva-1910/FSD.git
git remote -v
origin      https://github.com/atharva-1910/FSD.git (fetch)
origin      https://github.com/atharva-1910/FSD.git (push)
atharva_hemade@Atharvas-MacBook-Air FSDL % git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 10 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 271 bytes | 271.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/atharva-1910/FSD.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
atharva_hemade@Atharvas-MacBook-Air FSDL % git checkout -b Branch1
git branch
Switched to a new branch 'Branch1'
* Branch1
  main
atharva_hemade@Atharvas-MacBook-Air FSDL % echo "Branch file" > branch.txt
git add .
git commit -m "Added file in Branch1"
[Branch1 ece40be] Added file in Branch1
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt
atharva_hemade@Atharvas-MacBook-Air FSDL % git push origin Branch1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 10 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'Branch1' on GitHub by visiting:
remote:      https://github.com/atharva-1910/FSD/pull/new/Branch1
remote:
To https://github.com/atharva-1910/FSD.git
 * [new branch]      Branch1 -> Branch1
atharva_hemade@Atharvas-MacBook-Air FSDL % git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
atharva_hemade@Atharvas-MacBook-Air FSDL % git merge Branch1
Updating 776f6f2..ece40be
Fast-forward
 branch.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt
atharva_hemade@Atharvas-MacBook-Air FSDL % git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/atharva-1910/FSD.git
   776f6f2..ece40be  main -> main
atharva_hemade@Atharvas-MacBook-Air FSDL % git pull origin main
From https://github.com/atharva-1910/FSD
 * branch            main       -> FETCH_HEAD
Already up to date.
atharva_hemade@Atharvas-MacBook-Air FSDL %
```