


Dr. D Y PATIL COLLEGE ENGINEERING
AKURDI, PUNE



SUBJECT: SOFTWARE LABORATORY – III

PROJECT TOPIC:

DYPCOE CANTEEN MANAGEMENT SYSTEM

Project Members:

1. Prasanna Dhapate (T1851027)
2. Atharva Naik (T1851045)
3. Siddharth Hegde (T1851069)
4. Megharaj Khalate (T1851096)

Under The Guidance Of

Mrs. Himani Patel

Department of Information Technology
(THIRD YEAR ENGINEERING IN INFORMATION
TECHNOLOGY) (Academic Year-2020-21)

Assignment No. 1

Aim:

Using HTML5 layout tags develop informative page with sections which include various images, links to other pages for navigation, make use of all possible formatting (for example font, color etc.).

Objectives:

To learn the basic HTML programming and create simple web pages with html tables, images, links, font and color.

Theory:

HTML is a language for describing web pages.

- HTML stands for **H**yper **T**ext **M**arkup **L**anguage
- HTML is not a programming language, it is a **markup language**
- A markup language is a set of **markup tags**
- HTML uses **markup tags** to describe web pages

HTML Tags

HTML markup tags are usually called HTML tags

- HTML tags are keywords surrounded by **angle brackets** like <html>
- HTML tags normally **come in pairs** like and
- The first tag in a pair is the **start tag**, the second tag is the **end tag**
- Start and end tags are also called **opening tags** and **closing tags**

HTML Documents = Web Pages

- HTML documents **describe web pages**
- HTML documents **contain HTML tags** and plain text
- HTML documents are also **called web pages**

The purpose of a web browser (like Internet Explorer or Firefox) is to read HTML documents and display them as web pages. The browser does not display the HTML tags, but uses the tags to interpret the content of the page.

Screenshots:

About us

We are committed to serving the best food for all our customers be the students or the college staff. The food we serve is made by certified cooks with lot of experience in the field of cooking.

We are looking for ways to keep our premises upto a high standard of taste, health, and cleanliness



```
<div class="container-fluid px-0">
  <div class="row no-gutters">
    <div class="col-lg-6 p-5">
      <h2 class="font-weight-bold mb-4">About us</h2>
      <p>We are committed to serving the best food for all our customers be the students or the college staff.
The
      food
      we serve is made by certified cooks with lot of experiance in the field of cooking.</p>
      <p>We are looking for ways to keep our premises upto a high standard of taste, health, and
cleanliness</p>
    </div>
    <div class="col-lg-6">
      
    </div>
  </div>
</div>
```

```
body {
  height: 100%;
  width: 100%;
  font-family: 'Poppins', sans-serif;
  color: #222;
  overflow-x: hidden;
}
```



```
<ul class="navbar-nav ml-auto">
  <li class="nav-item active">
    <a class="nav-link" href="/index.php">Home</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="/menu.php">Menu</a>
  </li>
</ul>
```

Assignment No. 2

Aim: Apply CSS properties Border, margins, Padding, Navigation, dropdown list to page created in first assignment.

Theory:

Cascading Style Sheets, fondly referred to as CSS, is a simple design language intended to simplify the process of making web pages presentable. CSS handles the look and feel part of a web page. Using CSS, you can control the color of the text, the style of fonts, the spacing between paragraphs, how columns are sized and laid out, what background images or colors are used, as well as a variety of other effects. Three methods to add CSS styles to HTML pages

In - Line

In-line styles are plonked straight into the HTML tags using the style attribute.

They look something like this:

```
<p style="color: red">text</p>
```

This will make that specific paragraph red.

But, if you remember, the best-practice approach is that the HTML should be a stand-alone, *presentation free* document, and so in-line styles should be avoided wherever possible.

Internal

Embedded, or internal, styles are used for the whole page. Inside the head element, the style tags surround all of the styles for the page.

```
<!DOCTYPE html>
<html>
<head>
<title>CSS Example</title>
<style>
```

```
  p {
    color: red;
  }
```

```
  a {
    color: blue;
  }
```

```
</style>
```

...

This will make all of the paragraphs in the page red and all of the links blue.

Although preferable to soiling our HTML with inline presentation, it is similarly usually preferable to keep the HTML and the CSS files separate, and so we are left with our savior.

External

External styles are used for the whole, multiple-page website. There is a *separate CSS file*, which will simply look something like:

```
p {
  color: red;
}
```

```
a {  
  
    color: blue;  
}
```

If this file is saved as “style.css” in the same directory as your HTML page then it can be linked to in the HTML like this:

```
<!DOCTYPE html>  
<html>  
<head>  
    <title>CSS Example</title>  
    <link rel="stylesheet" href="style.css">
```

Linking the CSS file with HTML file

Start a fresh new file with your text-editor and save the blank document as “style.css” in the same directory as your HTML file.

Now change your HTML file so that it starts something like this:

```
<!DOCTYPE html>  
<html>  
<head>  
    <title>My first web page</title>  
    <link rel="stylesheet" href="style.css">  
</head>
```

...

Save the HTML file. This now links to the CSS file, which is empty at the moment, so won't change a thing. As you work, you will be able to add to and change the CSS file and see the results by simply refreshing the browser window that has the HTML file in it, as we did before. For each selector there are “*properties*” inside *curly brackets*, which simply take the form of words such as color, font-weight or background-color.

A *value* is given to the property following a *colon* (NOT an “equals” sign) and *semi-colons* separate the properties.

```
body {  
    font-size: 14px;  
    color: navy;  
}
```

This will apply the given values to the font-size and color properties to the body selector.

So basically, when this is applied to an HTML document, text between the body tags (which is the content of the whole window) will be 14 pixels in size and navy in color.

Steps to design navigation bar

A website navigation menu is one of the most important must-haves for any website. It's basically a set of links styled or un-styled that enable your visitors to get from one page to the next. Some websites have their navigation menu at the top, others on the left and there's a few you'll find on the right.

</nav>

```
.navbar-nav{  
  padding-top:20px;  
  padding-bottom:20px;  
}  
.navbar-nav li {  
  padding-right: 20px;  
}  
  
.navbar-brand{  
  padding-right: 0;  
  margin-right: 0;  
  border: 1px solid black;  
}
```



Assignment No. 3

Aim:

Create form in HTML with all form elements apply form validations (e.g. Email, mobile, Pin code, Password).

Objectives:

To learn about Website GUI Validation using JavaScript, PHP

Theory:

JavaScript is a front-end scripting language developed by Netscape for adding dynamic content to otherwise static web pages. It is

- an interpreted programming language
- Designed for creating network-centric applications
- Can be used as object-oriented language
- Client-side technology
- Embedded in your HTML page
- Simple and flexible
- Powerful to manipulate the DOM(Document Object Model)

What Can JavaScript do:

- ◆ Can handle events, user actions
- ◆ Can read and write HTML elements and modify the DOM tree
- ◆ Can validate form data
- ◆ Can access / modify browser cookies
- ◆ Can detect the user's browser and OS
- ◆ Can be used as object-oriented language
- ◆ Can handle exceptions
- ◆ Can perform asynchronous server calls

JavaScript Syntax:

A JavaScript consists of JavaScript statements that are placed within the <script>... </script> HTML tags in a web page.

We can place the <script> tag containing your JavaScript anywhere within web page but it is preferred way to keep it within the <head> tags.

The <script> tag alert the browser program to begin interpreting all the text between these tags as a script.

So simple syntax of your JavaScript will be as follows

```
<script language="javascript" type="text/javascript">
```

JavaScript code

```
</script>
```

The script tag takes two important attributes:

language: This attribute specifies what scripting language you are using. Typically, its value will be javascript. Although recent versions of HTML (and XHTML, its successor) have phased out the use of this attribute.

type: This attribute is what is now recommended to indicate the scripting language in use and its value should be set to "text/javascript".

Example to print out "Hello World".

```
<html>
```

```
<body>
```



```
<script language="javascript" type="text/javascript">
< document.write("JavaScript Rulez!")>
</script>
</body>
</html>
```

Output : (browser displays the text)

The JavaScript syntax includes: Operators (+, *, =, !=, &&, ++, ...) ,Variables (typeless) ,Conditional statements (if, else), Loops (for, while, For in),Arrays (my_array[]) and associative arrays (my_array['abc']), Functions (can return value),Function variables JavaScript data types: Numbers (integer, floating-point), Boolean (true / false),String type – string of characters, Arrays, Associative arrays (hash tables)

In JavaScript every variable can be considered as object:

For example strings and arrays have member functions:

```
var test = "some string";
alert(test[7]); // shows letter 'r'
alert(test.charAt(5)); // shows letter 's'
```

The + operator joins strings

```
string1 = "fat ";
string2 = "cats";
alert(string1 + string2); // fat cats
("9" + 9); // 99
(9+9); //18
```

Screenshots:

```
<div class="tab-pane fade" id="signup" role="tabpanel" aria-labelledby="profile-tab" style="color:white">
    <form method="post" enctype="multipart/form-data">
        <div class="form-group">
            <label for="name">Name</label>
            <input type="text" id="name" class="form-control" name="name" autocomplete = "off"
required="required"/>
        </div>

        <div class="form-group">
            <label for="email">Email</label>
            <input type="email" id="email" name="email" class="form-control" autocomplete = "off"
required/>
        </div>

        <div class="form-group">
            <label for="pwd">Password:</label>
            <input type="password" name="password" class="form-control" id="pwd" required/>
        </div>

        <div class="form-group">
            <label for="mobile">Mobile</label>
            <input type="tel" id="mobile" class="form-control" name="mobile" pattern="[6-9]{1}[0-9]{2}[0-9]{3}[0-9]{4}" autocomplete = "off" placeholder="" required/>
        </div>

        <button type="submit" name="register" style="background:#ED2553; border:1px solid #ED2553;"
class="btn btn-primary">Create New Account</button>
```

Software Lab-III

```
<div class="footer" style="color:red;"><?php if(isset($errmsg)) { echo $errmsg; }?><?php if(isset($errmsg2))  
{ echo $errmsg2; }?></div>  
    </form>  
</div>
```

Log In Create New Account

Name

Email

Password:

Mobile

Create New Account

Assignment No. 4

Aim: Validate URL, Email, Required using functions empty, preg_match, filter, var in PHP.

Objectives:

To learn about Website GUI Validation using JavaScript, PHP

Theory:

PHP started out as a small open source project that evolved as more and more people found out how useful it was. Rasmus Lerdorf unleashed the first version of PHP way back in 1994.

PHP is a MUST for students and working professionals to become a great Software Engineer specially when they are working in Web Development Domain. I will list down some of the key advantages of learning PHP:

- PHP is a recursive acronym for "PHP: Hypertext Preprocessor".
- PHP is a server side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.
- It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server.
- PHP is pleasingly zippy in its execution, especially when compiled as an Apache module on the Unix side. The MySQL server, once started, executes even very complex queries with huge result sets in record-setting time.
- PHP supports a large number of major protocols such as POP3, IMAP, and LDAP. PHP4 added support for Java and distributed object architectures (COM and CORBA), making n-tier development a possibility for the first time.
- PHP is forgiving: PHP language tries to be as forgiving as possible.
- PHP Syntax is C-Like.

Characteristics of PHP

Five important characteristics make PHP's practical nature possible –

- Simplicity
- Efficiency
- Security
- Flexibility
- Familiarity

Hello World using PHP.

Just to give you a little excitement about PHP, I'm going to give you a small conventional PHP Hello

World program, You can try it using Demo link.

```
<html>

<head>
  <title>Hello World</title>
</head>

<body>
  <?php echo "Hello, World!";?>
</body>

</html>
```

What is Validation ?

Validation means check the input submitted by the user. There are two types of validation are available in PHP.

They are as follows –

- Client-Side Validation – Validation is performed on the client machine web browsers.
- Server Side Validation – After submitted by data, The data has sent to a server and perform validation checks in server machine.

Some of Validation rules for field

Field	Validation Rules
Name	Should required letters and white-spaces
Email	Should required @ and .
Website	Should required a valid URL
Radio	Must be selectable at least once
Check Box	Must be checkable at least once
Drop Down menu	Must be selectable at least once

Valid URL

Below code shows validation of URL

```
$website = input($_POST["site"]);  
  
if (!preg_match("/^b(?:(:https?|ftp):\\|\\|www\\.)*[-a-z0-9+&@#\\/%?=_~!|:,;]*[-a-z0-9+&@#\\/%=_~_]/i",$website)) {  
    $websiteErr = "Invalid URL";  
}
```

Above syntax will verify whether a given URL is valid or not. It should allow some keywords as https, ftp, www, a-z, 0-9,...etc..

Valid Email

Below code shows validation of Email address

```
$email = input($_POST["email"]);  
  
if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {  
    $emailErr = "Invalid format and please re-enter valid email";  
}
```

Above syntax will verify whether given Email address is well-formed or not. If it is not, it will show an error message.

Screenshots:

```
}  
if(isset($_GET['msg']))  
{  
    $loginmsg=$_GET['msg'];  
}  
else  
{  
    $loginmsg="";  
}  
  
if(isset($register))  
{  
    $query=mysqli_query($con,"select * from tblcustomer where fld_email='$email'");  
    $row=mysqli_num_rows($query);  
    if($row)  
    {  
        $errmsg2="Email already registered with us";  
    }  
    else  
    {
```


```
        if(mysqli_query($con,"insert into tblcustomer (fld_name,fld_email,password,fld_mobile)
values('$name','$email','$password','$mobile')"))
    {
        $_SESSION['cust_id']=$email;
        if(!empty($customer_email && $product_id))
        {
            $_SESSION['cust_id']=$customer_email;
            header("location:cart.php?product='$product_id'");

        }
        else
        {
            $_SESSION['cust_id']=$email;
            header("location:../index.php");
        }

    }
    else
    {
        echo "fail";
        echo $name;
        echo $email;
        echo $password;
        echo $mobile;
    }
}
```

```
<style>
    #login-form{
padding:10%0;
background: url("../assets/login/food1.png")no-repeat;
background-size: cover;
width: 100%;
height: 100%;
object-fit: cover;
animation: scale 3s;
    }

</style>
```

Log In **Create New Account**

Name
fudshdu

Email
megh@7

Password:
••••••

Mobile
1234567n|

Please match the requested format.

Assignment No. 5

Aim: Understand servlet life cycle, create login page and apply proper validations with appropriate messages using doGet()/ doPost() methods.

Objectives:

To learn about Website Working (Java Servlet)

Theory:

A servlet life cycle can be defined as the entire process from its creation till the destruction.

The following are the paths followed by a servlet.

- The servlet is initialized by calling the init() method.
- The servlet calls service() method to process a client's request.
- The servlet is terminated by calling the destroy() method.
- Finally, servlet is garbage collected by the garbage collector of the JVM.

Now let us discuss the life cycle methods in detail.

The init() Method

The init method is called only once. It is called only when the servlet is created, and not called for any user requests afterwards. So, it is used for one-time initializations, just as with the init method of applets.

The servlet is normally created when a user first invokes a URL corresponding to the servlet, but you can also specify that the servlet be loaded when the server is first started.

When a user invokes a servlet, a single instance of each servlet gets created, with each user request resulting in a new thread that is handed off to doGet or doPost as appropriate. The init() method simply creates or loads some data that will be used throughout the life of the servlet.

The init method definition looks like this –

```
public void init() throws ServletException {  
    // Initialization code...  
}
```

The service() Method

The service() method is the main method to perform the actual task. The servlet container (i.e. web server) calls the service() method to handle requests coming from the client(browsers) and to write the formatted response back to the client.

Each time the server receives a request for a servlet, the server spawns a new thread and calls service. The service() method checks the HTTP request type (GET, POST, PUT, DELETE, etc.) and calls doGet, doPost, doPut, doDelete, etc. methods as appropriate.

Here is the signature of this method –

```
public void service(ServletRequest request, ServletResponse response)
    throws ServletException, IOException {
}
```

The service () method is called by the container and service method invokes doGet, doPost, doPut, doDelete, etc. methods as appropriate. So you have nothing to do with service() method but you override either doGet() or doPost() depending on what type of request you receive from the client.

The doGet() and doPost() are most frequently used methods with in each service request. Here is the signature of these two methods.

The doGet() Method

A GET request results from a normal request for a URL or from an HTML form that has no METHOD specified and it should be handled by doGet() method.

```
public void doGet(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
    // Servlet code
}
```

The doPost() Method

A POST request results from an HTML form that specifically lists POST as the METHOD and it should be handled by doPost() method.

```
public void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
    // Servlet code
}
```

The destroy() Method

The destroy() method is called only once at the end of the life cycle of a servlet. This method gives your

servlet a chance to close database connections, halt background threads, write cookie lists or hit counts to disk, and perform other such cleanup activities.


After the `destroy()` method is called, the servlet object is marked for garbage collection. The `destroy` method definition looks like this –

```
public void destroy() {  
    // Finalization code...  
}
```

Architecture Diagram

The following figure depicts a typical servlet life-cycle scenario.

- First the HTTP requests coming to the server are delegated to the servlet container.
- The servlet container loads the servlet before invoking the `service()` method.
- Then the servlet container handles multiple requests by spawning multiple threads, each thread executing the `service()` method of a single instance of the servlet.



Servlets are Java classes which service HTTP requests and implement the `javax.servlet.Servlet` interface. Web application developers typically write servlets that extend `javax.servlet.http.HttpServlet`, an abstract class that implements the `Servlet` interface and is specially designed to handle HTTP requests.

Sample Code

Following is the sample source code structure of a servlet example to show Hello World –

```
// Import required java libraries

import java.io.*;

import javax.servlet.*;

import javax.servlet.http.*;


// Extend HttpServlet class

public class HelloWorld extends HttpServlet {

    private String message;

    public void init() throws ServletException {

        // Do required initialization

        message = "Hello World";

    }

    public void doGet(HttpServletRequest request, HttpServletResponse response)

        throws ServletException, IOException {

        // Set response content type

        response.setContentType("text/html");

        // Actual logic goes here.

        PrintWriter out = response.getWriter();

        out.println("<h1>" + message + "</h1>");

    }

    public void destroy() {

        // do nothing.

    }

}
```

Compiling a Servlet

Let us create a file with name HelloWorld.java with the code shown above. Place this file at C:\ServletDevel (in Windows) or at /usr/ServletDevel (in Unix). This path location must be added to CLASSPATH before proceeding further.

Assuming your environment is setup properly, go in ServletDevel directory and compile HelloWorld.java

as follows –

```
$ javac HelloWorld.java
```

If the servlet depends on any other libraries, you have to include those JAR files on your CLASSPATH as well.

I have included only servlet-api.jar JAR file because I'm not using any other library in Hello World program.

This command line uses the built-in javac compiler that comes with the Sun Microsystems Java Software Development Kit (JDK). For this command to work properly, you have to include the location of the Java SDK that you are using in the PATH environment variable.

If everything goes fine, above compilation would produce HelloWorld.classfile in the same directory. Next section would explain how a compiled servlet would be deployed in production.

Servlet Deployment

By default, a servlet application is located at the path <Tomcat-installationdirectory>/webapps/ROOT and the class file would reside in <Tomcat-installationdirectory>/webapps/ROOT/WEB-INF/classes.

If you have a fully qualified class name of com.myorg.MyServlet, then this servlet class must be located in WEB-INF/classes/com/myorg/MyServlet.class.

For now, let us copy HelloWorld.class into <Tomcat-installationdirectory>/webapps/ROOT/WEB-INF/classes and create following entries in web.xml file located in <Tomcat-installation-directory>/webapps/ROOT/WEB-INF/

```
<servlet>

  <servlet-name>HelloWorld</servlet-name>

  <servlet-class>HelloWorld</servlet-class>

</servlet>

<servlet-mapping>

  <servlet-name>HelloWorld</servlet-name>

  <url-pattern>/HelloWorld</url-pattern>

</servlet-mapping>
```

Above entries to be created inside <web-app>...</web-app> tags available in web.xml file. There could be various entries in this table already available, but never mind.

You are almost done, now let us start tomcat server using <Tomcat-installationdirectory>\bin\startup.bat (on Windows) or <Tomcat-installationdirectory>/bin/startup.sh (on Linux/Solaris etc.) and finally type http://localhost:8080/HelloWorld in the browser's address box. If everything goes fine, you would get the following result



You must have come across many situations when you need to pass some information from your browser to web server and ultimately to your backend program. The browser uses two methods to pass this information to web server. These methods are GET Method and POST Method.

GET Method

The GET method sends the encoded user information appended to the page request. The page and the encoded information are separated by the ?(question mark) symbol as follows –

```
http://www.test.com/hello?key1 = value1&key2 = value2
```

The GET method is the default method to pass information from browser to web server and it produces a long string that appears in your browser's Location:box. Never use the GET method if you have password or other sensitive information to pass to the server. The GET method has size limitation: only 1024 characters can be used in a request string.

This information is passed using QUERY_STRING header and will be accessible through QUERY_STRING environment variable and Servlet handles this type of requests using doGet() method.

POST Method

A generally more reliable method of passing information to a backend program is the POST method. This packages the information in exactly the same way as GET method, but instead of sending it as a text string after a ? (question mark) in the URL it sends it as a separate message. This message comes to the backend program in the form of the standard input which you can parse and use for your processing. Servlet handles this type of requests using doPost() method.

Reading Form Data using Servlet

Servlets handles form data parsing automatically using the following methods depending on the situation –

- `getParameter()` – You call `request.getParameter()` method to get the value of a form parameter.
- `getParameterValues()` – Call this method if the parameter appears more than once and returns multiple values, for example checkbox.
- `getParameterNames()` – Call this method if you want a complete list of all parameters in the current request.

GET Method Example using URL

Here is a simple URL which will pass two values to HelloForm program using GET method.

```
http://localhost:8080/HelloForm?first_name = ZARA&last_name = ALI
```

Given below is the HelloForm.java servlet program to handle input given by web browser. We are going to use `getParameter()` method which makes it very easy to access passed information –

```
// Import required java libraries
```



```

import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;

// Extend HttpServlet class
public class HelloForm extends HttpServlet {

    public void doGet(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {

        // Set response content type
        response.setContentType("text/html");
        PrintWriter out = response.getWriter();
        String title = "Using GET Method to Read Form Data";
        String docType =
            "<!doctype html public \'-//w3c//dtd html 4.0 \' + "transitional//en\ ">\n";
            out.println(docType +
            "<html>\n" +
            "<head><title>" + title + "</title></head>\n" +
            "<body bgcolor = \'#f0f0f0\ ">\n" +
            "<h1 align = \'center\ ">" + title + "</h1>\n" +
            "<ul>\n" +
            "    <li><b>First Name</b>: "

            "    <li><b>Last Name</b>: "
            + request.getParameter("last_name") + "\n" +
            "</ul>\n" +
            "</body>" +
            "</html>"
        );
    }
}

```

Screenshots:

```

<?php
session_start();
include("../connection.php");
extract($_REQUEST);
if(isset($_GET['product']))
{
    $product_id= $_GET['product'];
}
else
{
    $product_id= "";
}
if(isset($_GET['msg']))
{
    $loginmsg=$_GET['msg'];
}
else
{
    $loginmsg="";
}
if(isset($login))
{
    $query=mysqli_query($con,"select * from tblcustomer where fld_email='$email' &&
password='$password'");
    if($row=mysqli_fetch_array($query))
    {
        $customer_email =$row['fld_email'];
        $_SESSION['cust_id']=$customer_email;
        if(!empty($customer_email && $product_id))
        {
            //$_SESSION['product']=$product_id;
            echo $_SESSION['cust_id']=$customer_email;

            header("location:cart.php?product=$product_id");

        }
        else
        {
            header("location:../index.php");
            $_SESSION['product']=$product_id;
            $_SESSION['cust_id'];
        }
    }
    else
    {
        $errmsg="invalid Details";
    }
}

if(isset($register))
{

```

```

$query=mysqli_query($con,"select * from tblcustomer where fld_email='$email'");
$row=mysqli_num_rows($query);
if($row)
{
    $errmsg2="Email already registered with us";

}
else
{
    if(mysqli_query($con,"insert into tblcustomer (fld_name,fld_email,password,fld_mobile)
values('$name','$email','$password','$mobile')"))
    {
        $_SESSION['cust_id']=$email;
        if(!empty($customer_email && $product_id))
        {
            $_SESSION['cust_id']=$customer_email;
            header("location:cart.php?product='$product_id'");

        }
        else
        {
            $_SESSION['cust_id']=$email;
            header("location:../index.php");

        }

    }
}
else
{
    echo "fail";
    echo $name;
    echo $email;
    echo $password;
    echo $mobile;

}
}
}

```

?>

```

<div class="tab-pane fade show active" id="login" role="tabpanel" aria-labelledby="home-tab"
style="color:white">
    <div class="footer" style="color:red;"><?php if(isset($loginmsg)){ echo
$loginmsg;}?></div>
    <form method="post" enctype="multipart/form-data">
    <div class="form-group">
        <label for="email">Email address:</label>
        <input type="email" class="form-control" name="email" id="email" required/>
    </div>
    <div class="form-group">
        <label for="pwd">Password:</label>

```


```

        <input type="password" name="password" class="form-control" id="pwd" required/>
    </div>

    <button type="submit" name="login" style="background:#ED2553; border:1px solid #ED2553;"
class="btn btn-primary">Login In</button>
    <div class="footer" style="color:red;"><?php if(isset($errmsg)) { echo $errmsg; }?><?php
if(isset($errmsg2)) { echo $errmsg2; }?></div>
        </form>
    </div>

<style>
    #login-form{
padding:10%0;
background: url("../assets/login/food1.png")no-repeat;
background-size: cover;
width: 100%;
height: 100%;
object-fit: cover;
animation: scale 3s;
    }
</style>

```



Log In

Create New Account

Email address:

admin

Pa  Please include an '@' in the email address. 'admin' is missing an '@'.

.....

Login

Assignment 6

Screenshots:

1. Home page

The home page is the main page of the project and it is the first page that the users see. It welcomes the user when he/she logs in to the website. This is a portal to the general information about the college.

```
<body>
  <!--Section 1-->
  <section class="section_1 container-fluid p-0">
    <!--Navigation Bar-->
    <?php
      include "./include/navbar.php";
    ?>

    <header>

      <video playsinline="playsinline" autoplay="autoplay" muted="muted" loop="loop">
        <source src="./assets/bgvideo.mp4" type="video/mp4">
      </video>
      <div class="container h-100">
        <div class="d-flex h-100 text-center align-items-center py-5">
          <div class="w-100 text-white pt-5">
            <h1 class="display-4 mb-5">Welcome to D Y Patil College Of Engineering Canteen
Portal</h1>
            <h2>Good Food leads to a Good Mood</h2>
          </div>
        </div>
      </div>
    </header>

  </section>

  <!--section 2-->
  <?php
    include "./include/jumbologin.php";
  ?>

  <div class="container-fluid padding py-5">
    <div class="row text-center padding">
      <div class="col-xs-12 col-md-4 col-sm-6">
        <i class="fas fa-3x fa-leaf mb-3"></i>
        <h3>FRESH</h3>
```

```

    <p class="px-5">All our food is made with the freshest ingredients</p>
  </div>
  <div class="col-xs-12 col-md-4 col-sm-6">
    <i class="fas fa-3x fa-hand-holding-usd mb-3"></i>
    <h3>AFFORDABLE</h3>
    <p class="px-5">We are committed to the affordability of our food and will continue to keep in
the future</p>
  </div>
  <div class="col-xs-12 col-md-4 col-sm-6">
    <i class="fas fa-3x fa-heartbeat mb-3"></i>
    <h3>CLEAN</h3>
    <p class="px-5">We always keep a clean environment in our premises</p>
  </div>
</div>
</div>

<div class="container-fluid">
  <div class="row text-center padding">
    <div class="col-12">
      <h2 class="display-5 mb-3">Connect With Us!</h2>
    </div>
    <div class="col-12 social padding">
      <a href="https://www.facebook.com/1040599899300987/" target="_blank"><i class="fab fa-2x
fa-facebook-f"></i></a>
      <a href="https://twitter.com/DYPCOE_AKURDI/" target="_blank"><i class="fab fa-2x fa-
twitter"></i></a>
      <a href="https://www.instagram.com/dypcoe_ak/" target="_blank"><i class="fab fa-2x fa-
instagram"></i></a>
      <a href="https://www.youtube.com/channel/UCI7EyZv0Rb3QKxgTjDQ3e-Q"
target="_blank"><i class="fab fa-2x fa-youtube"></i></a>
      <a href="https://www.linkedin.com/in/d-y-patil-college-of-engineering-akurdi-pune-
379b701b1" target="_blank"><i class="fab fa-2x fa-linkedin"></i></a>
    </div>
  </div>
</div>
</div>
</div>

```



Welcome to D Y Patil College Of Engineering Canteen Portal

Good Food leads to a Good Mood

To Avail Some Exciting Offers!!

[Login to order!](#)[Take a look at our menu!](#)

FRESH

All our food is made with the freshest ingredients



AFFORDABLE

We are committed to the affordability of our food and will continue to keep in the future



CLEAN

We always keep a clean environment in our premises

About us

We are committed to serving the best food for all our customers be the students or the college staff. The food we serve is made by certified cooks with lot of experience in the field of cooking.

We are looking for ways to keep our premises upto a high standard of taste, health, and cleanliness



In these difficult times....

We are determined to take care of the safety of our customers.

We promise to ensure that the order takes the least contact as possible

We have implemented better practices in almost all the areas and also ensured to keep the amount of waste generated to the minimum

Where can you find us

Location:

You can find us by following these directions:

- Head to the C-building of the Old Engineering College in the campus
- Go inside the building to find some stairs leading to the basement
- Go down to the basement and look to your right!

Et Voila!
You have found us!



Connect With Us!



D Y PATIL COLLEGE OF ENGINEERING

Good Food leads to a Good Mood

Timings

8:00 am - 6:00 pm

For feedback

Email: info@dypcoeakurdi.ac.in

2.Menu page:

```
<?php
```

```
session_start();
```

```
include("connection.php");
```

```
extract($_REQUEST);
```

```
$arr=array();
```

```
if(isset($_GET['msg']))
```

```
{
```

```
    $loginmsg=$_GET['msg'];
```

```
}
```

```
else
```

```
{
```

```
    $loginmsg="";
```

```
}
```

```
if(isset($_SESSION['cust_id']))
```

```
{
```

```
    $cust_id=$_SESSION['cust_id'];
```

```
    $query=mysqli_query($con,"select * from tblcustomer where fld_email='$cust_id'");
```

```
    $result=mysqli_fetch_array($query);
```

```
}
```

```
else
```

```
{
```

```
    $cust_id="";
```

```
}
```

```
$query=mysqli_query($con,"select tblvendor.fld_name,tblvendor.fldvendor_id,tblvendor.fld_email,
```

```
tblvendor.fld_mob,tblvendor.fld_address,tbfood.food_id,tbfood.foodname,tbfood.cost,
```

```
tbfood.cuisines,tbfood.paymentmode
```

```
from tblvendor inner join tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id;");
```

```
while($row=mysqli_fetch_array($query))
```

```
{
```

```
    $arr[]=$row['food_id'];
```

```

        shuffle($arr);
    }

    //print_r($arr);

    if(isset($addtocart))
    {

        if(!empty($_SESSION['cust_id']))
        {

            header("location:./form/cart.php?product=$addtocart");

        }
        else
        {

            header("location:./form/login.php?msg=you must be login first");

        }
    }

    if(isset($login))
    {

        header("location:form/login.php");

    }
    if(isset($logout))
    {

        session_destroy();

        header("location:index.php");

    }

    $query=mysqli_query($con,"select
tbfood.foodname,tbfood.fldvendor_id,tbfood.cost,tbfood.cuisines,tbfood.fldimage,tblcart.fld_cart_id,tblcart.
fld_product_id,tblcart.fld_customer_id from tbfood inner join tblcart on
tbfood.food_id=tblcart.fld_product_id where tblcart.fld_customer_id='$cust_id'");

    $re=mysqli_num_rows($query);

    if(isset($message))
    {

```

```
if(mysqli_query($con,"insert into tblmessage(fld_name,fld_email,fld_phone,fld_msg) values
('$nm','$em','$ph','$txt')"))
```

```
{
    echo "<script> alert('We will be Connecting You shortly')</script>";
}
else
{
    echo "failed";
}
}
```

```
<div class="col-sm-6">
    <br><br>
    <div class="container-fluid rounded" style="border:solid 1px #F0F0F0;">
    <?php
        $food_id=$arr[0];
        $query=mysqli_query($con,"select tblvendor.fld_email,tblvendor.fld_name,tblvendor.fld_mob,
tblvendor.fld_phone,tblvendor.fld_address,tblvendor.fldvendor_id,tbfood.food_id,tbfood.foodname,tbfood.c
ost,
        tbfood.cuisines,tbfood.paymentmode,tbfood.fldimage from tblvendor inner join
        tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id where tbfood.food_id='$food_id'");
        while($res=mysqli_fetch_assoc($query))
        {
            $food_pic= "image/restaurant/".$res['fld_email']."/foodimages/".$res['fldimage'];
        }
    ?>
    <div class="container-fluid">
    <div class="container-fluid">
        <div class="row" style="padding:10px; ">
            <div class="col-sm-5">
                <span style="font-family: 'Miriam Libre', sans-serif; font-size:28px;color:#CB202D;">
                <?php echo $res['foodname']; ?></span></a>
            </div>
        </div>
```

```
<div class="col-sm-3"><i style="font-size:20px;" class="fas fa-rupee-  
sign"></i>&nbsp;<span style="color:green; font-size:25px;"><?php echo $res['cost']; ?></span></div>
```

```
<form method="post">
```

```
<div class="col-sm-2" style="text-align:left;padding:10px; font-size:25px;"><button  
type="submit" name="addtocart" value="<?php echo $res['food_id'];?>"><span style="color:green;" <i  
class="fa fa-shopping-cart" aria-hidden="true"></i></span></button></div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<div class="container-fluid">
```

```
<div class="row" style="padding:10px;padding-top:0px;padding-right:0px; padding-left:0px;">
```

```
<div class="col-sm-12"></div>
```

```
</div>
```

```
</div>
```

```
<div class="container-fluid">
```

```
<div class="row" style="padding:10px; ">
```

```
<div class="col-sm-6">
```

```
<span><li><?php echo $res['cuisines']; ?></li></span>
```

```
<span><li><?php echo "Rs ".$res['cost']; ?>&nbsp; for 1</li></span>
```

```
<span><li>Up To 60 Minutes</li></span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php
```

```
}
```

```
?>
```

```
</div>
```

```
</div>
```

```
</div> </div>
```

```
</div>
```

Pizza Full

₹ 300



- Fast food, full size
- Rs 300 for 1
- Up To 60 Minutes

shahi panner

₹ 20



- vegetable
- Rs 20 for 1
- Up To 60 Minutes

chola kulcha

₹ 100



- lunch
- Rs 100 for 1
- Up To 60 Minutes

burger

₹ 50



- Fast food
- Rs 50 for 1
- Up To 60 Minutes

Pizza

₹ 100



- Medium Size, fast food
- Rs 100 for 1
- Up To 60 Minutes

malai Kofta

₹ 50



- vegetable, veg
- Rs 50 for 1
- Up To 60 Minutes

3. Cart

```
<!DOCTYPE html>

<html lang="en">

<head>

  <title>Cart </title>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>

  <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"></script>

  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>

  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>

  <link href="https://fonts.googleapis.com/css?family=Lobster" rel="stylesheet">

  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.1/css/all.css"
integrity="sha384-
50oBUHEmvpQ+11W4y57PTFmhCaXp0ML5d60M1M7uH2+nqUivzIebhndOJK28anvf"
crossorigin="anonymous">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></script>

  <style>

    ul li{list-style:none;}

    ul li a {color:black;text-decoration:none; }

    ul li a:hover {color:black;text-decoration:none; }

  </style>

  <script>

    function del(id)

    {

      if(confirm('are you sure you want to cancel order')== true)

      {

        window.location.href='cancelorder.php?id=' +id;

      }

    }

  </script>
```

</head>

<body>

```
<nav class="navbar navbar-expand-lg navbar-light bg-light fixed-top">
```

[D Y Patil College of Engineering](http://www.dypatilcollege.edu.in)

<?php

```
if(!empty($cust_id))
```

$$\{$$

?

```
<a class="navbar-brand" style="color:black; text-decoration:none;"><i class="far fa-user"><?php
if(isset($cust_id)) { echo $qqr['fld_name']; }?></i></a>
```

<?php

$$\}$$

?

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">
```


</button>

```
<div class="collapse navbar-collapse" id="navbarResponsive">
```

```
<ul class="navbar-nav ml-auto">
```

```
<li class="nav-item active">
```

[Home](http://localhost/home/index.php)


```
<li class="nav-item">
```

[About](http://localhost/~/aboutus.php)

```
<li class="nav-item">
```

[Contact](../contact.php)


```
<li class="nav-item">
```

```
<form method="post">
```

<?php

```
if(empty($cust_id))
```

 $\{$

?>

<i class="fa fa-shopping-cart" aria-hidden="true">4</i>

```
<button class="btn btn-outline-danger my-2 my-sm-0" name="login">Log  
In</button>&nbsp;&nbsp;&nbsp;&nbsp;
```

<?php

}

else

$$\{$$

?

```
<a href="cart.php"><span style="color:green; font-size:30px;"><i class="fa fa-shopping-cart" aria-hidden="true"><span style="color:green;" id="cart" class="badge badge-light"><?php if(isset($re)) echo $re; ?></span></i></span></a>
```

```
<button class="btn btn-outline-success my-2 my-sm-0" name="logout"  
type="submit">Log Out</button>&nbsp;&nbsp;&nbsp;
```

<?php

$$\}$$

?

</form>

</nav>

[View Cart](#)[Account Settings](#)[Orders](#)

chola kulcha

RS 100

lunch

SPECIAL ITEMS

[Delete](#)**Grand total****₹ 100**[PROCEED TO CHECKOUT](#)

<style>

ul li{list-style:none;}

ul li a {color:black;text-decoration:none; }

ul li a:hover {color:black;text-decoration:none; }

</style>

<script>

function del(id)

{

if(confirm('are you sure you want to cancel order')== true)

{

window.location.href='cancelorder.php?id=' +id;

}

}

</script>

4. Login/ Register

```
<!DOCTYPE html>
```

```
<html lang="en" >
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>Material Login Form</title>
```

```
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">
```

```
    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
```

```
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>
```

```
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>
```

```
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.1/css/all.css"
integrity="sha384-
50oBUHEmvpQ+1lW4y57PTFmhCaXp0ML5d60M1M7uH2+nqUivzIlebhndOJK28anvf"
crossorigin="anonymous">
```

```
      <link rel="stylesheet" href="../css/index.css">
```

```
      <style>
```

```
        ul li{list-style:none;}
```

```
        ul li a {color:black;font-weight:bold;text-decoration:none; }
```

```
        ul li a:hover {color:black;text-decoration:none;}
```

```
      </style>
```

```
</head>
```

```
<style>
```

```
  #login-form{
```

```
    padding:10%0;
```

```
    background: url("../assets/login/food1.png")no-repeat;
```

```
    background-size: cover;
```

```

width: 100%;
height: 100%;
object-fit: cover;
animation: scale 3s;
}

</style>

<body >

<section id="login-form">

<nav class="navbar navbar-expand-lg navbar-light bg-light fixed-top">

    <a class="navbar-brand" href="../index.php"><h3 style="color:black;font-family: 'arial';">D Y
PATIL COLLEGE OF ENGINEERING</h3></a>

    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

    </button>

<div class="collapse navbar-collapse" id="navbarResponsive">

    <ul class="navbar-nav ml-auto">

        <li class="nav-item active">

            <a class="nav-link" href="../index.php">Home

                </a>

        </li>

        <li class="nav-item">

            <a class="nav-link" href="../aboutus.php">About</a>

        </li> </ul>

    </div>

</nav>

<br><br><br>

<div class="middle" style=" margin:0px auto;width:500px;">

```

```

<ul class="nav nav-tabs navbar-inverse" id="myTab" style="background:#ED2553;border-radius:10px 10px 10px 10px;" role="tablist">

    <li class="nav-item">

        <a class="nav-link active" style="color:#BDDEFD;" id="login-tab" data-toggle="tab" href="#login" role="tab" aria-controls="login" aria-selected="true">Log In</a>

    </li>

    <li class="nav-item">

        <a class="nav-link" id="signup-tab" style="color:#BDDEFD;" data-toggle="tab" href="#signup" role="tab" aria-controls="signup" aria-selected="false">Create New Account</a>

    </li>

</ul>

<br><br>

<div class="tab-content" id="myTabContent">

    <!--login Section-- starts-->

        <div class="tab-pane fade show active" id="login" role="tabpanel" aria-labelledby="home-tab" style="color:white">

            <div class="footer" style="color:red;"><?php if(isset($loginmsg)){ echo $loginmsg; }?></div>

            <form method="post" enctype="multipart/form-data">

                <div class="form-group">

                    <label for="email">Email address:</label>

                    <input type="email" class="form-control" name="email" id="email" required/>

                </div>

                <div class="form-group">

                    <label for="pwd">Password:</label>

                    <input type="password" name="password" class="form-control" id="pwd" required/>

                </div>

                <button type="submit" name="login" style="background:#ED2553; border:1px solid #ED2553;" class="btn btn-primary">Login</button>

                <div class="footer" style="color:red;"><?php if(isset($errmsg)) { echo $errmsg; }?><?php if(isset($errmsg2)) { echo $errmsg2; }?></div>

            </form>

        </div>

```

```
<div class="tab-pane fade" id="signup" role="tabpanel" aria-labelledby="profile-tab" style="color:white">
```

```
<form method="post" enctype="multipart/form-data">
```

```
<div class="form-group">
```

```
<label for="name">Name</label>
```

```
<input type="text" id="name" class="form-control" name="name" autocomplete = "off" required="required"/>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="email">Email</label>
```

```
<input type="email" id="email" name="email" class="form-control" autocomplete = "off" required/>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="pwd">Password:</label>
```

```
<input type="password" name="password" class="form-control" id="pwd" required/>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="mobile">Mobile</label>
```

```
<input type="tel" id="mobile" class="form-control" name="mobile" pattern="[6-9]{1}[0-9]{2}[0-9]{3}[0-9]{4}" autocomplete = "off" placeholder="" required>
```

```
</div>
```

```
<button type="submit" name="register" style="background:#ED2553; border:1px solid #ED2553;" class="btn btn-primary">Create New Account</button>
```

```
<div class="footer" style="color:red;"><?php if(isset($errmsg)) { echo $errmsg; }?><?php if(isset($errmsg2)) { echo $errmsg2; }?></div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<br><br> <br><br> <br><br>
```

</section>

<?php


include("../include/footer.php");

?>

</body>

D Y PATIL COLLEGE OF ENGINEERING

[Home](#) [About](#)



The form is set against a dark background featuring images of fresh vegetables like tomatoes, bell peppers, and a salad. It includes a login section with email and password fields, and a registration section with name, email, password, and mobile number fields.

[Log In](#) [Create New Account](#)

Email address:

Password:

Login

Name

Email

Password:

Mobile

Create New Account


D Y PATIL COLLEGE OF ENGINEERING
Good Food leads to a Good Mood

Timings
8:00 am - 6:00 pm

For feedback
Email: info@dypcoeakurdi.ac.in

D Y PATIL COLLEGE OF ENGINEERING

[Home](#) [About](#)



This form is identical to the one above, featuring a dark background with food imagery and fields for user authentication and registration.

[Log In](#) [Create New Account](#)

Name

Email

Password:

Mobile

Create New Account

D Y PATIL COLLEGE OF ENGINEERING
Good Food leads to a Good Mood

Timings
8:00 am - 6:00 pm

For feedback
Email: info@dypcoeakurdi.ac.in

5. Contact us

```
<div class="container-fluid">

<header>

<div class="container h-100">

  <div class="d-flex h-100 text-center align-items-center py-5" style="background-image:
url('./assets/contact.jpg');background-size:cover">

    <div class="w-100 text-white pt-5">

      <h1 class="display-4 mb-5">We Would Love To Hear Your Thoughts!</h1>

    </div>

  </div>

</div>

</div>

</header>

</div>

<br>

<div class="container">

  <div class="row">

    <div class="col-sm-8" style="padding:20px; border:1px solid #F0F0F0;">

      <form method="post">

        <div class="form-group">

          <input type="text" class="form-control" placeholder="Name*" name="name"
autocomplete="off" required/>

        </div>

        <div class="form-group">

          <input type="email" class="form-control" placeholder="Email*" value="<?php
if(isset($cust_id)) echo $cust_id; ?>" name="email" autocomplete="off" required/>

        </div>

        <div class="form-group">

          <input type="tel" class="form-control" pattern="[6-9]{1}[0-9]{9}" name="phone"
placeholder="Phone(optional) EX 8686949402" autocomplete="off"/>

        </div>

        <div class="form-group">

          <textarea class="form-control" placeholder="Message*" name="msgtxt" rows="3" col="10"
required/></textarea>

        </div>

      </form>

    </div>

  </div>

</div>
```


6. About us

```
<header id="header">
<div class="container h-100">
  <div class="d-flex h-100 text-center align-items-center py-5" style='background-image: url("../assets/about-us/bgabout.jpg");background-size:cover'>
    <div class="w-100 text-white pt-5">
      <h1 class="display-4 mb-5">About Us</h1>
      <h2> D Y Patil College Of Engineering</h2>
    </div>
  </div>
</div>
</header>
```

```
<br><br>
```

```
<div class="container">
<div class="row">
  <div class="col-lg- 6 col-sm-6 col-xs-12">
    
  </div>
  <div class="col-lg-6 col-sm-6 col-xs-12">
```

Dr. D. Y. Patil Prathishthan's, D.Y. Patil College of Engineering, was established in 1984 in Pimpri and later shifted to Akurdi complex in 2001, which is in the vicinity of Pimpri Chinchwad Industrial area, one of the biggest Industrial belts in Asia. The college spreads over 10 acres of land with seven Engineering disciplines. This Institute is approved by AICTE, New Delhi and is affiliated to the Savitribai Phule Pune University.

The college has excellent & ambient infrastructure with well-equipped laboratories. Well-qualified, motivated, and dedicated faculty members are serving in the Institute. Students are encouraged to actively participate in National and State level co-curricular and extracurricular activities. The institute has well planned boys and girls hostel in the campus with better amenities and ultra-modern facilities.

```
</div>
```

```
<hr>
```

</div>

</div>

<div class="container">

<div class="row">

<div class="col-lg-4 col-sm-4 col-xs-12">

<div class="card">

<div class="container">

<h4>Col. S. K. Joshi</h4>

<p>Campus Director</p>

</div>

</div>

</div>

<div class="col-lg-4 col-sm-4 col-xs-12">

<div class="card">

<div class="container">

<h4>Prof. (Dr) V. M. Wadhai</h4>

<p>Principal</p>

</div>

</div>

</div>

<div class="col-lg-4 col-sm-4 col-xs-12">

<div id="vice" class="card">

<div class="container">

<h4>Dr. Mrs. P. Malathi</h4>

<p>Vice-Principal</p>

</div>

</div>

</div>

</div>

</div>

<hr>

<h2 id="contacthead">Get in touch with us</h2>

<div class="container">

<div class="row">

<div class="col-lg-6 col-sm-6 col-xs-12">

<i class="fas fa-phone fa-2x">+91-20-27653058 </i>

</div>

<div class="col-lg-6 col-sm-6 col-xs-12">

<i id="email" class="fas fa-envelope fa-2x">:info@dypcoeakurdi.ac.in</i>

</div>

</div>

</div>

<div id="map" class="col-lg-12 col-xs-12">

<div id="map-container-google-2" class="z-depth-1-half map-container">

<iframe

src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3780.4265987398358!2d73.75599781497598!3d18.6448432873367!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3bc2b9f1ca8dab03%3A0x6237cfbd36f9acf9!2sD.Y.%20Patil%20College%20of%20Engineering!5e0!3m2!1sen!2sin!4v1601877210559!5m2!1sen!2sin" width="100%" height="400" frameborder="0" style="border:0;" allowfullscreen="" aria-hidden="false" tabindex="0"></iframe>

</div>

</div>

</div>



Dr. D. Y. Patil Prathishthan's, D.Y. Patil College of Engineering, was established in 1984 in Pimpri and later shifted to Akurdi complex in 2001, which is in the vicinity of Pimpri Chinchwad Industrial area, one of the biggest Industrial belts in Asia. The college spreads over 10 acres of land with seven Engineering disciplines. This Institute is approved by AICTE, New Delhi and is affiliated to the Savitribai Phule Pune University. The college has excellent & ambient infrastructure with well-equipped laboratories. Well-qualified, motivated, and dedicated faculty members are serving in the Institute. Students are encouraged to actively participate in National and State level co-curricular and extracurricular activities. The institute has well planned boys and girls hostel in the campus with better amenities and ultra-modern facilities.



Col. S. K. Joshi

Campus Director



Prof. (Dr) V. M. Wadhai

Principal



Dr. Mrs. P. Malathi

Vice-Principal

Get in touch with us

[☎:+91-20-27653058](tel:+912027653058)

[✉:info@dypcoeakurdi.ac.in](mailto:info@dypcoeakurdi.ac.in)



Connect With Us!



DY PATIL COLLEGE OF ENGINEERING

Good Food leads to a Good Mood

Timings

8:00 am - 6:00 pm

For feedback

Email: info@dypcoeakurdi.ac.in

7. Backend

These are all the backend sources used to run this project with some functionalities. This project has 6 tables inside a single database.

☐ Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Options

	fld_cart_id	fld_product_id	fld_customer_id
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	25	6	megharaj@7
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	26	7	megharaj@7

☐ Check all With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

☐ Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Options

	fld_cust_id	fld_name	fld_email	fld_mobile	password
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	4	megharaj khalate patil	megharaj@7	7057155767	qwerty

☐ Check all With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

Table	Action	Rows	Type	Collation	Size	Overhead
<input type="checkbox"/> tbadmin	<input type="checkbox"/> Browse <input type="checkbox"/> Structure <input type="checkbox"/> Search <input type="checkbox"/> Insert <input type="checkbox"/> Empty <input type="checkbox"/> Drop	1	InnoDB	latin1_swedish_ci	16.0 KiB	-
<input type="checkbox"/> tbfood	<input type="checkbox"/> Browse <input type="checkbox"/> Structure <input type="checkbox"/> Search <input type="checkbox"/> Insert <input type="checkbox"/> Empty <input type="checkbox"/> Drop	6	InnoDB	utf8_general_ci	32.0 KiB	-
<input type="checkbox"/> tblcart	<input type="checkbox"/> Browse <input type="checkbox"/> Structure <input type="checkbox"/> Search <input type="checkbox"/> Insert <input type="checkbox"/> Empty <input type="checkbox"/> Drop	2	InnoDB	utf8_general_ci	16.0 KiB	-
<input type="checkbox"/> tblcustomer	<input type="checkbox"/> Browse <input type="checkbox"/> Structure <input type="checkbox"/> Search <input type="checkbox"/> Insert <input type="checkbox"/> Empty <input type="checkbox"/> Drop	1	InnoDB	utf8_general_ci	16.0 KiB	-
<input type="checkbox"/> tblmessage	<input type="checkbox"/> Browse <input type="checkbox"/> Structure <input type="checkbox"/> Search <input type="checkbox"/> Insert <input type="checkbox"/> Empty <input type="checkbox"/> Drop	3	InnoDB	utf8_general_ci	16.0 KiB	-
<input type="checkbox"/> tblorder	<input type="checkbox"/> Browse <input type="checkbox"/> Structure <input type="checkbox"/> Search <input type="checkbox"/> Insert <input type="checkbox"/> Empty <input type="checkbox"/> Drop	1	InnoDB	utf8_general_ci	16.0 KiB	-

☐ Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Options

	fld_msg_id	fld_name	fld_email	fld_phone	fld_msg
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	1	megharaj	megharaj@7	7857377873	good quality
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	2	megharaj k	megharaj@7	0	very good quality
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	3	megharaj k	megharaj@7	0	very good quality






☐ Check all With selected: ☐ Edit ☐ Copy ☐ Delete ☐ Export

+ Options

 		food_id	fldvendor_id	foodname	cost	cuisines	paymentmode	fldimage
<input type="checkbox"/>	 Edit  Copy  Delete	2	22	malai Kofta	50	vegetable,veg	COD	1469258122-malai-kofta.jpg
<input type="checkbox"/>	 Edit  Copy  Delete	3	22	shahi panner	20	vegetable	COD	Shahi-Paneer-Recipe.jpg
<input type="checkbox"/>	 Edit  Copy  Delete	4	22	chola kulcha	100	lunch	COD	maxresdefault.jpg
<input type="checkbox"/>	 Edit  Copy  Delete	5	23	Pizza	100	Medium Size, fast food	COD	phut_0.jpg
<input type="checkbox"/>	 Edit  Copy  Delete	6	23	Pizza Full	300	Fast food,full size	COD	phut_0.jpg
<input type="checkbox"/>	 Edit  Copy  Delete	7	23	burger	50	Fast food	COD	photo-1534790566855-4cb788d389ec.jpg

 ☐ Check all With selected:  Edit  Copy  Delete  Export

+ Options

 		fld_order_id	fld_cart_id	fldvendor_id	fld_food_id	fld_email_id	fld_payment	fldstatus
<input type="checkbox"/>	 Edit  Copy  Delete	13	22	22	3	megharaj@7	20	ordered

 ☐ Check all With selected:  Edit  Copy  Delete  Export