

Kinjo is a proximity social app that shows who is physically near you in real time. This document covers every technology layer used to build, run, and deploy the product.

## ⌘=Ÿ¥ Frontend — Landing Page

|               |                                                     |
|---------------|-----------------------------------------------------|
| Framework     | React 18                                            |
| Build Tool    | Vite                                                |
| Language      | TypeScript                                          |
| Animations    | Framer Motion (swipe card stack)                    |
| Styling       | Inline styles + plain CSS                           |
| UI Components | shadcn/ui (Radix primitives + Tailwind)             |
| Fonts         | Inter (Google Fonts)                                |
| Routing       | Single-page app — screen state in React (no router) |

## &™p Backend — API Server

|           |                                                            |
|-----------|------------------------------------------------------------|
| Runtime   | Node.js                                                    |
| Framework | Express                                                    |
| Language  | TypeScript                                                 |
| Logging   | Pino                                                       |
| Email     | Brevo (Sendinblue) REST API                                |
| Auth      | Email OTP — 6-digit code, stored in Postgres, Bearer token |
| Build     | esbuild (custom build.mjs)                                 |

## ⌘=ŸÄ Database & ORM

|            |                             |
|------------|-----------------------------|
| Database   | PostgreSQL (Replit managed) |
| ORM        | Drizzle ORM                 |
| Migrations | Drizzle Kit                 |

## ⌘=Üæ Shared Libraries

|  |
|--|
|  |
|--|

lib/api-zod

**Zod schemas + TypeScript types for all API shapes**

lib/api-client-react



lib/db

**Drizzle client + schema shared across packages**

## Ø<ß× Monorepo & Tooling

|                 |                                                        |
|-----------------|--------------------------------------------------------|
| Package manager | <b>pnpm workspaces</b>                                 |
| Type checking   | <b>TypeScript project references</b>                   |
| Hosting         | <b>Replit (managed Postgres, secrets, deployments)</b> |

## Ø=Üá Infrastructure & Deployment

|                |                                                         |
|----------------|---------------------------------------------------------|
| Custom domain  | <b>kinjo.world (DNS via GoDaddy)</b>                    |
| Email DNS      | <b>SPF + DKIM + DMARC via Brevo</b>                     |
| Geo-location   | <b>Browser navigator.geolocation API</b>                |
| Proximity calc | <b>Haversine formula — pure TypeScript, server-side</b> |