

Develop a Web Application using frontend stack

Course-End Project 2

Cohort: JG FSJD Nov 2022 COHORT 1

Date of Submission: July 01, 2023

Submitted by Athar Zafar

Email: athar.mech196@gmail.com

Source Code Git Location:

<https://github.com/atharzafar/Kitchen-Story.git>

Source Code:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=s
wap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <title>Kitchen Story- Burger</title>
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css
"
  integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous" />
  <link rel="stylesheet" href="css/style.css">
</head>

<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="burger.html" class="navbar-brand">
      
      Kitchen Story
    </a>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
```



```

        <a href="#" class="nav-link"
style="color:white;">Search</a>
    </li>
    <li class="nav-item">
        <a href="#" class="nav-link"
style="color:white;">Cart<span class="text-danger" id="count"></span>
        </a>
    </li>
    <li class="nav-item">
        <button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="logout()">Logout</button>
    </li>
</ul>
</div>
</nav>

<div class="container">
    <h1 class="display-4 text-center">Select the Burgers to add in
Cart</h1>

    <table class="table col-md-8 offset-2" class="table-secondary">
        <thead>
            <tr class="table-primary">
                <th scope="col">Image</th>
                <th scope="col">Company</th>
                <th scope="col">Quantity</th>
                <th scope="col">Price</th>
                <th scope="col">Add to Cart</th>
            </tr>
        </thead>

        <tbody>
            <tr class="table-secondary">
                <th scope="row"></th>
                <td>Mc-Donald's Burger</td>
                <td><input type="number" id="burger1" name="number"
min="0" max="20" value="0" /></td>
                <td>Rs.80</td>
                <td>
                    <div id="cart">
                        <input type="submit" value="Add" class="btn btn-
block btn-primary" />
                    </div>
                </td>
            </tr>
            <tr class="table-success">

```



```

        <th scope="row"></th>
        <td>KFC-Burger</td>
        <td><input type="number" id="burger2" name="number"
min="0" max="20" value="0" /></td>
        <td>Rs.100</td>
        <td>
            <div id="cart">
                <input type="submit" value="Add" class="btn btn-
block btn-primary" />
            </div>
        </td>
    </tr>
</tbody>
</table>
</div>
<div class="container">
    <table class="table col-md-8 offset-2">
        <thead>
            <tr class="table-primary">
                <th scope="col">Name</th>
                <th scope="col">Quantity</th>
                <th scope="col">Price</th>

            </tr>
        </thead>

        <tbody id="cartvalue" class="table-secondary">

            </tbody>
            <tr class="table-secondary">
                <td></td>
                <td>Total</td>
                <td id="amount"></td>

            </tr>
        </table>
    </div>
    <div id="pay">
        <input type="submit" value="Pay" class="btn btn-block btn-primary my-
4" onclick="checkout()" />
    </div>

    <script src="java-script/javascript.js"></script>

```



```
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
  integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
  crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
"
  integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
  crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
  crossorigin="anonymous"></script>
</body>

</html>
```

Development server

Run **ng serve -o** for a dev server. The app will be automatically rendered in the browser. The app will automatically reload if you change any of the source files.

Code scaffolding

Run **ng generate component component-name** to generate a new component. You can also use **ng generate directive|pipe|service|class|guard|interface|enum|module**.