

DATA SCIENCE RESOURCES

Exploratory Data Analysis Interview Questions

From Data Understanding to Business Insights

Q1. What is Exploratory Data Analysis (EDA)?

- First analytical step to understand data structure and patterns
 - Identifies trends, anomalies and variable relationships
 - Helps decide next steps for modeling or reporting
-

Q2. Why is EDA important before modeling?

- Detects data quality issues early
 - Prevents incorrect assumptions
 - Improves model accuracy and reliability
-

Q3. What are the main steps involved in EDA?

- Data understanding and structure checks
 - Handling missing and incorrect values
 - Univariate and multivariate analysis
-

Q4. What types of analysis are performed in EDA?

- Univariate for single variable behavior
 - Bivariate for relationships between two variables
 - Multivariate for combined variable interactions
-

Q5. How do you identify missing values during EDA?

- Check null counts and percentages
 - Use summary statistics to spot gaps
 - Visualize patterns using heatmaps or bar charts
-

Q6. How do you handle missing values in EDA?

- Remove rows when missing data is minimal
 - Impute using mean, median, or mode
 - Apply business rules where relevant
-

Q7. What is univariate analysis?

- Focuses on analyzing a single variable at a time
 - Understands distribution, spread, and central tendency
 - Helps detect outliers and unusual data behavior
-

Q8. Which plots are commonly used in univariate analysis?

- Histogram to analyze data distribution
 - Box plot to understand spread and identify outliers
 - Bar chart for frequency of categorical variables
-

Q9. What is bivariate analysis?

- Examines relationship between two variables
 - Helps identify correlation or dependency patterns
 - Used to compare numerical and categorical data
-

Q10. Which charts are used in bivariate analysis?

- Scatter plots for numeric relationships
 - Box plots for numeric vs categorical
 - Grouped bar charts for category comparison
-

Q11. How do you detect outliers during EDA?

- Box plot analysis using the IQR method
 - Z-score based statistical outlier detection
 - Scatter plot inspection for abnormal patterns
-

Q12. Should outliers always be removed?

- Presence of valid business-driven extreme values
 - Removal only in case of confirmed data errors
 - Careful evaluation of downstream business impact
-

Q13. What is data distribution and why does it matter?

- Overall spread and shape of data values
 - Choice of appropriate statistical techniques
 - Validity of analytical and modeling assumptions
-

Q14. How do you check data distribution?

- Histogram and density-based distribution plots
 - Skewness derived from summary statistics
 - Q-Q plot comparison against theoretical distribution
-

Q15. What is correlation in EDA?

- Strength and direction of variable relationships
 - Feature relevance and inter-variable dependency
 - Detection of redundant or overlapping features
-

Q16. What are common correlation techniques?

- Pearson correlation for linear relationships
 - Spearman rank correlation for monotonic trends
 - Correlation heatmap for global relationship view
-

Q17. How does EDA help in feature engineering?

- Identification of analytically significant variables
 - Requirement for scaling and data transformations
 - Elimination of noisy or redundant features
-

Q18. What is multivariate analysis?

- Simultaneous analysis of multiple related variables
 - Discovery of complex inter-variable relationships
 - Use in segmentation and pattern recognition
-

Q19. What are common mistakes made during EDA?

- Ignoring missing, inconsistent, or incorrect data
 - Over-dependence on visual inspection alone
 - Lack of business context in interpretation
-

Q20. How do you present EDA findings to stakeholders?

- Clear visuals supported by concise summaries
 - Emphasis on insights rather than raw statistics
 - Direct linkage to business decisions and actions
-

Q21. What is skewness in data analysis?

- Degree of asymmetry in data distribution
 - Direction of skewness as positive or negative
 - Impact on statistical assumptions and analysis
-

Q22. How do you handle skewed data in EDA?

- Log or square-root data transformation
 - Median-based measures instead of mean
 - Validation of analytical impact after adjustment
-

Q23. What is kurtosis?

- Measure of peakedness in data distribution
 - Indicates heavy-tailed or light-tailed behavior
 - Reflects likelihood of extreme data values
-

Q24. Why is kurtosis important in EDA?

- Helps assess risk of extreme outcomes
 - Supports understanding of distribution variability
 - Commonly used in financial data analysis
-

Q25. What is categorical data analysis in EDA?

- Analysis of non-numeric feature variables
 - Focus on frequency and proportion patterns
 - Used to study group-wise data behavior
-

Q26. How do you analyze categorical variables?

- Frequency and count-based summary tables
 - Bar charts and category count plots
 - Cross-tabulation across multiple categories
-

Q27. What is data imbalance and why does it matter?

- Uneven distribution across target categories
 - Leads to biased analytical or model results
 - Common challenge in classification problems
-

Q28. How do you detect data imbalance during EDA?

- Class-level distribution analysis
 - Percentage comparison across categories
 - Visual inspection using bar charts
-

Q29. What is normalization in EDA?

- Scaling numeric values to a common data range
 - Improves comparability across different feature scales
 - Important for distance-based machine learning algorithms
-

Q30. What is standardization?

- Centering data around a zero mean value
 - Scaling features using standard deviation values
 - Preserves relative shape of the data distribution
-

Q31. When do you use normalization vs standardization?

- Normalization for bounded or range-limited data values
 - Standardization for normally distributed numeric features
 - Choice depends on algorithm behavior and assumptions
-

Q32. Is scaling part of EDA or modeling?

- Identified during exploratory data analysis phase
 - Applied before building predictive models
 - Helps reduce bias in analytical outcomes
-

Q33. What is multicollinearity?

- High correlation among predictor variables
 - Reduced interpretability of model coefficients
 - Instability in coefficient estimates
-

Q34. How do you detect multicollinearity in EDA?

- Correlation matrix across numeric predictors
 - Variance Inflation Factor for feature assessment
 - Scatter plot patterns between variables
-

Q35. What is data leakage and how can EDA help prevent it?

- Leakage of future information into analysis
 - Detection of unrealistic or suspicious patterns
 - Prevention of misleading model performance
-

Q36. Why should EDA consider business context?

- Avoids incorrect interpretation of data patterns
 - Aligns analysis with real-world scenarios
 - Improves relevance of analytical decisions
-

Q37. What role does visualization play in EDA?

- Easier detection of patterns and anomalies
 - Discovery of trends hidden in raw tables
 - Effective communication of analytical insights
-

Q38. Can EDA be automated?

- Use of automated data profiling tools
 - Need for human judgment and interpretation
 - Automation as support for manual analysis
-

Q39. What tools are commonly used for EDA?

- Excel for quick summaries and exploration
 - SQL for structured data validation checks
 - Python and R for advanced exploratory analysis
-

Q40. What makes EDA effective in interviews?

- Clear explanation of analytical approach
 - Justification of assumptions and decisions
 - Connecting insights to business value
-

Q41. What is data profiling in EDA?

- Summary of data structure and overall quality
 - Identification of missing values and anomalies
 - Planning foundation for data cleaning activities
-

Q42. How is data profiling different from EDA?

- Focus on data structure and metadata details
 - EDA focuses on patterns and relationships
 - Profiling performed as an initial analysis step
-

Q43. What is a summary statistic in EDA?

- Description of central tendency and data spread
 - Measures such as mean, median, and standard deviation
 - Quick insight into overall data behavior
-

Q44. Why is median preferred over mean in some cases?

- Reduced sensitivity to extreme values
 - Better representation of skewed distributions
 - Greater robustness in real-world datasets
-

Q45. What is data consistency and why check it during EDA?

- Validation of values against expected business rules
 - Detection of contradictory or conflicting records
 - Improvement of overall data reliability
-

Q46. How do you check data consistency?

- Validation of allowed ranges and data formats
 - Enforcement of logical and business constraints
 - Comparison across related data columns
-

Q47. What is data duplication in EDA?

- Presence of repeated records in datasets
 - Artificial inflation of metrics and counts
 - Increased risk of incorrect analytical conclusions
-

Q48. How do you detect duplicate records?

- Validation using unique identifiers
 - Row-level count and comparison checks
 - Application of duplicate detection logic
-

Q49. What is exploratory hypothesis generation?

- Formation of assumptions from observed patterns
 - Direction for further analysis or modeling steps
 - Not intended for final conclusions
-

Q50. Why should EDA not confirm hypotheses?

- Risk of analytical bias and overfitting
 - EDA is exploratory rather than confirmatory
 - Formal hypothesis testing requires validation
-

Q51. What is segmentation analysis in EDA?

- Grouping data based on shared characteristics
 - Identification of distinct behavioral patterns
 - Commonly used in customer data analysis
-

Q52. Which techniques support segmentation during EDA?

- Group-by based analytical summaries
 - Exploratory clustering techniques
 - Distribution comparison across segments
-

Q53. How does EDA support business decision-making?

- Identification of potential risks and opportunities
 - Highlighting of key business drivers
 - Support for evidence-based decisions
-

Q54. What EDA insight is most valued by stakeholders?

- Clear trends impacting business KPIs
 - Actionable patterns with business relevance
 - Simple and interpretable explanations
-

Q55. What challenges do analysts face during EDA?

- Poor or inconsistent data quality
 - Handling large and complex data volumes
 - Ambiguous or unclear business rules
-

Q56. How do experienced analysts approach EDA differently?

- Focus on analytical questions over visuals
 - Early validation of assumptions
 - Balance between speed and accuracy
-

Q57. When should EDA stop?

- When key data patterns are clearly understood
 - When additional analysis yields diminishing returns
 - Before confirmation bias influences conclusions
-

Q58. Can EDA be iterative?

- Insights often generate new analytical questions
 - Repeated as data or context evolves
 - Common practice in real-world projects
-

Q59. How do you explain EDA in an interview?

- Clear explanation of the analytical approach
 - Mention of relevant tools and techniques
 - Connection of findings to business value
-

Q60. What is the biggest mistake candidates make with EDA?

- Overemphasis on visuals alone
 - Ignoring underlying business meaning
 - Failure to explain decision rationale
-