
Q.1) Which of the following measurements represents the reading of the micrometer?


a) 9.25 mm b) 8.0 cm c) 1.50 cm d) 2 mm

Q.2) In uniform circular motion experiment, the raduis (r) = 0.4 m. If we got this graph shown, the mass (m) is:

a. 10 g
b. 11 g
c. 100 g
d. 0.1 g



Q.3) Using significant figures rules, find the multiplying of these readings:



a. 325.4 mm^2 b. 330 mm^2 c. 113 mm^2 D. 325 mm^2


Q.4) In vector experiment, the ring mass does not effect on the equilibrium state.

a. True b. False

Q.5) The best equipment to measure the thickness of the paper is the verner caliber

a. True b. False

Q.6) In the circular motion experiment, a student studied the relation between the hanging mass (M) and the square of the frequency (f^2) for rotational body (m) using the radius (**R=0.3 m**). A plotted data are shown in the figure bellow. (**g=10 m/s^2**)



The mass (m) of the rotational body is:


a) 6.34 gram b) 12.7 gram c) 8.45 gram d) 4.22 gram

Scanned with CamScanner

Q.13) How many significant figures in the number of **100** as in this sentence:
"There are 100 years in a century".

a. 1 significant digits
b. 2 significant digits
c. infinite significant digits
d. 3 significant digits

Q.14) what is the readings of the following instruments?



a. 12.3 ± 0.05 mm
b. 1.23 ± 0.005 mm
c. 123.0 ± 0.05 mm
d. 1.23 ± 0.0005 mm

Q.15) A cylinder has a radius of $R \pm \Delta R = (2.00 \pm 0.05)$ **cm** and a length of $L \pm \Delta L = (20.0 \pm 0.1)$ **cm**. Calculate the volume and the error in the volume of the cylinder $V \pm \Delta V$ in cm^3 ?

a. 251 ± 7.54
b. 251 ± 14
c. 512 ± 70.5
d. 351 ± 17.63

Scanned with CamScanner

Q.7) An object is moving with a constant speed in a circular path of radius r. **If its frequency of revolution is (3n)**, express its centripetal acceleration in terms of n and r.

a. $4\pi^2n^2r$
b. $9\pi^2n^2r$
c. $3\pi^2n^2r$
d. $36\pi^2n^2r$

Q.8) which of the following measurements represents the reading of the caliber?


a. 2 mm
b. 8.0 cm
c. 1.50 cm
d. 20.0 mm

Q.9) Compute the following: **(0.049623 × 32.0 / 478.8)**

a. 0.00331
b. 0.00330
c. 0.00332
d. 0.00300

Q.10) For the experimental setup shown. Consider a body located at the origin, the body is in equilibrium, if T (in N), and Ω (in degree) are respectively:

a) 2.64, 79.1
b) 2.64, 52.3
c) 3.27, 52.3
d) 3.27, 79.1



COMPUTER NETWORK ENGINEERING

Q.11) Round **3.78721** to three significant figures

a. 3.78
b. 3.77
c. 3.79
d. 3.80

Q.12) Round **24.85** to three significant figures

a. 24.7
b. 24.9
c. 25.0
d. 24.8

Scanned with CamScanner