




Mata Kuliah : Pemrograman Web Lanjut (PWL)
Program Studi : D4 – Teknik Informatika
Semester : 4



Kelas : 2A
NIM : 244107020030
Nama : Athaula Hafizh
Jobsheet Ke- : 1

Laporan Jobsheet 01




Link Repository : <https://github.com/athfizh/Pemrograman-Web-Lanjut>

Praktikum 01

Nomor	Jawaban/Deskripsi
1	Instalasi Laragon 





	 
2	Instalasi phpMyAdmin 
3	Instalasi Composer



Composer Setup

Installation Options

Choose your installation type.

Setup will install Composer to a fixed location for all users. This includes a Control Panel uninstaller and is the recommended option. Click Next to use it.

☒ Developer mode

Take control and just install Composer. An uninstaller will not be included.

Next

Cancel

Composer Setup

Select Destination Location

Where should Composer be installed?

Setup will install Composer into the following folder.

To continue, click Next. If you would like to select a different folder, click Browse.

C:\composer

Browse...

At least 3.3 MB of free disk space is required.

Back

Next

Cancel

Composer Setup

Settings Check

We need to check your PHP and other settings.

Choose the command-line PHP you want to use:

C:\xampp\php\php.exe




Browse...

☒ Add this PHP to your path?

Back

Next




Cancel








	Composer Setup Information Please read the following information before continuing. Important You must open a new command window to use Composer for the first time, because your environment has changed and running programs may not be aware of this. If this does not work, you will have to do one of the following: - Close all File Explorer windows, then open a new command window. OR - Logoff and Logon again, then open a new command window. As a last resort, you may need to restart your computer. Next Composer Setup Completing Composer Setup Setup has installed Composer on your computer. Usage: Open a command window and type "composer" Click Finish to exit Setup. ☐ View online documentation Back Finish <pre>C:\Users\Lenovo>composer -v Composer version 2.9.5 2026-01-29 11:48:53 Usage: command [options] [arguments] Options: -h, --help Display help for the given command. When no command is given display help for the list command -q, --quiet Do not output any message -V, --version Display this application version Force (or disable --no-ansi) ANSI output -n, --no-ansi Do not ask any interactive question Display timing and memory usage information Whether to disable plugins. If specified, use the given directory as working directory. -d, --working-dir=WORKING-DIR Prevent use of the cache -v, --verbose Increase the verbosity of messages: 1 for normal output, 2 for more verbose output and 3 for debug</pre>
4	Instalasi Node.js & NPM



	 Node.js Setup Welcome to the Node.js Setup Wizard The Setup Wizard will install Node.js on your computer. Back Next Cancel  Node.js Setup Ready to install Node.js Click Install to begin the installation. Click Back to review or change any of your installation settings. Click Cancel to exit the wizard. Back Install Cancel <pre>C:\Users\Lenovo>node -v v24.13.0 C:\Users\Lenovo>npm -v 11.6.2</pre>
5	Instalasi GIT



	  
6	Instalasi Laravel 12



```
Administrator: Windows PowerShell
INFO: Downloading PHP binary...

Id Name PSJobTypeName State HasMoreData Location Command
---
1 Job1 BackgroundJob Completed True localhost ...

INFO: Creating php.ini...
INFO: Downloading Composer binary...

3 Job3 BackgroundJob Completed True localhost ...

5 Job5 BackgroundJob Completed True localhost ...

INFO: Downloading Laravel installer...

7 Job7 BackgroundJob Completed True localhost ...

9 Job9 BackgroundJob Completed True localhost ...

INFO: Adding C:\Users\Bobby.Catara\config\herd-lite\bin to your PATH...

INFO: Add C:\Users\Bobby.Catara\config\herd-lite\bin to PATH. Please restart your terminal to apply changes.

Success
php, composer, and laravel have been installed successfully.

Pro tip: While php.new gives you the basics, Laravel Herd provides:
* One-click PHP version switching and updates (7.4 - 8.5)
* Automatic HTTPS for all sites
* No more localhost:8000 - access your projects at folder-name.test
* ...and much more

Upgrade your workflow -> https://herd.laravel.com
```

a. Setup Laravel

```
Installing laravel/laravel (v12.11.2)
- Downloading laravel/laravel (v12.11.2)
- Installing laravel/laravel (v12.11.2): Extracting archive
Created project in C:\Users\Lenovo\coba
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 111 installs, 0 updates, 0 removals
- Locking brick/math (0.14.7)
- Locking carbonphp/carbon-doctrine-types (3.2.0)
- Locking dflydev/dot-access-data (v3.0.3)
- Locking doctrine/inflector (2.1.0)
- Locking doctrine/lexer (3.0.1)
- Locking dragonmantank/cron-expression (v3.6.0)
- Locking egulias/email-validator (4.0.4)
- Locking fakerphp/faker (v1.24.1)
- Locking filp/whoops (2.18.4)
- Locking fruitcake/php-cors (v1.4.0)
- Locking graham-campbell/result-type (v1.1.4)
- Locking guzzlehttp/guzzle (7.10.0)
- Locking guzzlehttp/promises (2.3.0)
- Locking guzzlehttp/psr7 (2.8.0)
- Locking guzzlehttp/uri-template (v1.0.5)
- Locking hamcrest/hamcrest-php (v2.1.1)
- Locking laravel/framework (v12.50.0)
- Locking laravel/pail (v1.2.5)
- Locking laravel/pint (v1.27.0)
- Locking laravel/prompts (v0.3.12)
- Locking laravel/sail (v1.52.0)
```

b. Konfigurasi Env (koneksi DB, APP_KEY, dll)

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=db_jobsheet1
DB_USERNAME=root
DB_PASSWORD=
```

```
PS C:\HAFIZH\ACADEMIC\COLLEGE\KULIAH CODING\WebLanjut\jobsheet1> php artisan migrate

INFO: Preparing database.



Creating migration table ..... 45.96ms DONE

INFO: Running migrations.

0001_01_01_000000_create_users_table ..... 174.98ms DONE
0001_01_01_000001_create_cache_table ..... 71.36ms DONE
0001_01_01_000002_create_jobs_table ..... 73.32ms DONE

PS C:\HAFIZH\ACADEMIC\COLLEGE\KULIAH CODING\WebLanjut\jobsheet1>
```



	
7	Publish Project Laravel ke Github <pre>MINGW64/c:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/WebLanjut Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/WebLanjut \$ git init Initialized empty Git repository in C:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/WebLanjut/.git/ Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/WebLanjut \$ git add . Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/WebLanjut \$ git commit -m "first laravel" Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/WebLanjut \$ git remote add origin https://github.com/athfizz/Pemrograman-Web-Lanjut.git Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/WebLanjut \$ git push -u origin main Enumerating objects: 77, done. Counting objects: 100% (77/77), done. Delta compression using up to 16 threads Compressing objects: 100% (59/59), done. Writing objects: 100% (77/77), 72.43 KiB 2.41 MiB/s, done. Total 77 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0) remote: Resolving deltas: 100% (1/1), done. To https://github.com/athfizz/Pemrograman-Web-Lanjut.git * [new branch] main -> main branch 'main' set up to track 'origin/main'.</pre> 



8


Update Kode Program dan Sync ke Repo Github

```
Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/webLanjut (main)
$ git init
Reinitialized existing Git repository in C:/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/webLanjut/.git/

Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/webLanjut (main)
$ git add .

Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/webLanjut (main)
$ git commit -m "update first laravel"
[main c055963] update first laravel
1 file changed, 1 insertion(+), 1 deletion(-)

Lenovo@LAPTOP-VQ8RCM57 MINGW64 /c/HAFIZH/ACADEMIC/COLLEGE/KULIAH CODING/webLanjut (main)
$ git push -u origin main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 477 bytes | 477.00 KiB/s, done.
Total 6 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/athfihz/Pemrograman-Web-Lanjut.git
123043b..c055963 main -> main
branch 'main' set up to track 'origin/main'.
```



Praktikum 02

Nomor	Jawaban/Deskripsi
1	Identifikasi folder-folder penting pada project Laravel (minimal 10 folder). Jelaskan fungsinya' 1) app/ Fungsi: Folder inti tempat sebagian besar logika aplikasi berada. Di dalamnya terdapat Model, Controller, Middleware, dan kode utama program lainnya. 2) config/



	Fungsi: Berisi semua file konfigurasi aplikasi, seperti pengaturan database (database.php), pengaturan aplikasi (app.php), dan layanan pihak ketiga. 3) database/ Fungsi: Tempat file-file yang berhubungan dengan database, seperti Migrations (untuk membuat tabel), Seeders (untuk data dummy), dan Factories. 4) public/ Fungsi: Folder yang dapat diakses publik. Berisi file index.php (pintu masuk aplikasi), serta aset seperti gambar, file CSS, dan JavaScript hasil kompilasi. 5) resources/ Fungsi: Tempat menyimpan aset mentah yang belum dikompilasi (seperti file SASS/SCSS, JS) dan file View (template Blade) yang akan ditampilkan ke pengguna. 6) routes/ Fungsi: Tempat mendefinisikan seluruh rute (URL) aplikasi. File web.php untuk rute web standar, dan api.php untuk rute API. 7) storage/ Fungsi: Tempat Laravel menyimpan file yang digenerate oleh sistem, seperti log aplikasi, cache, file sesi, dan file yang diupload oleh pengguna. 8) tests/ Fungsi: Berisi file-file untuk pengujian otomatis (automated testing), baik itu Unit Test maupun Feature Test. 9) vendor/ Fungsi: Folder yang berisi seluruh library atau paket dependensi Composer (pihak ketiga) yang digunakan aplikasi (termasuk framework Laravel itu sendiri). Folder ini tidak boleh diedit manual.
--	---



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI
POLITEKNIK NEGERI MALANG
JURUSAN TEKNOLOGI INFORMASI

Jl. Soekarno Hatta No. 9, Jatimulyo, Lowokwaru, Malang 65141

Telp. (0341) 404424 – 404425, Fax (0341) 404420

<https://jti.polinema.ac.id>

	10) bootstrap/
--	----------------

	Fungsi: Berisi file app.php yang menginisialisasi framework saat aplikasi dijalankan. Juga berisi folder cache untuk optimasi performa.
--	---