

## BCDV 1022 Node - HTTP & Web

2023 March week 02 - class 02



### **Topics**


- Node Networking and HTTP
- Node HTTP Module
- Creating a Web Server



# **Node Networking and HTTP**



## Node.js and Networking




- Although, Node.js can be use for a wide variety of tasks, it's mostly known for building web applications.
- Node.js is thrives in the networking due to its asynchronous nature and build-in modules such as net and http.



#### What is a Web Server?

- A Web Server is a software application which handles HTTP requests sent by the HTTP client, like web browsers, and returns web pages in response to the clients.
- Web servers usually deliver html documents along with images, style sheets, and scripts.





# **HTTP Module**



#### What is HTTP?




- Hypertext Transfer Protocol is a connectionless text based protocol.
- It is used to send and receive web pages and files on the internet.
   It is the foundation of WWW (world wide web)
- Client (web browsers) send a request to web servers for web files. The server will transfer the data over the web, then disconnect.



### Node.js and HTTP

- One of the powerful building blocks of node is the HTTP module that we use for creating networking applications.
- We can create a web server that listens for HTTP requests on a given port.
- We can use this and create a back-end service for our client application like a web application





#### **HTTP Module**

- The HTTP module can create an HTTP server that listens to server ports and gives a response back to the client.

  | Const http = require('http')
- The HTTP module can included using require

#### Methods

- http.createServer() return a new instance of the http.Server class
- http.request() Makes an HTTP request to a server
- http.get() similar to http.request, but automatically sets the HTTP method to GET

```
const server = http.createServer((req, res) => {
   //handle every single request with this callback
})
```



# **Creating a Web Server**



### Node.js Server in minutes..

```
const http = require('http');
const hostname = '127.0.0.1';
const port = 3000;
const server = http.createServer((req, res) => {
  res.statusCode = 200;
  res.setHeader('Content-Type', 'text/plain');
  res.end('Hello World\n');
});
server.listen(port, hostname, () => {
  console.log(`Server running at http://${hostname}:${port}/`);
});
```



## Node as a web server using HTTP

```
var http=require('http')
                                                             calls the http library
                       var server=http.createServer((function(request,response)
  create the
  server using
                         response.writeHead(200,
                                                                    set the
  the http
                                                                    content header
  library
                              {"Content-Type": "text/plain"});
                         response.end("Hello World\n");
                                                                     send the
Make the
                                                                     string to the
                       }));
server listen on
                                                                     response
port 7000
                       server.listen(7000);
```



## **Node as Client: Handling GET Requests**

```
sending the
                                                                 using the request module
response from
                 var request = require("request");
Google to
console.log
                 request("http://www.google.com", function(error, response, body)
                   console.log(body);
                                                   Making a GET request to
                                                   Google.com
```



## **Alternate Syntax**

```
http.createServer(function(request, response){ ... });
     Same as
var server = http.createServer();
server.on('request', function(request, response){ ... });
 This is how we add
                                  Event: 'close'
       add event listeners
                                  function () { }
                                  Emitted when the server closes.
server.on('close', function(){ ... });
```

