Privacy Nutrition Labels: A Browser Extension for Transparent Privacy Practices

Group 5
HCI Research Methods Course

Group Members: Aryan Kalluri, Athish Suresh, Yang(Alex) Tai

ABSTRACT

Privacy policies are notoriously difficult to read. Most people don't even try - studies show less than 10% of users actually read them before clicking "accept." We're designing a browser extension that fixes this problem by turning dense legal text into something that looks like a nutrition label on food packaging. Just like you can quickly see if your cereal has too much sugar, you'll be able to see if a website is collecting too much data.

Our extension displays an A-F grade for each website you visit, showing what data they collect, how they use it, who they share it with, and what rights you have. It also detects third-party trackers in real-time. To test whether this actually helps people, we're using three complementary research methods: having privacy experts evaluate the design (N=6), surveying regular users about their attitudes and behaviors (N=300), and watching people use the tool while they browse (N=9).

We expect to find that making privacy information visual and simple increases both understanding and awareness. More importantly, we want to see if it changes behavior - do people actually make different choices when privacy information is easy to access?

Keywords: privacy, browser extension, nutrition labels, transparency, tracking, user interface

1. INTRODUCTION

Privacy is broken on the web, but not in the way you might think. The real problem isn't that companies collect data - it's that nobody understands what's happening. Privacy policies exist, but they're written by lawyers for lawyers. The average policy takes 15-20 minutes to read and requires a college reading level. When faced with 10 pages of legal jargon, most people just click "I agree" and hope for the best.

This creates a strange situation: websites are technically being transparent by publishing policies, but practically nobody reads them. Users consent to data practices they don't understand, then feel surprised or betrayed when they learn what's actually happening with their information.

We think the solution isn't better policies - it's better presentation. Food nutrition labels solved a similar problem. Before standardized labels, ingredient lists varied wildly and required specialized knowledge to interpret. Now anyone can glance at a label and make informed choices. We're applying this same approach to privacy.

Our Tool: Privacy Nutrition Labels Extension

We built a Chrome browser extension that automatically analyzes privacy policies and displays the key information in a standardized, visual format. When you visit any website, the extension shows:

- An overall privacy grade (A through F) based on data collection practices
- A clear breakdown of what data is collected (location, browsing history, personal info, etc.)
- How that data is used (advertising, analytics, personalization, third-party sharing)
- What rights you have (can you delete your data? Export it? Opt out?)
- Real-time tracker detection showing which companies are watching you

The interface intentionally mimics a nutrition label - it uses the same visual hierarchy, categorical organization, and simple language. Users can click the extension icon while browsing to see the privacy "facts" for any site, just like flipping over a cereal box to check the ingredients.

Under the hood, the extension combines two approaches. For major websites (Google, Facebook, Amazon, etc.), we've manually analyzed their policies and encoded the results. For other sites, the extension uses pattern matching and heuristics to provide a basic assessment. It also monitors web requests in real-time to detect third-party trackers, adding this behavioral data to the static policy analysis.

Why This Matters

Privacy isn't just a technical issue - it's fundamentally about power and control. When users don't understand data practices, they can't make informed choices. They can't vote with their feet by avoiding privacy-invasive services. They can't hold companies accountable. Our tool aims to shift this power dynamic by making privacy information accessible.

But we need to test whether this actually works. Does a nutrition label format really help people understand privacy better? Does it change their behavior or attitudes? Are there usability problems that prevent people from using it effectively? These are empirical questions that require careful research to answer.

2. LITERATURE REVIEW

We're not the first to tackle this problem, but existing solutions have significant gaps.

Privacy Policies as Communication Failures

Researchers have documented the privacy policy problem extensively. McDonald and Cranor (2008) calculated that it would take the average American 244 hours per year to read all the privacy policies they encounter. Obar and Oeldorf-Hirsch (2020) found that 98% of users accepted terms without reading them, even when policies included absurd clauses like giving up their firstborn child.

The problem isn't user laziness - it's cognitive overload. Schaub et al. (2015) showed that even privacy-conscious users struggle to extract actionable information from policies. The policies aren't designed to inform; they're designed to provide legal cover.

Existing Privacy Tools

Several tools have attempted to make privacy information more accessible:
Apple's App Privacy Labels (2020) require iOS developers to disclose data practices in a standardized format. This is the closest precedent to our approach, but it only covers apps, not websites. More importantly, it's self-reported by developers, which raises accuracy concerns.

Google Play's Safety Section (2022) followed a similar model for Android apps. Early research suggests users appreciate the standardized format but struggle to interpret what different data types mean (Kollnig et al., 2022).

ToS;DR (Terms of Service; Didn't Read) is a crowdsourced website that rates and summarizes policies. It's thorough but doesn't integrate into browsing - you have to actively search for a site's rating.

Privacy Badger and similar tracker blockers focus on behavioral blocking rather than transparency. They're effective at stopping trackers but don't educate users about privacy. DuckDuckGo's Privacy Grade gives websites letter grades based on tracking behavior and encryption. Our tool builds on this but adds policy analysis and more detailed breakdowns.

The gap we're filling is a browser-integrated tool that combines policy analysis, tracker detection, and a familiar visual metaphor (nutrition labels) to make privacy information accessible during normal browsing.

Nutrition Labels as Mental Models

The nutrition label metaphor isn't arbitrary. Kelley et al. (2009) tested privacy "nutrition labels" and found they significantly improved users' ability to compare privacy policies. The structured format reduced decision time from over 3 minutes to under 30 seconds without sacrificing comprehension.

The metaphor works because it leverages existing mental models. People already know how to "read" a nutrition label - they understand that items at the top matter more, that percentages provide context, and that certain ingredients are red flags. Transferring this literacy to privacy creates instant familiarity.

3. STUDY OBJECTIVES

Our research has three main objectives:
1. Evaluate Interface Design: Assess whether the nutrition label interface effectively communicates privacy information. We need to know if the metaphor makes sense to users, if the visual hierarchy works, and if there are usability issues preventing people from accessing or understanding the information.

2. Measure Impact on Users: Determine whether the tool actually changes privacy attitudes, awareness, or behavior. Does making privacy visible increase concern? Does it lead to different choices? Or do users view the information and then ignore it?

3. Understand Usage Patterns: Identify how different types of users interact with the tool. Privacy experts might focus on different features than casual users. Understanding these patterns will help us prioritize development and target the tool appropriately.

These objectives require different research approaches. Interface evaluation needs expert analysis and usability testing. Measuring impact needs large-scale surveys. Understanding usage needs qualitative observation. That's why we're using three complementary methods.

4. RESEARCH QUESTIONS

Method 1 - Heuristic Evaluation:
RQ1.1: What usability problems exist in the privacy label interface?
RQ1.2: How well does the design align with established HCI principles?
RQ1.3: What improvements would make the tool more effective?

Method 2 - Online Survey:
RQ2.1: How does using privacy labels affect privacy awareness compared to not using them?
RQ2.2: What user characteristics predict engagement with privacy information?
RQ2.3: Are users more likely to avoid privacy-invasive websites after seeing their grades?
RQ2.4: What user characteristics predict engagement with privacy information?

Method 3 - Usability Testing:
RQ3.1: Can users successfully interpret privacy labels for unfamiliar websites?
RQ3.2: What aspects of the interface cause confusion or misunderstanding?
RQ3.3: How do users integrate privacy information into their browsing decisions?
RQ3.4: Do different user expertise levels interact with the tool differently?
RQ3.5: What features do users find most and least valuable?

5. METHOD 1: HEURISTIC EVALUATION

We're starting with expert evaluation because it's fast and catches major problems before we test with real users. Five experts will independently evaluate the extension using Nielsen's heuristics, then we'll compile their findings.

Participants

We need N=6 Subject Matter Experts to ensure a balance of interface and domain expertise:
• 3 HCI Professionals: To assess interface standard compliance and identify UI violations.
• 3 Privacy Domain Experts: To assess data accuracy and legal terminology

The mix ensures we catch both usability issues (HCI experts) and domain-specific problems (privacy experts). This sample size exceeds Nielsen's recommendation of 5 evaluators, providing a robust analysis of both usability and content accuracy.

Evaluator qualifications:
- HCI experts: Published HCI research, taught HCI courses, or 3+ years professional UX work
- Privacy experts: Privacy research background or professional privacy/security roles

We'll recruit through university departments and professional networks. Each evaluator gets a $50 Amazon gift card.

Procedure

Each evaluator works independently to avoid groupthink. They'll:

1. Install the extension and receive a task list
2. Visit 5 pre-selected websites representing different privacy profiles:
   - Facebook (Grade D - lots of data collection, third-party sharing)
   - Amazon (Grade C - extensive collection but clearer controls)
   - DuckDuckGo (Grade A - minimal collection)
   - CNN (Grade C - typical media site with many trackers)
   - GitHub (Grade B - developer focus, reasonable practices)

3. For each site, evaluate the privacy label against Nielsen's 10 heuristics:
   - Visibility of system status
   - Match between system and real world
   - User control and freedom
   - Consistency and standards
   - Error prevention
   - Recognition rather than recall
   - Flexibility and efficiency of use
   - Aesthetic and minimalist design
   - Help users recognize and recover from errors
   - Help and documentation

4. Document problems with severity ratings (0=not a problem, 4=usability catastrophe)

The whole process takes about 2 hours per evaluator. Afterward, we'll compile findings into a severity × frequency matrix to prioritize fixes.

Data Analysis

We'll categorize problems by:
- Which heuristic they violate
- Which interface components they affect (grade display, data collection section, tracker list, etc.)
- Severity (how much they impede use)
- Frequency (how many evaluators found them)

Inter-rater agreement will be calculated for severity ratings. Problems identified by multiple evaluators with high severity get fixed first.

6. METHOD 2: ONLINE SURVEY

Surveys let us test the tool with a large, diverse sample and measure changes in privacy attitudes and behaviors.

Participants

N=300 participants recruited through:
- 200 from Prolific Academic (general internet users, stratified by age/gender)
- 100 from privacy-focused communities (r/privacy subreddit, privacy advocacy groups)

This split addresses sampling bias. If we only recruited privacy enthusiasts, we'd get skewed results. If we only recruited general users, we might miss important edge cases. The 2:1 ratio balances both concerns.

Requirements: 18+, regular internet use (5+ hours/week), U.S.-based, proficient in English.

Each participant gets $5 for ~10 minutes of time, a standard rate on Prolific.

Materials and Procedure

Half the participants (N=150) will install and use the extension for one week before taking the survey (experimental group). The other half (N=150) won't use it but will see static examples during the survey (control group).

The survey has six sections:

1. Demographics and internet use (5 questions)
2. Privacy attitudes using the validated IUIPC scale (10 items measuring privacy concerns, control, and awareness)
3. Privacy knowledge test (8 questions about tracking, data sharing, etc.)
4. Behavioral intentions (5 questions about whether they'd change browsing based on privacy info)
5. For experimental group: usage questions (how often used, what they learned, any surprises)
6. Open-ended feedback (what would make them care more/less about privacy)

Key Metrics

We're measuring:
- Privacy awareness (knowledge test scores)
- Privacy attitudes (IUIPC scores, validated scale with good reliability)
- Behavioral intentions (stated likelihood to avoid bad privacy sites)
- Actual engagement (for experimental group: how many sites they checked)

Why these metrics? Reviewer 3 wanted justification. Privacy awareness is a prerequisite for informed choice - you can't act on information you don't have. Privacy attitudes matter because concern drives behavior. Behavioral intentions predict actual behavior reasonably well in privacy contexts (Gerber et al., 2018). Engagement metrics show whether people actually use the tool or ignore it.

Analysis Plan

We'll compare experimental vs. control groups on all metrics using t-tests and effect sizes. Within the experimental group, we'll run regression to see what predicts engagement:
- Does prior privacy concern matter?
- Do demographics predict who uses it?
- Does the number of "bad" sites encountered drive engagement?

This tells us who the tool helps most and where to focus improvements.

7. METHOD 3: USABILITY TESTING

Watching people actually use the tool reveals problems surveys and expert reviews miss. We'll see real confusion, unexpected uses, and emergent behaviors.

Participants

N=9 participants will be recruited, stratified to capture a full range of technical proficiency:
- 3 Novice users: Individuals who rarely adjust browser settings, pay minimal attention to privacy practices or issues, and primarily engage in simple web browsing activities.
- 3 Intermediate users: Individuals with a moderate understanding of and concern for privacy, who are familiar with browser settings and maintain privacy awareness across different devices.
- 3 Expert users: Professionals or researchers whose work involves information privacy, possessing a deep technical understanding of privacy concepts, browser architecture, and network principles.

This range was specifically requested in reviews - we need to see how the tool works across the spectrum. Novices show us if the baseline usability is solid. Experts reveal advanced needs and edge cases. Intermediates represent the likely core user base.

Recruitment through flyers, social media, and campus announcements. Each participant gets $25 for a 45-minute session.

Procedure

Individual sessions using think-aloud protocol. Participants verbalize their thoughts while completing 7 standardized tasks (e.g., "Find what data Facebook collects," "Compare Facebook vs. Nike") using real-world policy data to reveal mental models and confusion points:

Task 1: Install the extension (assesses onboarding)
Task 2: Check privacy grade for Amazon (basic feature use)
Task 3: Find what data Facebook collects about you (navigation test)
Task 4: Determine which of three websites is most privacy-friendly (comparison task)
Task 5: Understand what third-party trackers are active on a news site (tracker feature)
Task 6: Find how to delete your data from a service (rights information)
Task 7: Decide whether to create an account on an unfamiliar site based on privacy (real-world scenario)
Optional:
Task 8: Explain the privacy label to someone who's never seen it (comprehension test)

We'll measure:
- Task completion (success/failure)
- Time to completion
- Errors made
- Confidence ratings ("How sure are you about that answer?")
- Verbal expressions of confusion or satisfaction

After tasks, participants complete the System Usability Scale (SUS), a validated 10-item questionnaire. SUS scores above 70 indicate good usability.

Real vs. Simulated Data

For major sites, the extension shows real privacy analysis. For unfamiliar sites (used in Tasks 4 and 7), we'll use realistic simulated data so we can control variables. Participants will be told some data is simulated for research purposes.

Analysis

We evaluated task completion rates, time on task, and error frequency. Additionally, we performed qualitative coding of User Trust in the tool's "Confidence" indicators and Agreement with the assigned Privacy Grades:
- Common points of confusion
- Useful features people appreciate
- Missing features people expect
- Differences across expertise levels

Quantitative metrics (completion rate, time, SUS) provide overall usability benchmarks. The goal is a SUS score above 70 and >80% task completion.

8. TIMELINE

We have 6 weeks to complete this study:

Week 1: Setup & Expert Recruitment Focus:
Preparation & IRB.
Activities include finalizing the extension prototype
Submitting IRB materials
Recruiting the 6 Subject Matter Experts (3 HCI, 3 Privacy)

Week 2: Method 1 (Heuristic Evaluation) & Survey Launch Focus
Expert Inspection
Experts review the tool against Nielsen's Heuristics
Simultaneously, we launch Method 2 (Survey) to run in the background for 2 weeks

Week 3: Iterative Design & Refinement
Fixing the Tool. We synthesize expert feedback and update the UI/Code to fix "Catastrophic" errors before user testing begins

Week 4: Method 3 (Usability Testing)
Qualitative Data Collection. We conduct 9 Usability Sessions (Novice, Intermediate, Expert) and close the Survey data collection (Target N=300)

Week 5: Deep Analysis
Coding & Statistics. Activities include transcribing sessions, qualitatively coding for Trust/Agreement
Running regression analysis on Survey data

Week 6: Synthesis & Reporting
Final Deliverables
Drafting the final manuscript
Creating visualizations for "Privacy Grade" comprehension, and finalizing the presentation .

This timeline is realistic because methods run in sequence and overlap strategically. The heuristic evaluation informs fixes before large-scale deployment. Survey and usability testing happen after those fixes. Data collection is front-loaded so we have time for thorough analysis.

9. ETHICS AND HUMAN SUBJECTS

IRB approval is required because we're collecting data from human participants.

Informed Consent

All participants will:
- Read a clear consent form explaining the study
- Understand they can withdraw anytime without penalty
- Know exactly what data we collect and how we'll use it
- Be told that participation is voluntary

For the survey, consent is indicated by checking a box after reading the form. For usability testing, participants sign a consent form before starting.

Privacy Protection (Ironic but Important)

Our tool is about privacy, so we need to practice what we preach:
- No personally identifiable information collected unless necessary
- Survey responses are anonymous (no email or names)
- Usability session recordings show screen only, not faces
- All data stored encrypted and deleted after study completion
- Participants can request data deletion anytime

No Deception

We're upfront about everything except one detail: in usability testing, some websites show simulated privacy data. We disclose this but not which specific sites are simulated (to avoid biasing responses). This minor omission is necessary for experimental control.

Minimal Risk

Risks are negligible - no sensitive personal questions, no psychological stress, no physical risks. The biggest "risk" is spending 10-45 minutes on our study.

10. DATA ANALYSIS

Within-Method Analysis

Each method has its own analysis (detailed in method sections):
- Heuristic evaluation: Severity matrix and problem categorization
- Survey: Descriptive stats, t-tests, regression models
- Usability testing: Thematic analysis and SUS scores

Cross-Method Integration

The real power comes from combining methods:

Triangulation: Do all three methods point to the same conclusions? If experts, survey respondents, and usability participants all say the tracker feature is confusing, we can be confident it needs work.

Complementarity: Different methods answer different questions. Surveys tell us if the tool changes attitudes (and for whom). Usability testing shows why - what specific interface elements drive that change?

Contradiction Resolution: If methods disagree, we investigate why. Maybe experts think something is clear, but actual users struggle with it. That reveals a gap between design intent and user experience.

We'll create a master findings table mapping each research question to evidence from all relevant methods. This ensures no question gets answered by just one data source.

11. LIMITATIONS

No study is perfect. Here's what we're worried about:

1. Sample Size: N=300 for surveys is decent but not huge. We might miss small effects or have limited power for subgroup analysis.

2. Short Timeline: One week of extension use might not be enough to see behavior change. Habits take time to form.

3. Self-Selection Bias: People who participate probably care more about privacy than average. Our results might not generalize to truly apathetic users.

4. Limited Website Coverage: We only analyzed major websites manually. The heuristic analysis for smaller sites is less accurate.

5. Self-Report Bias: Survey responses about behavioral intentions don't always match actual behavior. People overstate how much they'd change.

6. No Long-Term Follow-Up: We don't know if effects persist beyond the study period.

7. Platform Constraints: Chrome only - can't test cross-browser compatibility or reach Firefox users.

8. Simulated Data in Testing: Using simulated privacy data for some sites might not reflect real-world complexity.

We're mitigating these where possible (mixed recruitment for #3, multi-method approach for #5, acknowledging others as limitations). Perfect isn't possible, but transparent and rigorous is.

12. EXPECTED CONTRIBUTIONS

If this study works out, we'll contribute:

Scientific Understanding: Evidence about whether visual privacy tools affect user awareness and behavior. This addresses a gap in privacy research - we know users don't read policies, but we don't know if better presentation actually helps.

Methodological Approach: A template for evaluating privacy tools using mixed methods. Other researchers can adapt our approach for similar studies.

Practical Tool: A working browser extension people can actually use. If results are positive, we'll release it publicly.

Design Insights: Specific findings about what works and doesn't in privacy interface design. Even if our exact implementation has flaws, we'll learn what metaphors resonate and what information users need.

Policy Implications: If standardized privacy labels work, this could inform regulatory approaches. The EU and U.S. are both considering privacy labeling requirements - our research provides evidence.

13. REFERENCES

Gerber, N., Gerber, P., & Volkamer, M. (2018). Explaining the privacy paradox: A systematic review of literature investigating privacy attitude and behavior. Computers & Security, 77, 226-261.

Kelley, P. G., Bresee, J., Cranor, L. F., & Reeder, R. W. (2009). A "nutrition label" for privacy. Proceedings of the 5th Symposium on Usable Privacy and Security (SOUPS).

Kollnig, K., Binns, R., Van Kleek, M., Lyngs, U., Zhao, J., Tinsman, C., & Shadbolt, N. (2022). A fait accompli? An empirical study into the absence of consent in cookie banners. Proceedings of ACM HCI, 6(CSCW1), 1-22.

McDonald, A. M., & Cranor, L. F. (2008). The cost of reading privacy policies. I/S: A Journal of Law and Policy, 4, 543-568.

Nielsen, J. (1994). Usability Engineering. Morgan Kaufmann.

Obar, J. A., & Oeldorf-Hirsch, A. (2020). The biggest lie on the internet: Ignoring the privacy policies and terms of service policies of social networking services. Information, Communication & Society, 23(1), 128-147.

Schaub, F., Balebako, R., Durity, A. L., & Cranor, L. F. (2015). A design space for effective privacy notices. Proceedings of the Symposium on Usable Privacy and Security (SOUPS), 1-17.

14. APPENDICES

Appendix A: Method 2 (Online Survey) Instrument

Section 1: Demographics

1. What is your age? [Text Entry]
2. Which gender do you identify with? [Male / Female / Non-binary / Prefer not to say]
3. On average, how many hours per week do you spend browsing the web on a desktop or laptop computer? [0-5 / 6-10 / 11-20 / 21+]
4. How would you rate your technical proficiency? [Novice / Intermediate / Advanced / Expert]

Section 2: Privacy Attitudes (IUIPC Scale Adaptation) *Participants rate the following on a 7-point Likert scale (Strongly Disagree to Strongly Agree):*

1. Consumer control of personal information is the heart of consumer privacy.
2. I believe that online companies are tracking me more than I want them to.
3. It usually bothers me when online companies ask me for personal information.
4. When online companies ask me for personal information, I sometimes think twice before providing it.
5. It bothers me to give personal information to so many online companies.
6. I am concerned that online companies are collecting too much personal information about me. *(Source: Malhotra et al., 2004)*

Section 3: Privacy Knowledge Test (Multiple Choice)

1. What does a "third-party tracker" do?
2. If a website uses HTTPS (padlock icon), does that mean they cannot sell your data? [Yes / No]
3. Which of the following data points can be used to identify your physical location? [IP Address / GPS / Wi-Fi Network / All of the above]
4. True or False: "Incognito Mode" prevents your Internet Service Provider (ISP) from seeing your browsing history.
5. What does it mean when a site says it shares data with "partners"?
6. Can browser extensions access data on the pages you visit?
7. What is a "cookie" in the context of web browsing?
8. Does rejecting "optional cookies" stop all data collection on a website?

Section 4: Behavioral Intentions *Rated on a 5-point scale (Very Unlikely to Very Likely):*

1. If you saw a website had a "Grade F" for privacy, how likely are you to leave the site immediately?

2. How likely are you to uninstall an extension if it slows down your browser?
3. How likely are you to read a privacy policy if it is summarized in bullet points?
4. How likely are you to switch to a competitor's service if they offer better privacy protection?
5. How likely are you to recommend a privacy tool to a friend or family member?

Appendix B: Method 3 (Usability Testing) Protocol

Facilitator Script (Introduction) "Thank you for participating. Today we are testing a new browser extension designed to help you understand website privacy. I will ask you to perform a series of tasks. I want you to 'think aloud' as you work—please speak your thoughts, confusions, and decisions out loud. There are no wrong answers; we are testing the tool, not you."

Task List *Participants will be presented with the following scenarios:*

- **Task 1 (Onboarding):** "Please locate the Privacy Nutrition Label extension in the browser bar and open it for the first time."
- **Task 2 (Basic Feature):** "Navigate to Amazon.com. Open the extension and tell me what the Privacy Grade is for this website."
- **Task 3 (Navigation):** "On Facebook.com, use the extension to find out exactly what specific 'Personal Information' the site collects about you."
- **Task 4 (Comparison):** "I have opened tabs for nike.com, adidas.com, and us.puma.com. Using the extension, determine which of these three companies shares the least amount of data with third parties."
- **Task 5 (Tracker Detection):** "Go to CNN.com. Identify how many third-party trackers are currently active on the page. Which company owns the most trackers here?"
- **Task 6 (User Rights):** "You want to delete your account data from a service. Use the extension to find the link or instructions to 'Delete Your Data' for the current site."
- **Task 7 (Decision Making):** "Imagine you are considering signing up for this new social media site (simulated site). Based *only* on the information in the Privacy Nutrition Label, would you create an account? Explain why or why not."

Post-Task Interview Questions

1. On a scale of 1-5, how much did you trust the "Privacy Grade" the tool assigned?
2. Did you notice the "Confidence Level" indicator (High/Medium/Low)?
3. Did it change how you viewed the information?
4. Was there any term or icon on the label that was confusing?
5. Which feature of the extension did you find most useful or valuable?
6. Would you keep this extension installed on your personal computer?

Appendix C: System Usability Scale (SUS)

Participants will answer the following standard questions on a 5-point scale (1=Strongly Disagree, 5=Strongly Agree) after the session:

1. I think that I would like to use this system frequently.
2. I found the system unnecessarily complex.
3. I thought the system was easy to use.
4. I think that I would need the support of a technical person to be able to use this system.
5. I found the various functions in this system were well integrated.
6. I thought there was too much inconsistency in this system.
7. I would imagine that most people would learn to use this system very quickly.
8. I found the system very cumbersome to use.
9. I felt very confident using the system.
10. I needed to learn a lot of things before I could get going with this system. *(Source: Brooke, 1996)*