



```


R1
R1(config)#exit
R1#s
*Jul 28 11:07:02.970: %SYS-5-CONFIG_I: Configured from console by con
R1#show ip inter brief
Interface      IP-Address      OK? Method Status
Ethernet0/0     172.50.0.1       YES TFTP  up
Ethernet0/1     1.0.0.1          YES TFTP  up
Ethernet0/2     unassigned       YES TFTP  down
Ethernet0/3     unassigned       YES TFTP  down
R1#
  
```



HR




MGMT





PRODUCTION


```

R3
R3(config)#exit
R3#sh
*Jul 28 11:08:21.210: %SYS-5-CONFIG_I: Configured from console by console
R3#show ip inter brief
Interface                IP-Address      OK? Method Status
Ethernet0/0              12.0.0.2        YES TFTP  up
Ethernet0/1              29.0.0.1        YES TFTP  up
Ethernet0/2              unassigned      YES TFTP  down
Ethernet0/3              unassigned      YES TFTP  down
R3#
  
```









```

R2
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S   1.0.0.0/8 [1/0] via 172.50.0.1
C   12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L   12.0.0.0/8 is directly connected, Ethernet0/1
S   12.0.0.1/32 is directly connected, Ethernet0/1
S   29.0.0.0/8 [1/0] via 12.0.0.2
C   62.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L   62.0.0.0/8 is directly connected, Ethernet0/3
S   62.0.0.1/32 is directly connected, Ethernet0/3
S   129.23.0.0/16 [1/0] via 222.215.0.2
C   172.50.0.0/16 is variably subnetted, 2 subnets, 2 masks
L   172.50.0.0/16 is directly connected, Ethernet0/0
S   172.50.0.2/32 is directly connected, Ethernet0/0
S   212.25.0.0/24 [1/0] via 62.0.0.2
C   222.215.0.0/24 is variably subnetted, 2 subnets, 2 masks
L   222.215.0.0/24 is directly connected, Ethernet0/2
S   222.215.0.1/32 is directly connected, Ethernet0/2
R2#
R2#
  
```

```
QEMU (Win-2)
C:\WINDOWS\system32\cmd.exe
Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 169.254.85.245
    Autoconfiguration IP Address. . . : 255.255.0.0
    Subnet Mask . . . . . : 255.255.0.0
    Default Gateway . . . . . :

C:\Documents and Settings\User>ncpa.cpl


C:\Documents and Settings\User>ipconfig


Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 29.0.0.41
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 29.0.0.1

C:\Documents and Settings\User>
```





```

C:\WINDOWS\system32\cmd.exe
Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Autoconfiguration IP Address. . . : 169.254.116.18
    Subnet Mask . . . . . : 255.255.0.0
    Default Gateway . . . . . : 

C:\Documents and Settings\user>ncpa.cpl

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 1.0.0.51
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 1.0.0.1

C:\Documents and Settings\user>
  
```

