








```
R2
R2(config-if)#exit
R2(config)#exit
R2#s
*Jul 20 08:50:03.300: %SYS-5-CONFIG_I: Configured from console
R2#show ip inter brief
Interface                IP-Address      OK? Method Status
Ethernet0/0              20.0.0.2        YES manual up
Ethernet0/1              30.0.0.1        YES manual up
Ethernet0/2              unassigned      YES TFTP  down
Ethernet0/3              unassigned      YES TFTP  down
R2#
```



```
R3
R3(config-if)#ip add 21.0.0.1 255.0.0.0
R3(config-if)#no shutdown
R3(config-if)#exit
R3(config)#exit
R3#sh
*Jul 20 08:59:12.605: %SYS-5-CONFIG_I: Configured from console by console
R3#show ip inter brief
Interface              IP-Address      OK? Method Status
Protocol
Ethernet0/0            30.0.0.2        YES manual up
up
Ethernet0/1            172.19.0.2       YES manual up
up
Ethernet0/2            21.0.0.1        YES manual up
up
Ethernet0/3            unassigned      YES TFTP   down
down
R3#
```






QEMU (Win-1)

```

C:\WINDOWS\system32\cmd.exe
My
Reply from 21.0.0.2: Destination host unreachable.
Reply from 21.0.0.2: Destination host unreachable.
Reply from 21.0.0.2: Destination host unreachable.
Reply from 21.0.0.2: Destination host unreachable.
My
Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\Documents and Settings\user>ping 162.14.0.10
Pinging 162.14.0.10 with 32 bytes of data:
My
Reply from 162.14.0.10: bytes=32 time=4ms TTL=123
Reply from 162.14.0.10: bytes=32 time=3ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Re
Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 4ms, Average = 2ms
C:\Documents and Settings\user>
  
```



QEMU (Win-2)

```

C:\WINDOWS\system32\cmd.exe
My
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Documents and Settings\user>ping 162.14.0.10


Pinging 162.14.0.10 with 32 bytes of data:

My
Reply from 162.14.0.10: bytes=32 time=3ms TTL=124
Reply from 162.14.0.10: bytes=32 time=1ms TTL=124
Reply from 162.14.0.10: bytes=32 time=2ms TTL=124
Reply from 162.14.0.10: bytes=32 time=2ms TTL=124

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>

```



QEMU (Win-3)

```

C:\WINDOWS\system32\cmd.exe
Reply from 10.0.0.10: bytes=32 time=4ms TTL=123
Reply from 10.0.0.10: bytes=32 time=3ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=6ms TTL=123

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 6ms, Average = 3ms


C:\Documents and Settings\user>ping 15.0.0.10

Pinging 15.0.0.10 with 32 bytes of data:

Reply from 15.0.0.10: bytes=32 time=4ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=3ms TTL=124

Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 4ms, Average = 2ms

C:\Documents and Settings\user>
  
```





QEMU (Win-3)

```
My C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>ncpa.cpl
My C:\Documents and Settings\user>ping 10.0.0.10
Pinging 10.0.0.10 with 32 bytes of data:
Reply from 162.14.0.1: Destination host unreachable.
Reply from 162.14.0.1: Destination host unreachable.
My Reply from 162.14.0.1: Destination host unreachable.
Reply from 162.14.0.1: Destination host unreachable.

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
Re C:\Documents and Settings\user>
```



QEMU (Win-2)

```

Reply from 15.0.0.1: bytes=32 time=1ms TTL=255

Ping statistics for 15.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms


C:\Documents and Settings\user>ping 10.0.0.10


Pinging 10.0.0.10 with 32 bytes of data:

Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Documents and Settings\user>
  
```







```
QEMU (Win-3)
Request timed out.
Request timed out.
Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\user>ping 10.0.0.10
Pinging 10.0.0.10 with 32 bytes of data:
Reply from 10.0.0.10: bytes=32 time=4ms TTL=123
Reply from 10.0.0.10: bytes=32 time=3ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=6ms TTL=123
Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 6ms, Average = 3ms
C:\Documents and Settings\user>
```

```

QEMU (Win-2)
C:\WINDOWS\system32\cmd.exe
My
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.
Reply from 15.0.0.1: Destination host unreachable.
My
Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\Documents and Settings\user>ping 10.0.0.10
My
Pinging 10.0.0.10 with 32 bytes of data:
Reply from 10.0.0.10: bytes=32 time=3ms TTL=124
Reply from 10.0.0.10: bytes=32 time=3ms TTL=124
Reply from 10.0.0.10: bytes=32 time=2ms TTL=124
Reply from 10.0.0.10: bytes=32 time=2ms TTL=124
Re
Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 3ms, Average = 2ms
C:\Documents and Settings\user>
  
```





QEMU (Win-1)

```

C:\WINDOWS\system32\cmd.exe
-v TOS      Type Of Service.
-r count    Record route for count hops.
-s count    Timestamp for count hops.
-j host-list Loose source route along host-list.
-k host-list Strict source route along host-list.
-w timeout  Timeout in milliseconds to wait for each reply.

C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>ping 15.0.0.10

Pinging 15.0.0.10 with 32 bytes of data:
Reply from 15.0.0.10: bytes=32 time=3ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124

Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>
  
```