


R3: started



Physical

00 : 00 : 00

MUMBAI-DC


10.10 10.20 10.30

```

R1#
-2
ia - IS-IS inter area, * - candidate default, U - per-user st
oute
o - ODR, P - periodic downloaded static route, H - NHRP, l -
a - application route
+ - replicated route, % - next hop override, p - overrides fr


Gateway of last resort is not set

1.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    1.0.0.0/8 is directly connected, Ethernet0/1
L    1.0.0.1/32 is directly connected, Ethernet0/1
10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    10.0.0.0/8 is directly connected, Ethernet0/0
L    10.0.0.1/32 is directly connected, Ethernet0/0
S    135.82.0.0/16 [1/0] via 1.0.0.2
S    153.69.0.0/16 [1/0] via 1.0.0.2
R1#
  
```





182.46.0.10

PUNE-DC



135.82.0.10


GLOBAL-DNS




Physical

00 : 00 : 00 START


MUMBAI-DC




PUNE-DC



GLOBAL-DNS



CHENNAI-DC




```

R2
Gateway of last resort is not set

1.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    1.0.0.0/8 is directly connected, Ethernet0/2
L    1.0.0.2/32 is directly connected, Ethernet0/2
2.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    2.0.0.0/8 is directly connected, Ethernet0/1
L    2.0.0.1/32 is directly connected, Ethernet0/1
6.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    6.0.0.0/8 is directly connected, Ethernet0/3
L    6.0.0.1/32 is directly connected, Ethernet0/3
S    10.0.0.0/8 [1/0] via 1.0.0.1
S    135.82.0.0/16 [1/0] via 2.0.0.2
S    153.69.0.0/16 [1/0] via 6.0.0.2
S    182.46.0.0/16 [1/0] via 2.0.0.2
200.10.156.0/24 is variably subnetted, 2 subnets, 2 masks
C    200.10.156.0/24 is directly connected, Ethernet0/0
L    200.10.156.1/32 is directly connected, Ethernet0/0
R2#
R2#
  
```







R3

```
2.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   2.0.0.0/8 is directly connected, Ethernet0/0
L   2.0.0.2/32 is directly connected, Ethernet0/0
3.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   3.0.0.0/8 is directly connected, Ethernet0/1
L   3.0.0.1/32 is directly connected, Ethernet0/1
4.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   4.0.0.0/8 is directly connected, Ethernet0/2
L   4.0.0.1/32 is directly connected, Ethernet0/2
S   10.0.0.0/8 [1/0] via 2.0.0.1
S   135.82.0.0/16 [1/0] via 4.0.0.2
S   153.69.0.0/16 [1/0] via 2.0.0.1
S   182.46.0.0/16 [1/0] via 3.0.0.2
S   200.10.156.0/24 [1/0] via 2.0.0.1
R3#
R3#
R3#
R3#
```


PUNE-DC



GLOBAL-DNS






CHENNAI-DC



Physical

00 : 00 : 00 START






```




R4
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from P

Gateway of last resort is not set

3.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   3.0.0.0/8 is directly connected, Ethernet0/1
L   3.0.0.2/32 is directly connected, Ethernet0/1
S   10.0.0.0/8 [1/0] via 3.0.0.1
S   135.82.0.0/16 [1/0] via 3.0.0.1
S   153.69.0.0/16 [1/0] via 3.0.0.1
S   182.46.0.0/16 is variably subnetted, 2 subnets, 2 masks
C   182.46.0.0/16 is directly connected, Ethernet0/0
L   182.46.0.1/32 is directly connected, Ethernet0/0
S   200.10.156.0/24 [1/0] via 3.0.0.1
R4#
R4#
  
```









```






R6
ia - IS-IS inter area, * - candidate default, U - per-user stat
o - ODR, P - periodic downloaded static route, H - NHRP, l - LI
a - application route
+ - replicated route, % - next hop override, p - overrides from

Gateway of last resort is not set

5.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    5.0.0.0/8 is directly connected, Ethernet0/1
L    5.0.0.2/32 is directly connected, Ethernet0/1
S    10.0.0.0/8 [1/0] via 5.0.0.1
C    135.0.0.0/8 is directly connected, Ethernet0/0
L    135.82.0.0/32 is subnetted, 1 subnets
S    135.82.0.1 is directly connected, Ethernet0/0
S    153.69.0.0/16 [1/0] via 5.0.0.1
S    182.46.0.0/16 [1/0] via 5.0.0.1
S    200.10.156.0/24 [1/0] via 5.0.0.1
R6#
  
```







Physical

00 : 00 : 00 START

