




!!!!!! Neenga kudutha fees !!!!!



Physical



01 : 00 : 00




!!!!!! Neenga k

10,00

```

R2
R2(config-if)#ip add 26.0.0.1 255.0.0.0
R2(config-if)#no shutdown
R2(config-if)#exit
R2(config)#
R2(config)#
R2(config)#inter eth 0/3
R2(config-if)#ip add 24.0.0.1 255.0.0.0
R2(config-if)#no shutdown
R2(config-if)#exit
R2(config)#exit
R2#sh
*Jul 21 11:50:53.594: %SYS-5-CONFIG_I: Configured from console by console
R2#show ip inter brief
Interface                IP-Address      OK? Method Status  Prot
ocol
Ethernet0/0              12.0.0.2        YES manual up
Ethernet0/1              26.0.0.1        YES manual up
Ethernet0/2              23.0.0.1        YES manual up
Ethernet0/3              24.0.0.1        YES manual up
R2#

```





```

R3
R3(config-if)#ip add 32.0.0.1
% Incomplete command.

R3(config-if)#ip add 32.0.0.1 255.0.0.0
R3(config-if)#no shutdown
R3(config-if)#exit
R3(config)#exit
R3#
*Jul 21 11:54:37.770: %SYS-5-CONFIG_I: Configured from console by c
R3#show ip inter brief
Interface                IP-Address      OK? Method Status
Ethernet0/0              23.0.0.2        YES manual up
Ethernet0/1              32.0.0.1        YES manual up
Ethernet0/2              unassigned      YES TFTP  down
Ethernet0/3              unassigned      YES TFTP  down
R3#
  
```

Win-1
192.50.20




```

Wizard)
4 (config)#inter eth 0/1
4 (config-if)#ip add 45.0.0.1 255.0.0.0
4 (config-if)#no shutdown
4 (config-if)#exit
4 (config)#exit
4#sh
Jul 21 12:11:03.463: %SYS-5-CONFIG_I: Configured from console by console
4#show ip inter brief



```

Interface	IP-Address	OK?	Method	Status	Prot
ethernet0/0	24.0.0.2	YES	manual	up	up
ethernet0/1	45.0.0.1	YES	manual	up	up
ethernet0/2	unassigned	YES	TFTP	down	down
ethernet0/3	unassigned	YES	TFTP	down	down

```

4#


```



```

R5
R5(config)#inter eth 0/2
R5(config-if)#ip add 45.0.0.2 255.0.0.0
R5(config-if)#no shutdown
R5(config-if)#exit
R5(config)#exit
R5#s
*Jul 21 12:05:10.390: %SYS-5-CONFIG_I: Configured from console by console
R5#show ip inter brieh
^
% Invalid input detected at '^' marker.


R5#show ip inter brief
Interface      IP-Address      OK? Method Status Pr
ocol
Ethernet0/0    172.36.0.1      YES manual up    up
Ethernet0/1    32.0.0.2        YES manual up    up
Ethernet0/2    45.0.0.2        YES manual up    up
Ethernet0/3    unassigned      YES TFTP  down   do
R5#
  
```



Physical

01 : 00 : 00

```
QEMU (Win-1)
C:\WINDOWS\system32\cmd.exe
Reply from 223.0.50.10: bytes=32 time=3ms TTL=125
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Reply from 223.0.50.10: bytes=32 time=2ms TTL=125
Ping statistics for 223.0.50.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms
C:\Documents and Settings\user>ping 223.0.50.10
Pinging 223.0.50.10 with 32 bytes of data:
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Reply from 223.0.50.10: bytes=32 time=2ms TTL=125
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Ping statistics for 223.0.50.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>
```



QEMU (Win-1)

```


C:\WINDOWS\system32\cmd.exe
Pinging 223.0.50.10 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 223.0.50.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),


C:\Documents and Settings\user>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Reply from 172.36.0.10: bytes=32 time=4ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124

Ping statistics for 172.36.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 4ms, Average = 2ms

C:\Documents and Settings\user>
  
```




10,000 RS



```
QEMU (Win-2)
C:\WINDOWS\system32\cmd.exe
My
Reply from 12.0.0.1: Destination host unreachable.
Reply from 12.0.0.1: Destination host unreachable.
Reply from 12.0.0.1: Destination host unreachable.
Reply from 12.0.0.1: Destination host unreachable.
Ping statistics for 192.50.20.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\Documents and Settings\user>ping 192.50.20.100
Pinging 192.50.20.100 with 32 bytes of data:
My
Reply from 192.50.20.100: bytes=32 time=3ms TTL=125
Reply from 192.50.20.100: bytes=32 time=2ms TTL=125
Reply from 192.50.20.100: bytes=32 time=1ms TTL=125
Reply from 192.50.20.100: bytes=32 time=2ms TTL=125
Ping statistics for 192.50.20.100:
Re
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 2ms
C:\Documents and Settings\user>
```



10,000 RS



```
QEMU (Win-2)
C:\WINDOWS\system32\cmd.exe
Ping statistics for 192.50.20.100:
  Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
  Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 3ms, Average = 2ms
C:\Documents and Settings\user>ping 172.36.0.10
'ping 172.36.0.10' is not recognized as an internal or external command,
operable program or batch file.
C:\Documents and Settings\user>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Reply from 172.36.0.10: bytes=32 time=3ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124
Ping statistics for 172.36.0.10:
  Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
  Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 3ms, Average = 1ms
C:\Documents and Settings\user>
```

!!!!!! Neenga kudutha fees !!!!!

10,000 RS



QEMU (Win-3)

```


C:\WINDOWS\system32\cmd.exe
My
Reply from 45.0.0.1: bytes=32 time=2ms TTL=254
Reply from 45.0.0.1: bytes=32 time=1ms TTL=254
Reply from 45.0.0.1: bytes=32 time=1ms TTL=254
Reply from 45.0.0.1: bytes=32 time=1ms TTL=254

Ping statistics for 45.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Documents and Settings\user>ping 192.50.20.100
My
Pinging 192.50.20.100 with 32 bytes of data:
Reply from 192.50.20.100: bytes=32 time=3ms TTL=124
Reply from 192.50.20.100: bytes=32 time=1ms TTL=124
Reply from 192.50.20.100: bytes=32 time=1ms TTL=124
Reply from 192.50.20.100: bytes=32 time=2ms TTL=124

Ping statistics for 192.50.20.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Documents and Settings\user>
    
```



```
C:\WINDOWS\system32\cmd.exe
Reply from 192.50.20.100: bytes=32 time=3ms TTL=124
Reply from 192.50.20.100: bytes=32 time=1ms TTL=124
Reply from 192.50.20.100: bytes=32 time=1ms TTL=124
Reply from 192.50.20.100: bytes=32 time=2ms TTL=124

Ping statistics for 192.50.20.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Documents and Settings\user>ping 223.0.50.10

Pinging 223.0.50.10 with 32 bytes of data:
Reply from 223.0.50.10: bytes=32 time=3ms TTL=124
Reply from 223.0.50.10: bytes=32 time=1ms TTL=124
Reply from 223.0.50.10: bytes=32 time=2ms TTL=124
Reply from 223.0.50.10: bytes=32 time=2ms TTL=124

Ping statistics for 223.0.50.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>
```