






Organize < All Control Panel Items > Network Connections > Search Network Connections

Organize > Disable this network device Diagnose this connection Rename this connection >>



Administrator: C:\Windows\system32\cmd.exe

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::35fd:cc8:9b31:c87e%11  
IPv4 Address. . . . . : 50.0.0.20  
Subnet Mask . . . . . : 255.0.0.0  
Default Gateway . . . . . :
```

Tunnel adapter isatap.{4201F8B7-3008-4EF7-810F-C694F5F3D81B}:

```
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :
```

Tunnel adapter 6T04 Adapter:

```
Connection-specific DNS Suffix . :  
IPv6 Address. . . . . : 2002::3200:14::3200:14  
Default Gateway . . . . . :
```

C:\Users\user>

DING-2

Win2

0.0.0.20

SSWORD : Te



Organize ▾ Disable this network device Diagnose this connection Rename this connection » Search Network Connections 🔍

Administrator: C:\Windows\system32\cmd.exe

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
Link-local IPv6 Address	:	fe80::35fd:cc8:9b31:c87e%11
IPv4 Address.	:	50.0.0.20
Subnet Mask	:	255.0.0.0
Default Gateway	:	:

Tunnel adapter isatap.{4201F8B7-3008-4EF2-81AF-C694F5F3D81B}:

Media State	:	Media disconnected
Connection-specific DNS Suffix	:	:

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix	:	:
IPv6 Address.	:	2002:3200:14::3200:14
Default Gateway	:	:

C:\Users\user>

DING-2

Win2

0.0.0.20

SSWORD : Te

Media State : Media disconnected
Connection-specific DNS Suffix . :

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . :
IPv6 Address : 2002:3200:14::3200:14
Default Gateway :

C:\Users\user>ping 50.0.0.20

Pinging 50.0.0.20 with 32 bytes of data:

Reply from 50.0.0.20: bytes=32 time<1ms TTL=128
Reply from 50.0.0.20: bytes=32 time<1ms TTL=128
Reply from 50.0.0.20: bytes=32 time<1ms TTL=128
Reply from 50.0.0.20: bytes=32 time<1ms TTL=128

Ping statistics for 50.0.0.20:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\user>

C:\ Administrator: Command Prompt



Tunnel adapter isatap.<42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B>:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . :
IPv6 Address : 2002:3200:a::3200:a
Default Gateway :

C:\Users\user>ping 50.0.0.20

Pinging 50.0.0.20 with 32 bytes of data:

Reply from 50.0.0.20: bytes=32 time=2ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128

Ping statistics for 50.0.0.20:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Users\user>_

QEMU (Win1)



Computer

Cisco IP
Communic...

Recycle Bin

Control Panel

Putty

11tpd32



DING-2

Win2

0.0.0.20

SSWORD : Tes

11:24 AM



50.0.0.20



Computer



Cisco IP
Communic...



Recycle Bin



Known Syslog
Server Co...



Control Panel



Cisco
ASDM-ID...



PuTTY



Ostinato 0.9



Tftpd32



Network > 50.0.0.10 >



Search 50.0.0.10



Organize ▾

Network and Sharing Center

View remote printers



★ Favorites

Desktop

Downloads

Recent Places

Libraries

Documents

Music

Pictures

Videos

Computer

Network

ccna 10to12
Share

1 item



11:32 AM