

1. Implement a tic-tac-toe game

1. Start the game

2. Create a 3x3 table

3. Assign two different symbols for bot and player

X = Bot

O = Player

4. The Bot searches for an empty space and places X

5. The necessary condition to win if the symbol matches diagonally, horizontally or vertically

6. Check if the Bot won


7. If no, the player looks for an empty space and places O

8. Check if the Player won

9. Continue the process from 4 to 7 until the Bot or the player wins

10. If there is no more empty space and no one has won then it is a draw

11. Stop



output

O | X | X

O | X | X

O | X | X

X		
X	0	0


X		
X	0	0

X	0	
X	0	0

Robot placed X at position 2

why why?

Final Path Cost: 2



Path Cost = 2

function Simple-reflex-tic-tac-toe returns an action

$X \leftarrow \text{Bot}$

$O \leftarrow \text{Player}$

if exists an empty place and bot is playing

place X

now player's turn

else if exists an empty place and player is playing

place O

now bot's turn

if line matches vertically, horizontally or diagonally
if (line == 'X')

return the winner return BOT wins

else return PLAYER wins.

if no empty space

return 'DRAW'

~~function~~ path con

i = 0

while (matrix is valid)

if fill 'X'

if (CHECK = WIN) → simple reflect-tic-tac-toe

path left = i

player fills 'O'

i++

path left = i

return

path con