

SECTION 1: Airway & Breathing (Questions 1-20)

1. A 25-year-old patient is in status asthmaticus. The most appropriate treatment is:

- A. Administer epinephrine
- B. Administer albuterol and ipratropium
- C. Perform endotracheal intubation
- D. Administer atropine

Answer: B - Status asthmaticus is treated with nebulized albuterol and ipratropium.

2. Which of the following is a sign of a complete airway obstruction?

- A. Stridor
- B. Wheezing
- C. Silent chest
- D. Coughing

Answer: C - Silent chest indicates complete airway obstruction with no air movement.

3. The correct oxygen delivery device for a patient requiring precise FiO₂ is:

- A. Nasal cannula
- B. Simple face mask
- C. Venturi mask
- D. Non-rebreather mask

Answer: C - Venturi masks deliver a precise FiO₂, important for COPD patients.

4. A patient presents with a tension pneumothorax. The definitive treatment is:

- A. Needle decompression
- B. Chest seal
- C. Positive pressure ventilation
- D. Pericardiocentesis

Answer: A - Needle decompression is the definitive field treatment for tension pneumothorax.

5. Which of the following is a sign of flail chest?

- A. Paradoxical chest movement
- B. Equal breath sounds
- C. Hypertension
- D. Bradycardia

Answer: A - Flail chest presents with paradoxical chest movement (inward during inspiration, outward during expiration).

NREMT PRACTICE EXAM 3

Cardiovascular (Questions 21-30)

SECTION 2: Cardiovascular (Questions 21-30)

21. A patient presents with an acute MI. The most important initial medication is:

- A. Morphine
- B. Aspirin
- C. Nitroglycerin
- D. Heparin

Answer: B - Aspirin is the most important initial medication for suspected acute MI.

22. Which of the following is a sign of cardiac tamponade?

- A. JVD, muffled heart sounds, hypotension
- B. Hypertension, tachycardia, JVD
- C. Hypotension, tachycardia, clear lung sounds
- D. Bradycardia, hypertension, JVD

Answer: A - Beck's triad (JVD, muffled heart sounds, hypotension) indicates cardiac tamponade.

NREMT PRACTICE EXAM 3

Medical (Questions 41-50)

SECTION 3: Medical (Questions 41-50)

41. A patient presents with DKA. The most important initial treatment is:

- A. Administer insulin
- B. Administer sodium bicarbonate
- C. Fluid resuscitation
- D. Administer potassium

Answer: C - Fluid resuscitation is the most important initial treatment for DKA.

42. Which of the following is a sign of sepsis?

- A. Fever, tachycardia, tachypnea
- B. Hypothermia, bradycardia, bradypnea
- C. Hypertension, bradycardia, tachypnea
- D. Hypotension, bradycardia, bradypnea

Answer: A - Sepsis presents with fever, tachycardia, and tachypnea.

NREMT PRACTICE EXAM 3

Trauma (Questions 51-60)

SECTION 4: Trauma (Questions 51-60)

51. A patient presents with a closed head injury. The most important assessment is:

- A. Pupil response
- B. GCS
- C. Blood pressure
- D. Heart rate

Answer: B - GCS is the most important assessment for a closed head injury patient.

52. Which of the following is a sign of a basilar skull fracture?

- A. Raccoon eyes
- B. Battle sign
- C. CSF drainage from the ear
- D. All of the above

Answer: D - All of the above are signs of basilar skull fracture.

NREMT PRACTICE EXAM 3

OB/Peds (Questions 61-70)

SECTION 5: OB/Peds (Questions 61-70)

61. A newborn is delivered and is not breathing. The first step is:

- A. Suction the mouth and nose
- B. Dry, warm, and stimulate
- C. Start chest compressions
- D. Administer oxygen

Answer: B - Dry, warm, and stimulate the newborn first.

62. Which of the following is a sign of respiratory distress in an infant?

- A. Nasal flaring
- B. Bradycardia
- C. Hypertension
- D. Warm, dry skin

Answer: A - Nasal flaring is a sign of respiratory distress in infants.

NREMT PRACTICE EXAM 3

Operations (Questions 71-80)

SECTION 6: Operations (Questions 71-80)

71. The most important principle of EMS documentation is:

- A. Use medical jargon
- B. Document only what you did
- C. If it wasn't documented, it wasn't done
- D. Document only abnormal findings

Answer: C - The golden rule: "If it wasn't documented, it wasn't done."

72. Which of the following is a requirement for informed consent?

- A. The patient must be over 18
- B. The patient must understand the risks and benefits
- C. The patient must sign a form
- D. A witness must be present

Answer: B - Informed consent requires that the patient understands the risks, benefits, and alternatives.

DISCLAIMER: These practice questions are for educational purposes only. They are not official NREMT exam questions. Always verify answers against current NREMT guidelines and your course materials.