

Jobs

First Trust Generated by Talend Cloud API Portfolios Services Platform

| Project Name | TalendFTP | GENERATION DATE | Apr 21, 2022, 3:25:17 PM |
|--------------|------------------|-------------------------|---------------------------|
| AUTHOR | Thompson, Andrew | Talend Cloud VERSION | 8.0.1.20220412_1227-patch |

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


| Properties | Values |
|------------|-----------|
| Name | TalendFTP |
| Language | java |

| Description | |
|-------------|--|
| | |

Description

| Properties | Values |
|--------------|--------------------------|
| Name | DataStewardshipTest1 |
| Author | Thompson, Andrew |
| Version | 0.1 |
| Purpose | |
| Status | |
| Description | |
| Creation | Apr 7, 2022, 10:46:35 AM |
| Modification | Apr 21, 2022, 3:25:16 PM |

Preview Picture



Settings

Extra settings

| Name | Value |
|------------------------|-------|
| COMP_DEFAULT_FILE_DIR | |
| Multi thread execution | false |
| Implicit tContextLoad | false |

Status & Logs

| Name | Value |
|-------------------------------------|-------|
| Use statistics (tStatCatcher) | false |
| Use logs (tLogCatcher) | false |
| Use volumetrics (tFlowMeterCatcher) | false |
| On Console | false |

| On Files | false |
|-----------------------------|-------|
| On Databases | false |
| Catch components statistics | false |
| Catch runtime errors | true |
| Catch user errors | true |
| Catch user warnings | true |

Context List

ContextDefault

Component List

| Component Name | Component Type |
|------------------------------|----------------------------|
| tDataStewardshipTaskDelete_1 | tDataStewardshipTaskDelete |
| tDataStewardshipTaskInput_1 | tDataStewardshipTaskInput |
| tDataStewardshipTaskOutput_1 | tDataStewardshipTaskOutput |
| tDie_1 | tDie |

| tFileInputDelimited_1 | tFileInputDelimited |
|-----------------------|---------------------|
| tFilterRow_11 | tFilterRow |
| tFilterRow_2 | tFilterRow |
| tLogRow_1 | tLogRow |
| tLogRow_2 | tLogRow |
| tLogRow_3 | tLogRow |
| tLogRow_4 | tLogRow |
| tLogRow_5 | tLogRow |
| tLogRow_6 | tLogRow |
| tMap_1 | tMap |

Components Description

${\bf Component} \quad {\bf tDataStewardshipTaskDelete}$

| × | UNIQUE NAME | tDataStewardshipTaskDelete_1 | INPUT(S) | tLogRow_4 |
|---|----------------|------------------------------|-----------|-----------|
| | LABEL | FTTest | OUTPUT(S) | tLogRow_6 |

| Properties | Values |
|-------------|------------------------------|
| Unique Name | tDataStewardshipTaskDelete_1 |

| Component Name | tDataStewardshipTaskDelete | |
|-------------------------------|---|------------------|
| Family | Talend Data Stewardship | |
| Start | false | |
| Startable | true | |
| SUBTREE_START | false | |
| END_OF_FLOW | false | |
| Activate | true | |
| Help | HELP | |
| Update components | true | |
| IREPORT_PATH | | |
| Property Type | Built-In | |
| Query Type | Built-In | |
| tStatCatcher Statistics | false | |
| Enable parallel execution | false | |
| Number of parallel executions | 2 | |
| PARALLELIZE_KEEP_EMPTY | false | |
| Schema | {"type":"record","name":"MAIN","fields":[{"name":"idType","type":"string","di.table.cor | nment":"text","1 |
| URL | "https://tds.us-west.cloud.talend.com/data-stewardship/" | |
| Username | "athompson@eval13206.talend.com" | |
| Password | ******* | |
| Campaign | "MissingFIGI" | |
| Туре | RESOLUTION | |

| Override enforcement of data model | false | |
|------------------------------------|---|------------------|
| State | Any State | |
| customState | пн | |
| Assignee | Any Assignee | |
| customAssignee | пп | |
| Priority | ANY_PRIORITY | |
| customPriority | пп | |
| Choice | ANY_CHOICE | |
| Tags | | |
| Query | п | |
| Delete by ID | false | |
| Input field of task ID | | |
| Schema | {"type":"record","name":"tDataStewardshipTaskDelete_1","fields":[{"name":"idType" | "type":"string", |
| Campaign ID | "c167676ead3fba5f78a917a38a5676a6e" | |
| Http client configuration | | |
| REPOSITORY_ALLOW_AUTO_SV | WHTEH | |
| Label format | FTTest | |
| Hint format | _UNIQUE_NAME _COMMENT | |
| Connection format | row | |
| Show Information | false | |
| Comment | | † |
| Use an existing validation rule | false | |

|--|

Schema for MAIN:

| Schema for WAIN: | | | | | | |
|---------------------|-------|---------|--------|-----------|----------|---------|
| Column | Key | Туре | Length | Precision | Nullable | Comment |
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |
| TDS_ID | false | String | | | false | |
| TDS_STATE | false | String | | | false | |
| TDS_ASSIGNEE | false | String | | | true | |
| TDS_CREATION | false | long | | | false | |
| TDS_LAST_UPDATE | false | long | | | false | |
| TDS_LAST_UPDATED_BY | false | String | | | true | |
| TDS_PRIORITY | false | Integer | | | true | |
| TDS_TAGS | false | String | | | true | |
| TDS_DUE_DATE | false | Long | | | true | |
| TDS_EXTERNAL_ID | false | String | | | true | |

Original Function Parameters:
Component tDataStewardshipTaskInput

| | UNIQUE NAME | tDataStewardshipTaskInput_1 | INPUT(S) | tFileInputDelimited_1 | |
|--|----------------|-----------------------------|-----------|-----------------------|--|
| | LABEL | FTTest | OUTPUT(S) | tFilterRow_11 | |

| Component Parameters: | |
|-------------------------------|---|
| Properties | Values |
| Unique Name | tDataStewardshipTaskInput_1 |
| Component Name | tDataStewardshipTaskInput |
| Family | Talend Data Stewardship |
| Start | false |
| Startable | true |
| SUBTREE_START | true |
| END_OF_FLOW | false |
| Activate | true |
| Help | HELP |
| Update components | true |
| IREPORT_PATH | |
| Property Type | Built-In |
| Query Type | Built-In |
| tStatCatcher Statistics | false |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| Schema | {"type":"record","name":"main","fields":[{"name":"idType","type":"string","di.table.com |

| URL | "https://tds.us-west.cloud.talend.com/data-stewardship/" |
|------------------------------------|--|
| Username | "athompson@eval13206.talend.com" |
| Password | ********* |
| Campaign | "MissingFIGI" |
| Туре | RESOLUTION |
| Override enforcement of data model | false |
| State | Any State |
| customState | "" |
| Assignee | Any Assignee |
| customAssignee | "" |
| Priority | ANY_PRIORITY |
| customPriority | "" |
| Choice | ANY_CHOICE |
| Tags | "" |
| Query | "" |
| Retrieve golden record only | true |
| Campaign ID | "c167676ead3fba5f78a917a38a5676a6e" |
| Http client configuration | 0 |
| Batch Size | 50 |
| Consume tasks when they are read | false |
| Max request attempts | 2 |
| REPOSITORY_ALLOW_AUTO_SV | ALTIEH |

| Label format | FTTest |
|---------------------------------|---|
| Hint format | _UNIQUE_NAME <brcomment< td=""></brcomment<> |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for MAIN :

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|---------------------|-------|---------|--------|-----------|----------|---------|
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |
| TDS_ID | false | String | | | false | |
| TDS_STATE | false | String | | | false | |
| TDS_ASSIGNEE | false | String | | | true | |
| TDS_CREATION | false | long | | | false | |
| TDS_LAST_UPDATE | false | long | | | false | |
| TDS_LAST_UPDATED_BY | false | String | | | true | |
| TDS_PRIORITY | false | Integer | | | true | |

| TDS_TAGS | false | String | | true | |
|-----------------|-------|--------|--|------|--|
| TDS_DUE_DATE | false | Long | | true | |
| TDS_EXTERNAL_ID | false | String | | true | |

Original Function Parameters: Component tDataStewardshipTaskOutput

| - | UNIQUE NAME | tDataStewardshipTaskOutput_1 | INPUT(S) | tLogRow_3 |
|---|----------------|------------------------------|-----------|-----------|
| | LABEL | FTTest | OUTPUT(S) | none |

| Component Parameters: | , |
|-----------------------|------------------------------|
| Properties | Values |
| Unique Name | tDataStewardshipTaskOutput_1 |
| Component Name | tDataStewardshipTaskOutput |
| Family | Talend Data Stewardship |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | true |
| Activate | true |
| Help | HELP |
| Update components | true |
| IREPORT_PATH | |
| Property Type | Built-In |
| Query Type | Built-In |

| | | ī |
|------------------------------------|--|-------------------|
| tStatCatcher Statistics | false | |
| Enable parallel execution | false | |
| Number of parallel executions | 2 | |
| PARALLELIZE_KEEP_EMPTY | false | |
| Schema | {"type":"record","name":"tDataStewardshipTaskOutput_1","fields":[{"name":"idType" | ,"type":"string", |
| URL | "https://tds.us-west.cloud.talend.com/data-stewardship/" | |
| Username | "athompson@eval13206.talend.com" | |
| Password | ********* | |
| Campaign | "MissingFIGI" | |
| Туре | RESOLUTION | |
| Override enforcement of data model | true | |
| State | New | |
| customState | "" | |
| Assignee | athompson@eval13206.talend.com | |
| customAssignee | "" | |
| Priority | 3 | |
| customPriority | "" | |
| Choice | NO_CHOICE | † |
| Tags | пп | † |
| Comments | [{fieldName=idType, fieldComment=}, {fieldName=idValue, fieldComment=}, {fieldName=FIGI, fieldComment=}] | * |
| Campaign ID | "c167676ead3fba5f78a917a38a5676a6e" | * |
| Http client configuration | | 4 |

| Max tasks per commit | 50 |
|---------------------------------|---------------------------------|
| REPOSITORY_ALLOW_AUTO_SV | WHIEH |
| Label format | FTTest |
| Hint format | _UNIQUE_NAME _COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tDataStewardshipTaskOutput_1:

| ochichia for thataoti | owai aoiiip | rackoutp | <u> </u> | | | |
|-----------------------|------------------------|----------|----------|-----------|----------|---------|
| Column | Key | Туре | Length | Precision | Nullable | Comment |
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |
| TDS_DUE_DATE | false | Long | | | true | |
| TDS_EXTERNAL_ID | false | String | | | true | |

Original Function Parameters: Component tDie

| UNIQUE NAME | tDie_1 | INPUT(S) | tLogRow_5 |
|--------------------|-------------|-----------|-----------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | none |

| Component Parameters: | |
|-------------------------------|---|
| Properties | Values |
| Unique Name | tDie_1 |
| Component Name | tDie |
| Version | 0.102 (ALPHA) |
| Family | Logs_Errors |
| Start | false |
| Startable | true |
| SUBTREE_START | false |
| END_OF_FLOW | true |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tDie |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| Die message | "the end is near" |
| | · |

| Error code | 4 |
|---------------------------------|---------------------------------|
| Priority | 5 |
| Exit the JVM immediately | false |
| Schema | Built-In |
| Label format | UNIQUE_NAME |
| Hint format | _UNIQUE_NAME _COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tDie_1:

| Schema for the_i : | | | | | | |
|--------------------|-------|--------|--------|-----------|----------|---------|
| Column | Key | Туре | Length | Precision | Nullable | Comment |
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |
| TDS_ID | false | String | | | false | |
| TDS_STATE | false | String | | | false | |
| TDS_ASSIGNEE | false | String | | | true | |
| TDS_CREATION | false | long | | | false | |

| TDS_LAST_UPDATE | false | long | | false | |
|---------------------|-------|---------|-----|-------|--|
| TDS_LAST_UPDATED_BY | false | String | | true | |
| TDS_PRIORITY | false | Integer | | true | |
| TDS_TAGS | false | String | | true | |
| TDS_DUE_DATE | false | Long | | true | |
| TDS_EXTERNAL_ID | false | String | | true | |
| errorMessage | false | String | 255 | true | |

Original Function Parameters: Component tFileInputDelimited

| ; | UNIQUE NAME | tFileInputDelimited_1 | INPUT(S) | none |
|---|----------------|-----------------------|-----------|-------------------------------|
| | | | | tLogRow_1 |
| | LABEL | SecurityFile | OUTPUT(S) | , tDataStewardshipTaskInput_1 |

| oomponent i didineters. | |
|-------------------------|-----------------------|
| Properties | Values |
| Unique Name | tFileInputDelimited_1 |
| Component Name | tFileInputDelimited |
| Version | 0.102 (ALPHA) |
| Family | File/Input |
| Start | true |
| Startable | true |

| SUBTREE_START | true |
|-------------------------------|---|
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tFileInputDelimited |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| Property Type | repository: DELIM:SecurityFile |
| REPOSITORY_ALLOW_AUTO_SV | MITEH |
| Schema | Built-In |
| File name/Stream | "C:/Users/student/Desktop/DataStewardship/SecurityFile.csv" |
| CSV options | false |
| Row Separator | "\n" |
| CSV Row Separator | "\n" |
| Field Separator | n n |

| Escape char | 1111 |
|---|---|
| Text enclosure | пии |
| Header | 1 |
| Footer | 0 |
| Limit | |
| Skip empty rows | false |
| Uncompress as zip file | false |
| Die on error | false |
| Schema | Built-In |
| Temporary directory | "D:/Talend-Studio/workspace" |
| Advanced separator (for numbers) | false |
| Thousands separator | n n , |
| Decimal separator | n n |
| Extract lines at random | false |
| Number of lines | 10 |
| Trim all columns | false |
| Check column to trim | [{SCHEMA_COLUMN=idType, TRIM=false}, {SCHEMA_COLUMN=idValue, TRIM=false}, {SCHEMA_COLUMN=FIGI, TRIM=false}] |
| Check each row structure against schema | false |
| Check date | false |
| Encoding | "US-ASCII" |
| Split row before field | false |

| Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default) | false |
|---|---|
| Decode table | [{SCHEMA_COLUMN=idType, DECODE=false}, {SCHEMA_COLUMN=idValue, DECODE=false}, {SCHEMA_COLUMN=FIGI, DECODE=false}] |
| Destination | |
| Min column number of optimize code | 100 |
| Label format | SecurityFile |
| Hint format | UNIQUE_NAME COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for metadata :

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|---------|-------|--------|--------|-----------|----------|---------|
| idType | false | String | 8 | | true | |
| idValue | false | String | 18 | | true | |
| FIGI | false | String | | | true | |

Original Function Parameters: Component tFilterRow

| -L | UNIQUE NAME | tFilterRow_11 | INPUT(S) | tDataStewardshipTaskInput_1 |
|----|----------------|---------------|----------|-----------------------------|
| | | | | |

| | | | tLogRow_4 |
|-------|-------------|-----------|-------------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | , tLogRow_5 |

| Component Parameters | |
|-------------------------------|---|
| Properties | Values |
| Unique Name | tFilterRow_11 |
| Component Name | tFilterRow |
| Version | 0.102 (ALPHA) |
| Family | Processing |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tFilterRow |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| | |

| REPOSITORY_ALLOW_AUTO_SV | MHTEH |
|---|--|
| Schema | Built-In |
| Schema | Built-In |
| Schema | Built-In |
| Logical operator used to combine conditions | && |
| Conditions | [{INPUT_COLUMN=TDS_STATE, FUNCTION=, OPERATOR===, RVALUE="Resolved"}] |
| Use advanced mode | false |
| Advanced | // code sample : use input_row to define the condition. // input_row.columnName1.equals("foo") !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2) |
| Label format | UNIQUE_NAME |
| Hint format | UNIQUE_NAME <_COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tFilterRow_11:

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|---------|-------|--------|--------|-----------|----------|---------|
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |

| TDS_ID | false | String | 1 | false | |
|---------------------|-------|---------|---|-------|--|
| TDS_STATE | false | String | 1 | false | |
| TDS_ASSIGNEE | false | String | 1 | true | |
| TDS_CREATION | false | long | 1 | false | |
| TDS_LAST_UPDATE | false | long | 1 | false | |
| TDS_LAST_UPDATED_BY | false | String | 1 | true | |
| TDS_PRIORITY | false | Integer | 1 | true | |
| TDS_TAGS | false | String | 1 | true | |
| TDS_DUE_DATE | false | Long | 1 | true | |
| TDS_EXTERNAL_ID | false | String | 1 | true | |

Original Function Parameters: Component tFilterRow

| UNIQUE NAME | tFilterRow_2 | INPUT(S) | tLogRow_1 |
|--------------------|-----------------|----------|-----------------------|
| LABEL | FilterByHasFIGI | | tLogRow_2 , tMap_1 |

| Component i didineters. | | | |
|-------------------------|--------------|--|--|
| Properties | Values | | |
| Unique Name | tFilterRow_2 | | |
| Component Name | tFilterRow | | |

| Version | 0.102 (ALPHA) |
|---|---|
| Family | Processing |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tFilterRow |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| REPOSITORY_ALLOW_AUTO_SV | ALICH |
| Schema | Built-In |
| Schema | Built-In |
| Schema | Built-In |
| Logical operator used to combine conditions | && |

| Conditions | [{INPUT_COLUMN=FIGI, FUNCTION=, OPERATOR=!=, RVALUE=""}] |
|---------------------------------|--|
| Use advanced mode | false |
| Advanced | // code sample : use input_row to define the condition. // input_row.columnName1.equals("foo") !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2) |
| Label format | FilterByHasFIGI |
| Hint format | _UNIQUE_NAME _COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for metadata:

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|---------|-------|--------|--------|-----------|----------|---------|
| idType | false | String | 8 | | true | |
| idValue | false | String | 18 | | true | |
| FIGI | false | String | | | true | |

Original Function Parameters: Component tLogRow

| UNIQUE NAME | tLogRow_1 | INPUT(S) | tFileInputDelimited_1 |
|----------------|-------------|-----------|-----------------------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | tFilterRow_2 |

| Properties | Values |
|-------------------------------|---|
| Unique Name | tLogRow_1 |
| Component Name | tLogRow |
| Version | 0.101 (ALPHA) |
| Family | Logs_Errors |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tLogRow |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| REPOSITORY_ALLOW_AUTO_SV | ALLIEH |
| Schema | Built-In |

| Basic | true |
|---|--|
| Table (print values in cells of a table) | false |
| Vertical (each row is a key/value list) | false |
| Print unique name | true |
| Print label | false |
| Print unique name and label | false |
| Field Separator | " " |
| Print header | false |
| Print component unique name in front of each output row | false |
| Print schema column name in front of each value | false |
| Use fixed length for values | false |
| | [{SCHEMA_COLUMN=idType, LENGTH=10}, {SCHEMA_COLUMN=idValue, LENGTH=10}, {SCHEMA_COLUMN=FIGI, LENGTH=10}] |
| Print content with log4j | true |
| Min column number of optimize code | 100 |
| Label format | UNIQUE_NAME |
| Hint format | _UNIQUE_NAME <brcomment< td=""></brcomment<> |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for metadata:

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|---------|-------|--------|--------|-----------|----------|---------|
| idType | false | String | 8 | | true | |
| idValue | false | String | 18 | | true | |
| FIGI | false | String | | | true | |

Original Function Parameters: Component tLogRow

| UNIQUE NAME | tLogRow_2 | INPUT(S) | tFilterRow_2 |
|----------------|-------------|-----------|--------------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | none |

| component Parameters: | | | | |
|-------------------------|---------------|--|--|--|
| Properties | Values | | | |
| Unique Name | tLogRow_2 | | | |
| Component Name | tLogRow | | | |
| Version | 0.101 (ALPHA) | | | |
| Family | Logs_Errors | | | |
| Startable | false | | | |
| SUBTREE_START | false | | | |
| END_OF_FLOW | true | | | |
| Activate | true | | | |
| DUMMY | false | | | |
| tStatCatcher Statistics | false | | | |

| Help | org.talend.help.tLogRow |
|---|---|
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| REPOSITORY_ALLOW_AUTO_SV | MHTEH |
| Schema | Built-In |
| Basic | true |
| Table (print values in cells of a table) | false |
| Vertical (each row is a key/value list) | false |
| Print unique name | true |
| Print label | false |
| Print unique name and label | false |
| Field Separator | " " |
| Print header | false |
| Print component unique name in front of each output row | false |
| Print schema column name in front of each value | false |

| Use fixed length for values | false |
|------------------------------------|--|
| Lengths | [{SCHEMA_COLUMN=idType, LENGTH=10}, {SCHEMA_COLUMN=idValue, LENGTH=10}, {SCHEMA_COLUMN=FIGI, LENGTH=10}] |
| Print content with log4j | true |
| Min column number of optimize code | 100 |
| Label format | UNIQUE_NAME |
| Hint format | _UNIQUE_NAME _COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for metadata:

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|---------|-------|--------|--------|-----------|----------|---------|
| idType | false | String | 8 | | true | |
| idValue | false | String | 18 | | true | |
| FIGI | false | String | | | true | |

Original Function Parameters: Component tLogRow

| UNIQUE NAME | tLogRow_3 | INPUT(S) | tMap_1 |
|--------------------|-------------|-----------|------------------------------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | tDataStewardshipTaskOutput_1 |

| Component Parameters: | | | |
|-------------------------------|---|--|--|
| Properties | Values | | |
| Unique Name | tLogRow_3 | | |
| Component Name | tLogRow | | |
| Version | 0.101 (ALPHA) | | |
| Family | Logs_Errors | | |
| Startable | false | | |
| SUBTREE_START | false | | |
| END_OF_FLOW | false | | |
| Activate | true | | |
| DUMMY | false | | |
| tStatCatcher Statistics | false | | |
| Help | org.talend.help.tLogRow | | |
| Update components | true | | |
| IREPORT_PATH | | | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java | | |
| Subjob color | | | |
| Title color | | | |
| Enable parallel execution | false | | |
| Number of parallel executions | 2 | | |
| PARALLELIZE_KEEP_EMPTY | false | | |
| REPOSITORY_ALLOW_AUTO_SV | MITEH | | |
| Schema | Built-In | | |

| Basic | true |
|---|---|
| Table (print values in cells of a table) | false |
| Vertical (each row is a key/value list) | false |
| Print unique name | true |
| Print label | false |
| Print unique name and label | false |
| Field Separator | " " |
| Print header | false |
| Print component unique name in front of each output row | false |
| Print schema column name in front of each value | false |
| Use fixed length for values | false |
| Lengths | [{SCHEMA_COLUMN=idType, LENGTH=10}, {SCHEMA_COLUMN=idValue, LENGTH=10}, {SCHEMA_COLUMN=FIGI, LENGTH=10}, {SCHEMA_COLUMN=TDS_DUE_DATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_EXTERNAL_ID, LENGTH=10}] |
| Print content with log4j | true |
| Min column number of optimize code | 100 |
| Label format | UNIQUE_NAME |
| Hint format | UNIQUE_NAME COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| | |

|--|

Schema for tLogRow_3:

| Column | Key | Туре | Length | Precision | Nullable | Comment |
|-----------------|-------|--------|--------|-----------|----------|---------|
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |
| TDS_DUE_DATE | false | Long | | | true | |
| TDS_EXTERNAL_ID | false | String | | | true | |

Original Function Parameters: Component tLogRow

| UNIQUE NAME | tLogRow_4 | INPUT(S) | tFilterRow_11 |
|----------------|-------------|-----------|------------------------------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | tDataStewardshipTaskDelete_1 |

| oomponent i didineters. | , |
|-------------------------|---------------|
| Properties | Values |
| Unique Name | tLogRow_4 |
| Component Name | tLogRow |
| Version | 0.101 (ALPHA) |
| Family | Logs_Errors |
| Startable | false |
| SUBTREE_START | false |

| END_OF_FLOW | false |
|--|---|
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tLogRow |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| REPOSITORY_ALLOW_AUTO_S\ | ANTEH |
| Schema | Built-In |
| Basic | true |
| Table (print values in cells of a table) | false |
| Vertical (each row is a key/value list) | false |
| Print unique name | true |
| Print label | false |
| Print unique name and label | false |
| Field Separator | " " |

| Print header | false |
|---|--|
| Print component unique name in front of each output row | false |
| Print schema column name in front of each value | false |
| Use fixed length for values | false |
| Lengths | [{SCHEMA_COLUMN=idType, LENGTH=10}, {SCHEMA_COLUMN=idValue, LENGTH=10}, {SCHEMA_COLUMN=FIGI, LENGTH=10}, {SCHEMA_COLUMN=TDS_ID, LENGTH=10}, {SCHEMA_COLUMN=TDS_ID, LENGTH=10}, {SCHEMA_COLUMN=TDS_ASSIGNEE, LENGTH=10}, {SCHEMA_COLUMN=TDS_CREATION, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATED_BY, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATED_BY, LENGTH=10}, {SCHEMA_COLUMN=TDS_PRIORITY, LENGTH=10}, {SCHEMA_COLUMN=TDS_TAGS, LENGTH=10}, {SCHEMA_COLUMN=TDS_DUE_DATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_DUE_DATE, LENGTH=10}] |
| Print content with log4j | true |
| Min column number of optimize code | 100 |
| Label format | UNIQUE_NAME |
| Hint format | UNIQUE_NAME COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tLogRow_4:

| oonoma for thoughton _ i i | | | | | | |
|----------------------------|-------|--------|--------|-----------|----------|---------|
| Column | Key | Туре | Length | Precision | Nullable | Comment |
| idType | false | String | | | false | text |

| idValue | false | String | false | text |
|---------------------|-------|---------|-------|------|
| FIGI | false | String | true | text |
| TDS_ID | false | String | false | |
| TDS_STATE | false | String | false | |
| TDS_ASSIGNEE | false | String | true | |
| TDS_CREATION | false | long | false | |
| TDS_LAST_UPDATE | false | long | false | |
| TDS_LAST_UPDATED_BY | false | String | true | |
| TDS_PRIORITY | false | Integer | true | |
| TDS_TAGS | false | String | true | |
| TDS_DUE_DATE | false | Long | true | |
| TDS_EXTERNAL_ID | false | String | true | |

Original Function Parameters: Component tLogRow

| UNIQUE NAME | tLogRow_5 | INPUT(S) | tFilterRow_11 |
|----------------|-------------|-----------|---------------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | tDie_1 |

| Compension arameters | |
|----------------------|--------|
| Properties | Values |

| Unique Name | tLogRow_5 |
|-------------------------------|---|
| Component Name | tLogRow |
| Version | 0.101 (ALPHA) |
| Family | Logs_Errors |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | false |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tLogRow |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| REPOSITORY_ALLOW_AUTO_SV | ALIEH |
| Schema | Built-In |
| Basic | true |

| Table (print values in cells of a table) | false |
|---|--|
| Vertical (each row is a key/value list) | false |
| Print unique name | true |
| Print label | false |
| Print unique name and label | false |
| Field Separator | " " |
| Print header | false |
| Print component unique name in front of each output row | false |
| Print schema column name in front of each value | false |
| Use fixed length for values | false |
| Lengths | [{SCHEMA_COLUMN=idType, LENGTH=10}, {SCHEMA_COLUMN=idValue, LENGTH=10}, {SCHEMA_COLUMN=FIGI, LENGTH=10}, {SCHEMA_COLUMN=TDS_ID, LENGTH=10}, {SCHEMA_COLUMN=TDS_STATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_ASSIGNEE, LENGTH=10}, {SCHEMA_COLUMN=TDS_CREATION, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATED_BY, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATED_BY, LENGTH=10}, {SCHEMA_COLUMN=TDS_PRIORITY, LENGTH=10}, {SCHEMA_COLUMN=TDS_TAGS, LENGTH=10}, {SCHEMA_COLUMN=TDS_DUE_DATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_EXTERNAL_ID, LENGTH=10}, {SCHEMA_COLUMN=TDS_EXTERNAL_ID, LENGTH=10}] |
| Print content with log4j | true |
| Min column number of optimize code | 100 |
| Label format | UNIQUE_NAME |
| Hint format | UNIQUE_NAME COMMENT |
| Connection format | row |
| Show Information | false |

| Comment | |
|---------------------------------|-------|
| Use an existing validation rule | false |
| Validation Rule Type | |

Schema for tLogRow_5:

| Schema for tLogRow_5 : | | | | | | |
|------------------------|-------|---------|--------|-----------|----------|---------|
| Column | Key | Туре | Length | Precision | Nullable | Comment |
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |
| TDS_ID | false | String | | | false | |
| TDS_STATE | false | String | | | false | |
| TDS_ASSIGNEE | false | String | | | true | |
| TDS_CREATION | false | long | | | false | |
| TDS_LAST_UPDATE | false | long | | | false | |
| TDS_LAST_UPDATED_BY | false | String | | | true | |
| TDS_PRIORITY | false | Integer | | | true | |
| TDS_TAGS | false | String | | | true | |
| TDS_DUE_DATE | false | Long | | | true | |
| TDS_EXTERNAL_ID | false | String | | | true | |

| errorMessage | false | String | 255 | true | |
|--------------|-------|--------|-----|------|--|
| | | | | | |

Original Function Parameters: Component tLogRow

| UNIQUE NAME | tLogRow_6 | INPUT(S) | tDataStewardshipTaskDelete_1 |
|----------------|-------------|-----------|------------------------------|
| LABEL | UNIQUE_NAME | OUTPUT(S) | none |

| Component Parameters: | | | | |
|-------------------------|---|--|--|--|
| Properties | Values | | | |
| Unique Name | tLogRow_6 | | | |
| Component Name | tLogRow | | | |
| Version | 0.101 (ALPHA) | | | |
| Family | Logs_Errors | | | |
| Startable | false | | | |
| SUBTREE_START | false | | | |
| END_OF_FLOW | true | | | |
| Activate | true | | | |
| DUMMY | false | | | |
| tStatCatcher Statistics | false | | | |
| Help | org.talend.help.tLogRow | | | |
| Update components | true | | | |
| IREPORT_PATH | | | | |
| JAVA_LIBRARY_PATH | D:\Talend-Studio\configuration\lib\java | | | |

| Subjob color | |
|---|----------|
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |
| REPOSITORY_ALLOW_AUTO_SV | MHIEH |
| Schema | Built-In |
| Basic | true |
| Table (print values in cells of a table) | false |
| Vertical (each row is a key/value list) | false |
| Print unique name | true |
| Print label | false |
| Print unique name and label | false |
| Field Separator | " " |
| Print header | false |
| Print component unique name in front of each output row | false |
| Print schema column name in front of each value | false |
| Use fixed length for values | false |


| Lengths | [{SCHEMA_COLUMN=idType, LENGTH=10}, {SCHEMA_COLUMN=idValue, LENGTH=10}, {SCHEMA_COLUMN=FIGI, LENGTH=10}, {SCHEMA_COLUMN=TDS_ID, LENGTH=10}, {SCHEMA_COLUMN=TDS_STATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_ASSIGNEE, LENGTH=10}, {SCHEMA_COLUMN=TDS_CREATION, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATED_BY, LENGTH=10}, {SCHEMA_COLUMN=TDS_LAST_UPDATED_BY, LENGTH=10}, {SCHEMA_COLUMN=TDS_PRIORITY, LENGTH=10}, {SCHEMA_COLUMN=TDS_TAGS, LENGTH=10}, {SCHEMA_COLUMN=TDS_DUE_DATE, LENGTH=10}, {SCHEMA_COLUMN=TDS_EXTERNAL_ID, LENGTH=10}] |
|------------------------------------|--|
| Print content with log4j | true |
| Min column number of optimize code | 100 |
| Label format | UNIQUE_NAME |
| Hint format | UNIQUE_NAME COMMENT |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |


Schema for tLogRow 6:

| Schema for LogRow_6. | | | | | | |
|----------------------|-------|--------|--------|-----------|----------|---------|
| Column | Key | Туре | Length | Precision | Nullable | Comment |
| idType | false | String | | | false | text |
| idValue | false | String | | | false | text |
| FIGI | false | String | | | true | text |
| TDS_ID | false | String | | | false | |
| TDS_STATE | false | String | | | false | |

| TDS_ASSIGNEE | false | String | true | |
|---------------------|-------|---------|-------|--|
| TDS_CREATION | false | long | false | |
| TDS_LAST_UPDATE | false | long | false | |
| TDS_LAST_UPDATED_BY | false | String | true | |
| TDS_PRIORITY | false | Integer | true | |
| TDS_TAGS | false | String | true | |
| TDS_DUE_DATE | false | Long | true | |
| TDS_EXTERNAL_ID | false | String | true | |

Original Function Parameters: Component tMap





Component Parameters:

| Component Parameters. | Component Parameters: | | | |
|---|-----------------------|--|--|--|
| Properties | Values | | | |
| tStatCatcher Statistics | false | | | |
| Mapping links display as: | AUTO | | | |
| Temp data directory path: | | | | |
| Max buffer size (nb of rows): | 200000 | | | |
| Ignore trailing zeros for BigDecimal | true | | | |
| Show Information | false | | | |
| Comment | | | | |
| Use an existing validation rule | false | | | |

Mapper table for tMap_1 (input):

Mapper table Properties (row4):

| ppor tanoro i roportir | mapper table i reperties (1511 i). | | | | |
|------------------------|-------------------------------------|--|--|--|--|
| Properties | Values | | | | |
| Name | row4 | | | | |
| Matching-mode | UNIQUE_MATCH | | | | |
| isMinimized | false | | | | |
| isReject | false | | | | |
| isRejectInnerJoin | false | | | | |
| isInnerJoin | false | | | | |
| expressionFilter | null | | | | |

Metadata Table Entries(row4):

| metadata Table Entities (10W+). | | | |
|---------------------------------|--------|------------|------------|
| Name | Туре | Expression | isNullable |
| idType | String | | true |
| idValue | String | | true |
| FIGI | String | | true |
| errorMessage | String | | true |

Constraint Table Entries(row4):

| Name | Туре | Expression | isNullable |
|------|------|------------|------------|

Mapper table for tMap_1 (output):

Mapper table Properties (out1):

| mapper table i Toperties out 1). | | | |
|----------------------------------|--------|--|--|
| Properties | Values | | |
| Name | out1 | | |
| Matching-mode | | | |
| isMinimized | false | | |
| isReject | false | | |
| isRejectInnerJoin | false | | |
| isInnerJoin | false | | |
| expressionFilter | null | | |
| | | | |

Metadata Table Entries(out1):

| | 100(0011) | | |
|-----------------|-----------|---|------------|
| Name | Туре | Expression | isNullable |
| idType | String | row4.idType | false |
| idValue | String | row4.idValue | false |
| FIGI | String | row4.FIGI | true |
| TDS_DUE_DATE | Long | 1L | true |
| TDS_EXTERNAL_ID | String | jobName + ".Row-" + Numeric.sequence("s1",1,1) | true |

Constraint Table Entries(out1):

| Name Type Expression isNullable | |
|---------------------------------|--|
|---------------------------------|--|

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

| mapper table i repertie. | 5(· ···). |
|--------------------------|-------------|
| Properties | Values |
| Name | Var |
| Matching-mode | |
| isMinimized | false |
| isReject | false |
| isRejectInnerJoin | false |
| isInnerJoin | false |
| expressionFilter | null |

Metadata Table Entries(Var):

| Name | Туре | Expression | isNullable |
|------|--------|------------|------------|
| var1 | String | | false |

Constraint Table Entries(Var):

| Name Type | Expression | isNullable | |
|-----------|------------|------------|--|
|-----------|------------|------------|--|