

Table Metro Station's Details

🔗 ⓘ ⚙️ ⋮

Delete Update Delete All Records ↑ ↓

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label Metro Station's Details

Application Global ⓘ

* Name u_metro_station_s_details

Remote Table

Columns

Controls

Application Access

Table Columns

for text

Search

1 to 9 of 9

New

Dictionary Entries

	Column label	Type	Reference	Max length	Default value	Display
	Sys ID	Sys ID (GUID)	(empty)	32		false
✕	Station Name	String	(empty)	50		true
	Created	Date/Time	(empty)	40		false
✕	Active	True/False	(empty)	255		false
	Updates	Integer	(empty)	40		false
	Updated by	String	(empty)	40		false
✕	Station Code	String	(empty)	40		false
	Updated	Date/Time	(empty)	40		false
	Created by	String	(empty)	40		false
+	Insert a new row...					

Table Metro Database

Table Columns

for text

Search

🔍

🔗

🔧

📄

⏪

⏩

1 to 20 of 21

➡

➡

—

New

Dictionary Entries

	Column label	Type	Reference	Max length	Default value	Display
	Sys ID	Sys ID (GUID)	(empty)	32		false
	Created by	String	(empty)	40		false
✖	Smart Card Name	String	(empty)	40		false
✖	Going To	Reference	Metro Station's Details	32		false
✖	Smart Card Number	String	(empty)	40		false
	Created	Date/Time	(empty)	40		false
✖	Mode of Payment	Choice	(empty)	40		false
✖	Amount for Single Journey	Integer	(empty)	40		false
✖	Amount Including Return	Integer	(empty)	40		false
✖	user details	Reference	User	32		false
	Updates	Integer	(empty)	40		false
	Updated by	String	(empty)	40		false
✖	request type	Choice	(empty)	40		false
✖	Recharge Amount	Integer	(empty)	40		false
✖	Enter Payment Mode	String	(empty)	40		false
✖	No of Passengers	Integer	(empty)	40		false
✖	Ticket Number	String	(empty)	40		false
	Updated	Date/Time	(empty)	40		false
✖	Starting From	Reference	Metro Station's Details	32		false
✖	Type of Journey	String	(empty)	40		false

Catalog Item

Book A Metro Ticket

🔗 ⓘ ⚙️ ⋮ Copy Try It Update Edit in Catalog Builder Delete ⬆ ⬇

📎 Manage Attachments (4):  hyd_metro.jpg [rename][download]📎  Pasted image.jpg [rename][download]📎  WhatsApp Image 2026-07-29 ... [rename][download]📎

+1

📘 Build and modify items faster with the improved [Catalog Builder](#) ✕

Catalog items are goods or services available to order from the service catalog. Items can be anything from hardware, like tablets and phones, to software applications, to furniture and office supplies.

- Enter a Name and Short description to display for the item.
- Enter a Price, approvals, variables, and other information as needed.

Name

Book A Metro Ticket

Catalogs

🔒 × Service Catalog

Category

Services

🔍 ⓘ

State

-- None --

Checked out

-- None --

Owner

System Administrator

🔍 ⓘ

Secondary owners

🔒

Application

Global

ⓘ

Active

☒

Fulfillment automation level

Unspecified

▼

Item Details

Process Engine

Picture

Pricing

Portal Settings

ServiceNow Developers

Book A Metro Ticket | Catalog

Ask Gemini

dev379307.service-now.com/now/nav/ui/classic/params/target/sc_cat_item.do%3Fsys_id%3Dec6eca6a3b5e8310fabf5b0f23e45ada%26sysparm_record_target%3Dsc_cat_item%26syspa...

School

servicenow

All Favorites History Workspaces

Catalog Item - Book A Metro Ticket

Application scope: Global
Update set: Default (Global)

Copy Try It Update Edit in Catalog Builder Delete

Catalog Item Book A Metro Ticket

[SN Utils] Versions (102)

Variables (13) Variable Sets Catalog UI Policies (4) Catalog Client Scripts (8) Available For Not Available For Categories (1) Catalogs (1) Catalog Data Lookup Definitions Related Articles Related Catalog Items

Assigned Topics

Order Search

Actions on selected rows... New

Catalog item = Book A Metro Ticket

Type	Question	Order
Multiple Choice	What do you want to do	100
Single Line Text	Enter Smart Card Number	200
Single Line Text	Enter Smart Card Name	300
Single Line Text	Recharge Amount	400
Reference	Starting From?	500
Reference	Going To?	600
Single Line Text	No of Passengers	700
Single Line Text	Enter payment mode	750
Multiple Choice	Type of Journey	800
CheckBox	QR Confirmed	900
Single Line Text	Amount for Single Journey	900
Single Line Text	Amount Including Return	1,000
Multiple Choice	Mode of Payment	1,100

1 to 13 of 13

Catalog Item

Book A Metro Ticket

?

...

Copy

Try It

Update

Edit in Catalog Builder

Delete

↑

↓

Add relevant tags to the Meta field using comma-separated list of tags. These tags will be used while searching the item. Applicable only for keyword search when AI Search is enabled.

Meta

Copy

Try It

Update

Edit in Catalog Builder

Delete

Related Links

- [Item Diagnostic](#)
- [Show V/A render type](#)
- [Run Point Scan](#)
- [\[SN Utils\] Versions \(102\)](#)

- Variables (13)
- Variable Sets
- Catalog UI Policies (4)
- Catalog Client Scripts (8)
- Available For
- Not Available For
- Categories (1)
- Catalogs (1)
- Catalog Data Lookup Definitions
- Related Articles
- Related Catalog Items

Assigned Topics

Order

Search

Actions on selected rows...

New

Catalog item = Book A Metro Ticket

☐	Short description	Variable set	Conditions	Reverse if false	On load	Inherit	Updated	Order ▲
☐	Amount Fields Visibility	(empty)		true	true	false	2026-08-02 08:03:18	100
☐	Book QR Ticket	(empty)		true	true	false	2026-08-02 07:26:00	100
☐	Recharge Fields	(empty)		true	true	false	2026-08-02 07:43:19	100
☐	Payment Mode Visibility	(empty)		true	true	false	2026-08-02 07:55:33	100

1

to 4 of 4

Catalog Item

Book A Metro Ticket

Copy

Try It

Update

Edit in Catalog Builder

Delete

Copy

Try It

Update

Edit in Catalog Builder

Delete

Related Links

Item Diagnostic

Show VA render type

Run Point Scan

[SN Utils] Versions (102)

Variables (13)

Variable Sets

Catalog UI Policies (4)

Catalog Client Scripts (8)

Available For

Not Available For

Categories (1)

Catalogs (1)

Catalog Data Lookup Definitions

Related Articles

Related Catalog Items

Assigned Topics

for text

Search

Actions on selected rows...

New

Catalog item = Book A Metro Ticket

	Name	Active	Table	View	Type	Updated
	Destination Fare Refresh	true			onChange	2026-08-02 07:02:49
	Refresh Fare - Starting From	true			onChange	2026-08-02 06:59:25
	QR Generation	true			onSubmit	2026-08-02 09:43:45
	Passenger Fare Refresh	true			onChange	2026-08-02 07:07:06
	Metro Ticket Submit Validation	true			onSubmit	2026-08-02 07:17:56
	fair calculation	true			onChange	2026-08-02 06:48:01
	field validation	true			onChange	2026-08-02 07:09:58
	Recharge Amount Validation	true			onChange	2026-08-02 07:13:50

<<

<

1 to 8 of 8

>

>>

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

- Applies on a Catalog Item view ☒
- Applies on Requested Items ☒
- Applies on Catalog Tasks ☒

Script

```

1 function onChange(control, oldValue, newValue, isLoading) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5
6     var journeyType = g_form.getValue('type_of_journey');
7
8     if (journeyType) {
9         g_form.setValue('type_of_journey', '');
10        g_form.setValue('type_of_journey', journeyType);
11    }
12 }

```


New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name	Refresh Fare - Starting From	Application	Global	
Applies to	A Catalog Item	Type	onChange	
Active	☒	Catalog item	Book A Metro Ticket	
UI Type	All	Variable name	starting_from	
		Applies on a Catalog Item view	☒	
		Applies on Requested Items	☒	
		Applies on Catalog Tasks	☒	

Script

```
1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue == '') {
3     return;
4   }
5
6   var journeyType = g_form.getValue('type_of_journey');
7
8   if (journeyType) {
9     g_form.setValue('type_of_journey', '');
10    g_form.setValue('type_of_journey', journeyType);
11  }
12 }
```

Catalog Client Scripts

QR Generation

UpdateDelete

Name

QR Generation

Applies to

A Catalog Item

Active

☒

UI Type

All

Application

Global

Type

onSubmit

Catalog item

Book A Metro Ticket

Applies on a Catalog Item view

☒

Applies on Requested Items

☒

Applies on Catalog Tasks

☒

Script

1

function onSubmit() {

2

var requestType = g_form.getValue('what_do_you_want_to_do');

3

var qrConfirmed = g_form.getValue('qr_confirmed');

4

5

// Only show QR for Book a Metro Ticket.

6

if (requestType != '2') {

7

return true;

8

}

9

10

// Allow second submission after QR confirmation.

11

if (qrConfirmed == 'true') {

12

return true;

13

}

14

15

var ticketData = {

16

requestType: 'Book a Metro Ticket',

17

startingFrom: g_form.getDisplayValue('starting_from'),

18

goingTo: g_form.getDisplayValue('going_to'),

19

passengers: g_form.getValue('no_of_passengers'),

20

journeyType: g_form.getValue('type_of_journey'),

21

singleAmount: g_form.getValue('amount_for_single_journey'),

22

returnAmount: g_form.getValue('amount_including_return'),

23

paymentMode: g_form.getValue('mode of payment')

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name

fair calculation

Applies to

A Catalog Item

Active

☒

UI Type

All

Application

Global

Type

onChange

Catalog item

Book A Metro Ticket

Variable name

type_of_journey

Applies on a Catalog Item view

☒

Applies on Requested Items

☒

Applies on Catalog Tasks

☒

Script

```
1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue === '') {
3     return;
4   }
5
6   // Replace every value below with the actual station sys_id.
7   var stationOrder = {};
8
9   stationOrder['d97867c43b2e8f10fabf5b0f23e45ab5'] = 1;
10  stationOrder['0bc86f843b2e8f10fabf5b0f23e45abf'] = 2;
11  stationOrder['d1a8ebc43b2e8f10fabf5b0f23e45a88'] = 3;
12  stationOrder['dae8ef843b2e8f10fabf5b0f23e45a17'] = 4;
13  stationOrder['2619e7083b2e8f10fabf5b0f23e45afa'] = 5;
14
15  var startingFrom = g_form.getValue('starting_from');
16  var goingTo = g_form.getValue('going_to');
17  var passengers = parseInt(g_form.getValue('no_of_passengers'), 10);
18
19  g_form.clearValue('amount_for_single_journey');
```

←

≡

Catalog UI Policy

Amount Fields Visibility

Requested item or Catalog task form. [More info](#)

Applies to

A Catalog Item

Application

Global

ⓘ

* Catalog item

Book A Metro Ticket

🔍

ⓘ

* Short description

Amount Fields Visibility

When to Apply

Script

Catalog UI policy actions are applied only if all the following conditions are met:

1. The catalog UI policy is **Active**

2. The items in the **Conditions** field evaluate to true

3. The field specified in the catalog UI policy is present on the specified catalog item

Catalog Conditions

Add Filter Condition

Add OR Clause

what_do_you_want_to_do

▼

is

▼

Book Metro Ticket

▼

AND

OR

✖

Applies on a Catalog Item view

☑

Applies on Catalog Tasks

☐

Applies on Requested Items

☐

Apply the catalog UI policy actions when the form is loaded or when the user changes values on the form

On load

☑

Reverse the effects of the catalog UI policy actions when the Conditions evaluate to false

Reverse if false

☑

TRIGGER

 Service Catalog

ACTIONS

1  Get Catalog Variables from Book A Metro Ticket ①

Action Properties

Action **Get Catalog Variables**

Action Inputs

* Submitted
Request [Requested
Item]

Select one or more values from the Template Catalog Items and Variable Sets, and select the required Catalog Variables to generate output data pills. You cannot choose the same Catalog Variable from multiple Template Catalog Items and Variable Sets.

- * Template Catalog Items and Variable Sets [Catalog Items and Variable Sets]

[Book A Metro Ticket](#)

Available

Selected

Data Collapse All

► Flow Variables

Requested Item Record

Run Start Time UTC Date/Time

Table Name

Run Start Date/Time

▼ 1 - Get Catalog Variables

what_do_you_want_to_do Choice

enter_smart_card_number	String
-------------------------	--------

enter_smart_card_name	String
-----------------------	--------

recharge_amount	String
-----------------	--------

starting_from	Reference
---------------	-----------

going_to Reference

no_of_passengers	String
------------------	--------

enter_payment_mode	String
--------------------	--------

type_of_journey Choice

qr_confirmed	True/False
--------------	------------

amount_for_single_journey	String
---------------------------	--------

Workflow Studio

Metro Project
Flow • Global

+

Metro Project

Active

View:

Te

88

Test

Edit flow

Deactivate

...

SETS

* Template Catalog Items and Variable: Book A Metro Ticket

Enter a Catalog Variables

Available

No available values

Catalog Variables:

Selected

what_do_you_want_to_do
enter_smart_card_number
enter_smart_card_name
recharge_amount
starting_from
going_to
no_of_passengers
enter_payment_mode
type_of_journey
qr_confirmed
amount_for_single_journey

Note: If removing a variable from the 'Selected' list, it will be moved to 'Available' list only if the variable is from the selected Template Catalog Items and Variable Sets. Otherwise, the variable is removed from both 'Available' and 'Selected' lists.

Close

Data

Collapse All

Flow Variables

Trigger - Service Catalog

Requested Item Record

Record

Run Start Time UTC

DateTime

Table Name

Table Name

Run Start Date/Time

DateTime

1 - Get Catalog Variables

what_do_you_want_to_do

Choice

enter_smart_card_number

String

enter_smart_card_name

String

recharge_amount

String

starting_from

Reference

going_to

Reference

no_of_passengers

String

enter_payment_mode

String

type_of_journey

Choice

qr_confirmed

True/False

amount_for_single_journey

String

2

Create Metro Database Record

Add an Action, Flow Logic, or Subflow

Workflow Studio

Metro Project
Flow • Global

+

Metro Project

Active

View:

Test

Edit flow

Deactivate

...

Action Inputs

* Table

Mode of Payment

1 - Get Cata... • mode_of_pay...

Recharge Amount

1 - Get Catal... • recharge_am...

Smart Card Name

1 - Get ... • enter_smart_card...

Smart Card Number

1 - Get... • enter_smart_card...

user details

Trigger - Se... • Requeste...

* Fields

Starting From

1 - Get Catalog... • starting_fr...

Going To

1 - Get Catalog Vari... • going...

No of Passengers

1 - Get Catal... • no_of_passen...

Type of Journey

1 - Get Catalo... • type_of_jou...

Amount for Single Journey

1 - Get... • amount_for_single...

Amount Including Return

1 - Get ... • amount_including...

+ Add field value

Close

Data

Collapse All

► Flow Variables

▼ Trigger - Service Catalog

Requested Item Record

Record

Run Start Time UTC

Date/Time

Table Name

Table Name

Run Start Date/Time

Date/Time

▼ 1 - Get Catalog Variables

what_do_you_want_to_do

Choice

enter_smart_card_number

String

enter_smart_card_name

String

recharge_amount

String

starting_from

Reference

going_to

Reference

no_of_passengers

String

enter_payment_mode

String

type_of_journey

Choice

qr_confirmed

True/False



HYDERABAD METRO RAIL

**MY CITY
MY METRO
MY PRIDE**

Quantity:

Delivery Time: 0 Days

 Add to Cart

 Save as Draft

[Order Now](#)

* Indicates required

What do you want to do

☐ Recharge Metro Card

☒ Book Metro Ticket

☐ None

* Starting From?

* Going To?

* No. of Passengers

* Type of Journey

☒ Single Journey

☐ Return Journey

☐ Group Ticket

Amount for Single Journey

Amount Including Return

* Mode of Payment

☒ Credit Card

☐ Debit Card

dev379307.service-now.com/sp?id=sc_cat_item&sys_id=ec6eca6a3b5e8310fabf5b0f23e45ada

Search ☆

School

KnowledgeCatalogRequestsSystem StatusCartToursSystem Administrator

Home>Service Catalog>Office

HYDERABAD METRO

* Indicates required

What do you want to do

Recharge Metro Card

☒ Book Metro Ticket

None

* Starting From?

15 Minute

* Going To?

15 Minute

* No. of Passengers

4

* Type of Journey

☒ Single Journey

☐ Return Journey

☐ Group Ticket

Amount for Single Journey

200

Amount including Return

* Mode of Payment

☒ Credit Card

☐ Debit Card

☐ Others

Quantity: 1

Delivery Times 0 Days

Add to Cart

Save as Draft

Order Now

Scan Your QR Ticket

Close modal

Scan Your Metro Ticket

Scan this QR code before completing your request.

Confirm

Home > Request Summary - REQ0010004

Search Catalog

Submitted : 2026-08-03 13:21:34
Request Number : REQ0010004
Estimated Delivery : 2026-08-03

Item	Delivery Date	Stage	Price (each)	Quantity	Total
Book A Metro Ticket	2026-08-03		---	1	---
					Total: \$0.00