Class Task

java.lang.Object[™] Task

public class **Task** extends Object[™]

Outine infomtation for tasks

Constructor Summary

Constructors

Constructor Description

Task(String[™] name, String[™] description, String[™] dateString, String[™] contact)

Method Summary

All Methods	Instance Methods	Concrete Methods	
Modifier and Ty	pe Method	Description	
String₫	<pre>getContact()</pre>		
String□	getDescription	<pre>getDescription()</pre>	
Date™	<pre>getDueDate()</pre>		
String [™]	getName()		
Date™	<pre>getTaskSince()</pre>		
String₫	toString()		

Methods inherited from class java.lang. Object $^{\mbox{\tiny LM}}$

clone^{\Box}, equals^{\Box}, finalize^{\Box}, getClass^{\Box}, hashCode^{\Box}, notify $^{\Box}$, notifyAll $^{\Box}$, wait $^{\Box}$, wait $^{\Box}$

Constructor Details

Task

```
public Task(String' name,
String' description,
String' dateString,
String' contact)
throws ParseException'

Parameters:
name - Task name
description - Description of task
dueDate - Date required by
contact - email to contact for issues String to Date conversion: https://www.javatpoint.com/javastring-to-date

Throws:
ParseException'
```

Method Details

getName

public String[™] getName()

Returns:

task name

getDescription

public String[™] getDescription()

Returns:

decription of task

getDueDate

public Date

getDueDate()

Returns:

date for task completion

getTaskSince

public Date[™] getTaskSince()

Returns:

creation date of task

getContact

```
public String<sup>™</sup> getContact()
```

Returns:

contact email for directing issues

toString

```
public String<sup>™</sup> toString()
```

Overrides:

toString[™] in class Object[™]