

QUERY

Table Bank

```
create table BANK(bankcode varchar(3),
bankname varchar(30) not null,
headoffice varchar(30),
branches int not null check(branches>0),
primary key(bankcode));
```

```
insert into BANK values('SBI','State Bank','Delhi',30);
insert into BANK values('CNB','Canara Bank','Ernakulam',20);
insert into BANK values('SIB','South Indian Bank','Madras',30);
insert into BANK values('AXB','Axis Bank','Kottayam',15);
insert into BANK values('FDB','Federal Bank','Ernakulam',25);
```

	 BANKCODE	 BANKNAME	 HEADOFFICE	 BRANCHES
1	SBI	State Bank	Delhi	30
2	CNB	Canara Bank	Ernakulam	20
3	SIB	South Indian Bank	Madras	30
4	AXB	Axis Bank	Kottayam	15
5	FDB	Federal Bank	Ernakulam	25

1.COMMIT

```
insert into BANK values('IFB','Indian Federal Bank','Ernakulam',25);
commit;
```

```
1 rows inserted.
committed.
```

```
select *from BANK;
```

	 BANKCODE	 BANKNAME	 HEADOFFICE	 BRANCHES
1	SBI	State Bank	Delhi	30
2	CNB	Canara Bank	Ernakulam	20
3	SIB	South Indian Bank	Madras	30
4	AXB	Axis Bank	Kottayam	15
5	FDB	Federal Bank	Ernakulam	25
6	IFB	Indian Federal Bank	Ernakulam	25

2.SAVEPOINT

```
insert into BANK values('ICL','ICL Fincorp','Ernakulam',5);  
savepoint A;
```

```
1 rows inserted.  
savepoint A
```

```
select *from BANK;
```

	 BANKCODE	 BANKNAME	 HEADOFFICE	 BRANCHES
1	SBI	State Bank	Delhi	30
2	CNB	Canara Bank	Ernakulam	20
3	SIB	South Indian Bank	Madras	30
4	AXB	Axis Bank	Kottayam	15
5	FDB	Federal Bank	Ernakulam	25
6	IFB	Indian Federal Bank	Ernakulam	25
7	ICL	ICL Fincorp	Ernakulam	5

```
insert into BANK values('GMB','Grameen Bank','Pune',15);  
savepoint B;
```

```
1 rows inserted.  
savepoint B
```

select *from BANK;

	 BANKCODE	 BANKNAME	 HEADOFFICE	 BRANCHES
1	SBI	State Bank	Delhi	30
2	CNB	Canara Bank	Ernakulam	20
3	SIB	South Indian Bank	Madras	30
4	AXB	Axis Bank	Kottayam	15
5	FDB	Federal Bank	Ernakulam	25
6	IFB	Indian Federal Bank	Ernakulam	25
7	ICL	ICL Fincorp	Ernakulam	5
8	GMB	Grameen Bank	Pune	15

3.ROLLBACK

rollback to B;

rollback complete.

select *from BANK;

	 BANKCODE	 BANKNAME	 HEADOFFICE	 BRANCHES
1	SBI	State Bank	Delhi	30
2	CNB	Canara Bank	Ernakulam	20
3	SIB	South Indian Bank	Madras	30
4	AXB	Axis Bank	Kottayam	15
5	FDB	Federal Bank	Ernakulam	25
6	IFB	Indian Federal Bank	Ernakulam	25
7	ICL	ICL Fincorp	Ernakulam	5
8	GMB	Grameen Bank	Pune	15

rollback to A;

	 BANKCODE	 BANKNAME	 HEADOFFICE	 BRANCHES
1	SBI	State Bank	Delhi	30
2	CNB	Canara Bank	Ernakulam	20
3	SIB	South Indian Bank	Madras	30
4	AXB	Axis Bank	Kottayam	15
5	FDB	Federal Bank	Ernakulam	25
6	IFB	Indian Federal Bank	Ernakulam	25
7	ICL	ICL Fincorp	Ernakulam	5

(Couldn't rollback to B anymore... coz it lose permanently.. if needed add new)

insert into BANK values('GMB','Grameen Bank','Pune',15);

savepoint B;

1 rows inserted.

savepoint B

rollback to B;

rollback complete.

select *from BANK;

	 BANKCODE	 BANKNAME	 HEADOFFICE	 BRANCHES
1	SBI	State Bank	Delhi	30
2	CNB	Canara Bank	Ernakulam	20
3	SIB	South Indian Bank	Madras	30
4	AXB	Axis Bank	Kottayam	15
5	FDB	Federal Bank	Ernakulam	25
6	IFB	Indian Federal Bank	Ernakulam	25
7	ICL	ICL Fincorp	Ernakulam	5
8	GMB	Grameen Bank	Pune	15

GRANT & REVOKE

grant select on BANK to c24csa27;

```
|grant succeeded.
```

revoke select on BANK from c24csa27;

```
|revoke succeeded.
```

select * from C24CSA27.bank;(after they grant)

	 BANKNAME	 HEADOFFICE	 BRANCH	 BRANCHCODE
1	SBI	Mumbai	Kochi	101
2	HDFC	Mumbai	Ernakulam	102
3	ICICI	Delhi	Kottayam	103
4	CNB	Punjab	Ernakulam	104
5	AXB	Kerala	Ghaziabad	105
6	IFB	Tamil Nadu	Indirapuram	106
7	AXIS	Mumbai	Trivandrum	107

select * from C24CSA27.bank;(after they revoke)

```
|ORA-00942: table or view does not exist
|00942. 00000 - "table or view does not exist"
|*Cause:
|*Action:
|Error at Line: 30 Column: 24
```