


NON-FUNCTIONAL TESTING



Non-Functional Testing Types

- Performance Testing
- Security Testing
- Usability Testing
- Installation Testing
- Reliability Testing



Performance Testing

- Performance testing is a testing of an application's stability and response time by applying load.
- The word stability means the ability of the application to withstand in the presence of load. Response time is how quickly an application is available to users. Performance testing is done with the help of tools. Loader.IO, JMeter, LoadRunner, etc. are good tools available in the market.

Types of Performance Testing

- Load testing is the testing of an application's stability and response time by applying load, which is equal to or less than the designed number of users for an application.
- For example, if your application handles 100 users at a time with a response time of 3 seconds, then load testing can be done by applying a load of a maximum of 100 or less than 100 users. The goal is to verify that the application is responding within 3 seconds for all the users.

Types of Performance Testing

- Stress testing is testing an application's stability and response time by applying load, which is more than the designed number of users for an application.
- For example, if your application handles 1000 users at a time with a response time of 4 seconds, then stress testing can be done by applying a load of more than 1000 users. Test the application with 1100,1200,1300 users and notice the response time. The goal is to verify the stability of an application under stress.

Types of Performance Testing

- Endurance testing is testing an application's stability and response time by applying load continuously for a longer period to verify that the application is working fine.
- For example, car companies soak testing to verify that users can drive cars continuously for hours without any problem.

Security Testing

- It is a type of testing performed by a special team. Any hacking method can penetrate the system.
- Security Testing is done to check how the software, application, or website is secure from internal and/or external threats. This testing includes how much software is secure from malicious programs, viruses and how secure & strong the authorization and authentication processes are.
- It also checks how the software behaves for any hacker's attack & malicious program and how software is maintained for data security after such a hacker attack.

Usability Testing

- Usability testing is testing an application from the user's perspective to check the look and feel and user friendliness.
- For example, there is a mobile app for stock trading, and a tester is performing usability testing. Testers can check the scenario like if the mobile app is easy to operate with one hand or not, the scroll bar should be vertical, the background colour of the app should be black and the price of and stock is displayed in red or green colour.
- The main idea of usability testing of this kind of app is that as soon as the user opens the app, the user should get a glance at the market.

Installation Testing

- Installation testing is a type of software testing that verifies the software's installation process and ensures that the software is installed correctly on various systems and configurations. It is a critical aspect of the software testing process and helps ensure that the software can be easily installed, configured, and uninstalled without any issues.
- For example, install the software in various ways and on the various types of systems that it can be installed. Check which files are added or changed

on the disk. Check whether the installed software works on every OS properly or not.

Reliability Testing

- Reliability testing is an essential component of software testing, evaluating a system's ability to function consistently and reliably in various situations.
- The primary goal is to detect and resolve flaws or vulnerabilities that could lead to failures or malfunctions in real-world use. Reliability testing ensures a stable and consistent user experience by simulating varied use patterns, data loads, and environmental conditions, reducing the likelihood of system breakdowns, downtime, or data loss.

Reliability Testing

- Suppose an e-commerce website is developed that needs to handle a high volume of concurrent user activity. Reliability testing would involve subjecting the website to various stress tests, such as simulating heavy user traffic, processing multiple orders simultaneously, and running the system continuously for an extended period.

Need any experience/support on
Hands-on Live Project
and Live Frameworks.

Please
Connect



 Contact Number - 8130877931

 Email - hr@kasperanalytics.com

 LinkedIn - www.linkedin.com/company/kasper-analytics/