

W O R K S H O P

HTML

PHP

MySQL

Java Script

Ajax

jQuery

Joomla

Md.Tasfin Hasan Tareque
(Software Engineer)
STOCK BANGLADESH LIMITED

Email: tareque20@stockbangladesh.com

WORKSHOP





HTLM

- Learn about HTML TAG.
- Create a template.
- CSS Design.

HTLM_(CONT...)

- The basic building block of any web page is HTML:

Hypertext Mark-up Language

- Hypertext:
 - A system of linking between documents – click the link and the required document is selected and displayed.
- Markup:
 - A system for indicating the formatting of the page – headings, paragraphs, italics and the like.

HTML

- HTML documents **describe web pages**
- HTML documents **contain HTML tags** and plain text
- HTML documents are also **called web pages**



HTML DOCUMENT SKELETON

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"  
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html>
```

```
  <head>
```

```
    <title>Untitled Document</title>
```

```
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">  
  </head>
```

```
    <body>
```

Write here something that will display on the page.

```
  </body>
```

```
</html>
```

DOCUMENT TYPES

- **DocTypes**

- **Strict:**

- `<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">`

- **Transitional:**

- `<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN""http://www.w3.org/TR/html4/loose.dtd">`

- **Frameset:**

- `<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN""http://www.w3.org/TR/html4/frameset.dtd">`

- **By Default:**

- “quirks mode” means “good luck”

HEAD ELEMENTS

- **The HEAD element**
 - The TITLE element
 - The STYLE element
 - The SCRIPT element
 - The ISINDEX element
 - The BASE element
 - The META element
 - The LINK element

HEAD ELEMENT

- **TITLE**
 - defines the document title, and is always needed.
- **ISINDEX**
 - for simple keyword searches, see PROMPT attribute.
- **BASE**
 - defines base URL for resolving relative URLs.
- **SCRIPT**
 - reserved for future use with scripting languages.
- **STYLE**
 - reserved for future use with style sheets.
- **META**
 - used to supply meta info as name/value pairs.
- **LINK**
 - used to define relationships with other documents.

BODY ELEMENTS

- The BODY element
 - Headings (H1 - H6)
 - The ADDRESS element
 - Block level Elements
 - Text level elements

TEXT OBJECTS

- Font
- Bold
- Italic
- Strong
- Em
- Paragraph
- Block Quote
- Heading
- Definition List
- Abbreviation
- Acronym
- List
 - Order List
 - Unorder List

FONT

Input:

```
<font color="red" size="+5" face="Verdana, Arial" title="my title">
```

This is for test

```
</font>
```

Output:

This is for test



my title

BOLD, ITALIC, UNDERLINE

Input:

`<b>This is for test</b>`

Output:

This is for test

Input:

`<u>This is for test</u>`

Output:

This is for test

Input:

`<i>This is for test</i>`

Output:

This is for test

Input:

`<b><i><u>This is for test</u></i></b>`

Output:

This is for test

TEXT TAGS

Tag	Description
	Renders as emphasized text
	Renders as strong emphasized text
<dfn>	Defines a definition term
<code>	Defines computer code text
<samp>	Defines sample computer code
<kbd>	Defines keyboard text
<var>	Defines a variable part of a text
<cite>	Defines a citation

TEXT TAGS

- `<em>Emphasized text</em>` —————> *Emphasized text*
- `<strong>Strong text</strong>` —————> **Strong text**
- `<dfn>Definition term</dfn>` —————> *Definition term*
- `<code>Computer code text</code>` —————> Computer code text
- `<samp>Sample computer code text</samp>` —————> Sample computer code text
- `<kbd>Keyboard text</kbd>` —————> Keyboard text
- `<var>Variable</var>` —————> *Variable*
- `<cite>Citation</cite>` —————> *Citation*

HEADING

- `<h1>This is heading 1</h1>`

This is heading 1

- `<h2>This is heading 2</h2>`

This is heading 2

- `<h3>This is heading 3</h3>`

This is heading 3

- `<h4>This is heading 4</h4>`

This is heading 4

- `<h5>This is heading 5</h5>`

This is heading 5

- `<h6>This is heading 6</h6>`

This is heading 6

BLOCK ELEMENTS

- **Block elements**
 - **P** *paragraphs*
 - **UL** *unordered lists*
 - **OL** *ordered (i.e. numbered) lists*
 - **DL** *definition lists*
 - **PRE** *preformatted text*
 - **DIV** *document divisions*
 - **CENTER** *text alignment*
 - **BLOCKQUOTE** *quoted passage*
 - **FORM** *fill-out forms*
 - **ISINDEX** *primitive HTML forms*
 - **HR** *horizontal rules*
 - **TABLE** *can be nested*

PARAGRAPH

<p>

[illegible]

<p>

[illegible]

OUT
PUT:

[illegible][illegible]

BLOCK QUOTE

- A browser inserts *white space*
before and after
a blockquote element.
- It also insert
margins
for the blockquote element.

BLOCK QUOTE

Here comes a long quotation:

`<blockquote>`


This is a long quotation. This is a long quotation. This is a long quotation. This is a long quotation. This is a long quotation.

`</blockquote>`

Notice that a browser inserts white space before and after a blockquote element. It also insert margins for the blockquote element.

OUTPUT:

Here comes a long quotation:



This is a long quotation. This is a long quotation. This is a long quotation. This is a long quotation. This is a long quotation.

Notice that a browser inserts white space before and after a blockquote element. It also insert margins for the blockquote element.

DEFINITION LIST

<dl>

<dt>CSE</dt>

<dd>- we are student of CSE department</dd>

<dt>Microbiology</dt>

<dd>- we are student of Microbiology department </dd>

</dl>

OUTPUT:

CSE

- we are student of CSE department

Microbiology

- we are student of Microbiology department

ABBREVIATION

Input:

We are student of **<abbr title="Computer Science Engineering">CSE</abbr>** department.

Output:

We are student of CSE department.



Computer Science Engineering

ACRONYM

Input:

Can I get this <acronym title="as soon as possible">ASAP</acronym>?

Output:

Can I get this ASAP?



as soon as possible

LISTS

`<p>An ordered list:</p>`

`<ol>`

`<li>Coffee</li>`

`<li>Tea</li>`

`<li>Milk</li>`

`</ol>`

An ordered list:

1. Coffee
2. Tea
3. Milk

`<p>An unordered list:</p>`

`<ul>`

`<li>Coffee</li>`

`<li>Tea</li>`

`<li>Milk</li>`

`</ul>`

An unordered list:

- Coffee
- Tea
- Milk

ANCHOR

- To create a *link* to another document, by using the *href* attribute
- To create a *bookmark* inside a document, by using the name attribute

```
<a href="www.cse.univdhaka.edu">CSE</a>
```



CSE

- By default, links will appear as follows in all browsers:
 - An unvisited link is underlined and blue
 - A visited link is underlined and purple
 - An active link is underlined and red

TABLE

```
<table width="200" border="0" cellspacing="0" cellpadding="0">
```

```
<tr>
```

```
<td>&nbsp;</td>
```

```
<td>&nbsp;</td>
```

```
</tr>
```

```
<tr>
```

```
<td>&nbsp;</td>
```

```
<td>&nbsp;</td>
```

```
</tr>
```


```
<tr>
```

```
<td>&nbsp;</td>
```

```
<td>&nbsp;</td>
```

```
</tr>
```

```
</table>
```



NESTED TABLE

```

<table width="200" border="0" cellspacing="0" cellpadding="0">
  <tr>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <table width="144" border="0" align="right" cellpadding="0"
      cellspacing="0">
        <tr>
          <td>&nbsp;</td>
          <td>&nbsp;</td>
        </tr>
        <tr>
          <td>&nbsp;</td>
          <td>&nbsp;</td>
        </tr>
      </table>
    </td>
  </tr>
</table>

```



TABLE HEAD & FOOT

```
<table border="1">
```

```
<thead>
```

```
<tr>
```

```
<th>Month</th>
```

```
<th>Savings</th>
```

```
</tr>
```

```
</thead>
```

```
<tfoot>
```

```
<tr>
```

```
<td>Sum</td>
```

```
<td>$180</td>
```

```
</tr>
```

```
</tfoot>
```

```
</table>
```

```
<tbody>
```

```
<tr>
```

```
<td>January</td>
```

```
<td>$100</td>
```

```
</tr>
```

```
<tr>
```

```
<td>February</td>
```

```
<td>$80</td>
```

```
</tr>
```

```
</tbody>
```


TABLE HEAD & FOOT

Month	Savings
January	\$100
February	\$80
Sum	\$180

IMAGE

```

```



My Image

FORM

- The <form> tag is used to create an HTML form for user input.
- A form can contain input elements like
 - Text fields
 - Textarea
 - Checkboxes
 - Radio-buttons
 - Submit buttons
 - Select menus
 - Field set
 - Jump Menu
 - Legend
 - Label elements.

FORM

Tag	Description
<form>	Defines a form for user input
<input>	Defines an input field
<textarea>	Defines a text-area (a multi-line text input control)
<label>	Defines a label to a control
<fieldset>	Defines a fieldset
<legend>	Defines a caption for a fieldset
<select>	Defines a selectable list (a drop-down box)
<optgroup>	Defines an option group
<option>	Defines an option in the drop-down box
<button>	Defines a push button
<isindex>	Deprecated. Use <input> instead

FORM

```
<form name="form1" action="action.php" method="post" enctype="multipart/form-data">
```

```
<input name="textfield" type="text" size="40" maxlength="100">
```



```
<textarea name="textarea" cols="40" rows="4"></textarea>
```



```
<input type="submit" name="Submit" value=" Submit ">
```



```
<input type="reset" name="Reset" value=" Reset">
```



```
<input type="checkbox" name="checkbox" value="checkbox">
```



```
<input name="radiobutton" type="radio" value="radiobutton">
```



```
</form>
```

FORM

```
<form name="form1" action="action.php" method="post" enctype="multipart/form-data">
```

```
<select name="Department">
```

```
<option>CSE</option>
```

```
<option>ISRT</option>
```

```
</select>
```




```
<input type="file" name="file" >
```



```
</form>
```

FRAMESET



FRAMESET

```
<frameset cols="20%,*,20%">
```

```
  <frame name="Left" src="Left.html"/>
```

```
    <frameset rows="20%,*,20%">
```

```
      <frame name="Top" src="Top.html"/>
```

```
      <frame name="Body" src="Body.html"/>
```

```
      <frame name="Bottom" src="Bottom.html"/>
```

```
    </frameset>
```

```
  <frame name="Right" src="Right.html"/>
```

```
</frameset>
```

HIDING TEXT

- **Hiding text content and markup:**

`<! --`

`<p>The content of this paragraph will not appear within the body so long as it's within a comment.</p>--><p>The content of this paragraph will be displayed, because it's outside of the comment field.</p>`

`-- >`

OTHERS TAGS

- Break
- Hr
- Div
- No Frame
-

QUESTIONs
???

